

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A25-07048
Date Received: 6/28/1989
Receipt No: E009306
Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RAY A. CAMPBELL 208-522-4309
Address: 359 E. 81ST N.
IDAHO FALLS, ID 83401

2. Date of Priority: APR 10, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	38E	19	SE	SE			BONNEVILLE

5. Description of diverting works:
WELL, PUMP & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.030		4.60
DOMESTIC	01/01	12/31	0.040		1.20

7. Total Quantity Appropriated is:
0.070 C.F.S. (and/or) 5.80 A.F.A.

8. Total consumptive use is 5.0 Acre Feet Per Annum.

9. Non-irrigation uses:
D/ONE HOME.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	38E	19	SE	SE		IRR	2.0
			SE	SE		DOMEST	

Section Acres 2.0

A25-07048

Page 1

Date: 06/28/89

MICROFILMED
NOV 10 1992

A2507048



10. Place of Use: Continued

Total Acres 2.0

11. Place of use in counties: BONNEVILLE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
WTR. FROM SAGE CK.

14. Remarks:
IRRIGATED ACRES = 1.3 FROM FIELD EXAM CONDUCTED 16 JUNE 1984.
FIELD EXAM IS ATTACHED.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.


Signature of Claimant(s): Ray Campbell Date: 6-28-89
Date: _____

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 28 day
of June 19 89

Paul R. Meyer
Notary Public

Residing at Idaho Falls
My Commission Expires 9-12-94



Log for claim 25-07048

Spatial Dynamics CAT

12/5/00

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
03n38e	19	SESE	2	40	POD placement? / Indiscernible
Totals:			2	40	

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RAY A CAMPBELL 359 E 81ST N IDAHO FALLS ID 83401 (208) 522-4309	04/10/1974	IRRIGATION DOMESTIC	04-01 11-01 01-01 12-31	0.030 CFS 0.040 CFS	4.60 AFA 1.20 AFA
TOTAL DIVERSION:					0.070 CFS	5.80 AFA
CONSUMPTIVE USE:						5.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R38E S19 SESE BONNEVILLE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE					
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE		
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	SUM	
03N 38E 19 :																02 :	2.0
TOTAL ACRES																	2.0

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	
03N 38E 19 :																D :

POU County: BONNEVILLE

Non-Irrigation Uses: D/ONE HOME.

Other Rights: WTR. FROM SAGE CK.

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
25-07166 25-07190 25-12061 A25-07166 A25-07190 A25-12061

Other Water Rights Listing Overlapping Place(s) of Use:
A25-1338820

Conditions of Approval:

- 001 - A measuring device of a type approved by the Department shall
- be permanently installed and maintained as part of the diverting
- works.
- 016 - See remarks for additional conditions of approval.

Remarks: GEN IRRIGATED ACRES = 1.3 FROM FIELD EXAM CONDUCTED 16 JUNE 1984.
FIELD EXAM IS ATTACHED.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

AJ5809NP
No. A25-07048

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 10/24/00
PAGE: 123

=====

Audit: 06/28/89 MEYER 03/29/95 POST-STD

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. [REDACTED]

Priority: April 10, 1974

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.07 CFS
5.8 AF

This is to certify, that RAY A. CAMPBELL
RT. 6 BOX 96

IDAHO FALLS, ID 83401 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 10, 1974; and has submitted Proof of Beneficial Use on March 26, 1984. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	4.6 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.07 CFS	5.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 19, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	38E	19	SESE	1.3		1.3
Total number of acres irrigated:						1.3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

JUL 17 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07048

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5TH
day of July, 1989.

Acting for

R. Keith Higginson, Director

MICROFILMED

JUL 17 1989

Identification No. 25 7048
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Ray A. Campbell
post office address 1025 Bannock Avenue, Idaho Falls, Idaho PH: 522-4309
2. Source of water supply ground water which is a tributary of - - -
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 3N
Range 38E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.11 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.15 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well and pump and sprinkler system.


b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 15 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 2,000.00.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 3N
Range 38E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

25 7048

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RANGE 38 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray Campbell
(Applicant)

25 '7048

Proposed Priority 4-10-1974Received by MB Date 4-10-74 Time 10:30 APreliminary check by RC Fee \$ 10.00Receipted by MB Date 4-10-74 # 12826Publication prepared by MB Date 4-12-74Published in The Post RegisterPublication dates April 18 & 25, 1974Publication approved RB Date 5/6/74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC MB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7048, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1979.
- c. Other: _____

2. Denial of said application is for the following reasons: _____


Witness my hand this 8 day of May 19 74.

R. Karl Hiji
Director

Phone No. 522-4309

- [illegible]

10. Other water rights on these lands Sage Creek
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson

Date 16 June 1984

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

JUL 17 1984

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

JAN 13 1986

25-7048
Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$2.5 \text{ gal} \cdot \text{in} \cdot 4.94 \text{ sec} = 30.36 \text{ gpm} = 0.067 \text{ cfs} = 0.07 \text{ cfs}$$

$$1.25 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.0375 \text{ cfs} = 0.04 \text{ cfs}$$

Q_{IRR} Limited by 0.03 cfs/ac

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.25 \text{ ac})(3.5 \text{ af}) = 4.375 = 4.4 \text{ af}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.04) \times 214 \text{ days} \times 1.9835 = 16.97$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.4 \text{ af}$$

c) Volume Calculations for Other Uses:

Domestic single family 1.2 af

2. Overlap Review

a) Other water rights with same place of use: Sage Creek, 01-0241 Progressive IRR

b) Other water rights with same point of diversion: NONE

c) Analysis:

$R(15) 3.5 \text{ af}$

MICROFILMED

JUL 17 1989

RECOMMENDED AMOUNTS

3. Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7048					0.07 cfs

4. Permit Holder: Roy A. Campbell
 Address: Rt 6 Box 96 Idaho Falls, Id. 83401

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Irrigation</u>	<u>4/1</u> <u>11/1</u>	<u>0.04 cfs</u>	<u>4.4</u>
<u>Domestic</u> (one unit)	<u>1/1</u> <u>12/31</u>	<u>0.04 cfs</u>	<u>1.2</u>

Allowable Maximums: 0.07 cfs 5.6 afa

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		SW	SE	SE	19	3N	38E	Bonneville

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
03 N	38 E	19															1.25	1.25	
Total Acres																	1.25		

9. Recommended Conditions/Remarks: R15(3.5)

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature Keith C. Wilson

Date 9 Dec 1985

Checked In Regional Office by Gary Spickman

Date 26 Dec. 1985

Approved in State Office by _____

Date _____

RECORDED

JUL 17 1986

25-7048

426.30'

LeVon J. Crow

1.32 A

25-723

JUL 17 1989

9336

135.0'

9385

135.0.

Roger D Sargent

25-7166
(Licensed)

9480

~ Lewis

Youngster

25-7156
(Permit)

326.30

9528

195.0'

Sidney A. Poizer

R38E

SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 19 T3N R3

610*

9421

9423

9425

9426

Lewis
Youngston

George
E
Crossley

مجلس

25-7190
(Permit)

25-7157
(LICENSE)

POINT OF DIVERSION

Place of Use

412:

100

100

15

100

—

SINGLE
FAMILY
DOMESTIC
HOME

(Jack Lewis)
Charles
w
Silva

100

100

15

100

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 25-7048

Phone No. 522-4309

1. Owner: Ray A. Campbell
Current Address: Rt 6 Box 96

2. Accompanied by: Mr. Campbell
Address:

EXAM. DATE: 16 June 1984

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	3	390.28191	Sears	2" discharge
					CONTROL BOX No.
					SCP4402

*Code with points of diversion, system diagram & photos on reverse slide. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump, mainline, Pressure tank, distribution lines to single domestic house and irrigation systems

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	STOPWATCH & BUCKET						

7. Measurements *Pressure 40 psi* ☐ Additional data/computation sheets attached

$$2\frac{1}{2} \text{ gal in } 4.94 \text{ sec} = 30.4 \text{ in} = 0.07 \text{ cfs}$$

8. Point(s) of Diversion:	Indicate Method of Determination
---------------------------	----------------------------------

[illegible]

9.	Place(s) of Use:	Irrigation - give acres served by system at time of exam. Indicate Method of Determination
----	------------------	---


[illegible]

Total Acres 1.25

EV4	Totals
23	7.25

NOV 10 1992

10. Other water rights on the lands Sage Ch
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Miller Date 16 June 1984

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	25-7048					0.07 cfs

4. Permit Holder: Ray A. Campbell

Address: Rt 6 Box 96 Idaho Falls, Id. 83401

5. Source: Groundwater

tributary to

6. Beneficial Use

Period of Use	
From	To

Rate of Diversion
Q (c/s)

Annual Volume
V (afa)

Irrigation

41

11/1/

0.04cfz

4,4

Domestic

 $\frac{1}{2}$

12/51

0.04cf

1.2

(one unit)

Allowable Maximums:

0.07 cfs

5.6 afc

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: R15(3.5)

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature

Keith Wilson

Date 9 Dec 1985

Checked in Regional Office by

Date 6

Approved in State Office by

Date _____

MICROFILMED

NOV 10 1952

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7048
Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$2.5 \text{ gal in } 4.94 \text{ sec} = 30.36 \text{ gpm} = 0.067 \text{ cfs} = 0.07 \text{ cfs}$$

$$1.25 \text{ ac} \times 0.03 \text{ cfs/ac} = 0.0375 \text{ cfs} = 0.04 \text{ cfs}$$

Q_{IRR} Limited by 0.03 cfs/ac

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{IR} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.25 \text{ ac})(3.5 \text{ af}) = 4.375 = 4.4 \text{ af} \\ V_{DR} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.07) \times 214 \text{ days} \times 1.9835 = 29.71 \\ V &= \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.4 \text{ af} \end{aligned}$$

c) Volume Calculations for Other Uses:

Domestic single family 1.2 af

2. Overlap Review


a) Other water rights with same place of use: Sage Creek, 01-0241 Progressive IRR

b) Other water rights with same point of diversion: NONE

c) Analysis:

$R(15)$ 3.5 af

25-7048



POINT OF
DIVERSION

Place of

R38E

SE 1/4 SE 1/4 Sec 19 T3N R38E

MICROFILMED
NOV 10 1987