

1850
134 ac
#184

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A25-07139
Date Received: 2/28/1989
Receipt No: E005922
Received By: _____

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: ELDON L. WARD 208-522-3340
Address: 11260 N. 15TH E.
IDAHO FALLS, ID 83401

2. Date of Priority: NOV 17, 1977

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
03N	38E	16	SE	NE	NW		BONNEVILLE

5. Description of diverting works:
WELL, PUMP & SPRINKLER.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	2.700		

7. Total Quantity Appropriated is:
2.700 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 335.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
03N	38E	16	NE	NW		IRR	39.0
			NW	NW		IRR	35.0
			SW	NW		IRR	28.0

A25-07139

Page 1

Date: 02/28/89

MICROFILMED
NOV 10 1992

A2507139



10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	38E	16	SE NW		IRR	32.0

Section Acres 134.0

Total Acres 134.0

11. Place of use in counties: BONNEVILLE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
BURGESS CANAL.

14. Remarks:

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Edouard L Ward Date: 2/28/89

Date: _____

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 28 day


of February 19 89

Anthony L Obenland
Notary Public

Seal

Residing at Idaho Falls

My Commission Expires 7/12/1994



J-2

324 C192
MICROFILMED
NOV 10 1992

Log for claim 25-07139

Spatial Dynamics CAT

12/6/00

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
03n38e	16	NENW	39	40	
03n38e	16	NWNW	35	36	
03n38e	16	SWNW	28	27	
03n38e	16	SEnw	32	33	
Totals:			134	136	

AJ5809NP
No. A25-07139

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 10/24/00
PAGE: 133

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ELDON L WARD 11260 N 15TH E IDAHO FALLS ID 83401 (208) 522-3340	11/17/1977	IRRIGATION	04-01 11-01	2.700 CFS	
					TOTAL DIVERSION:	2.700 CFS
					CONSUMPTIVE USE:	335.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T03N R38E S16 SENENW BONNEVILLE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE										
T	R	S		NENE	NWNE	SWNE	SENE	: NENW	NWNW	SWNW	SENW	: NESW	NWSW	SWSW	SESW	: NESE	NWSE	SWSE	SESE	:		
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
03N	38E	16	:					:	39	35	28	32	:									134.0
																				TOTAL ACRES	134.0	

POU County: BONNEVILLE

Non-Irrigation Uses: NONE

Other Rights: BURGESS CANAL.

Other Water Rights Listing Overlapping Place(s) of Use:

A01-00069 A01-00070 A01-00109B A01-00110B A01-00111B A01-00112B A01-00113B A01-00115B A01-00262 A01-00309
A01-10156 A01-10157 A01-10158 A01-10159 A01-10160

Conditions of Approval:

- 01A - For licensing purposes, a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 02/28/89 OLENICHA 03/29/95 POST-STD

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. [REDACTED]

Priority: November 17, 1977 Amount: 2.68 CFS 469.0 AFA

This is to certify, that ELDON L. WARD

RT. 2 BOX 360

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated November 17, 1977, and has submitted proof to the Department of Water Resources on November 2, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 2.800 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	2.68 CFS	469.0 AFA

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 16, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 38E 16	NENW 39	NWNW 35	SWNW 28	134
	SENW 32			

Total number of acres irrigated: 134

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of MARCH, 1989.

MICROFILMED

MAR 30 1989

Acting for the Director



Identification No. 25 7139

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Eldon L. Ward Phone: 522-3340
post office address Rt. #2, Box 360 Idaho Falls, ID 83401
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 16 Township 3N
Range 38E B.M. Bonneville County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.9 for irrig. purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.9 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well pump and sprinkler system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 175 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	16					40	40	30	35									145


Total number of acres to be irrigated 145

c. Describe any other water rights used for the same purposes as described above. shares in
Burgess Canal

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Static water level 118, very little draw down

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin L. Ward
(Applicant)

11/17/77
Proposed Priority _____

Received by CU Date 11-17-77 Time 12:25p

Preliminary check by CU Fee \$ 45.00

Received by CU Date 11-17-77 49100

Publication prepared by CU Date 11-17-77

Published in Post Register

Publication dates Nov 24 & Dec 1-1977

Publication approved me Date December 9, 1977

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Wtkm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 25-7139, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 83.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water. (2) The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 29 day of January, 19 78.


DEPUTY Director

MAR 12 1968

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 25-7139

Phone No. 522-3340

1. Owner: Eldon L Ward Phone No. 522-3340
Current Address: Rt # 2 Box 360 Idaho Falls Id
2. Accompanied by: Mr. Ward EXAM. DATE: 6-July 1984
Address: Rt # 2 Box 360 Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1 1/2	JKJ91114S	Peerless	179257

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

well, pump max line to 7-1/4 mile line 37 birds / line

259 sprinkles

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	Anubar		Diaphragm	7517-SIG-SS	191147	10.02"	-
	Manometer	-	-	-	-	-	-

7. Measurements 26.9" - 15.6" - 11.3" ☐ Additional data/computation sheets attached

id 14 9 9.851"

8. Point(s) of Diversion: Indicate Method of Determination *ASCS Map*

[illegible]


9. Irrigation - give acres served by system at time of exam.

Place(s) of Use:

Indicate Method of Determination ASCS Map

[illegible]

10. Other water rights on these lands 01 0262
11. Other water right diverted from same p.d. N/A
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson

Date 6 July 1984

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

MAR 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAR 12 1986

25-7139

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q = 3.85 (C.D.)^2 \sqrt{Y} (K)$$

$$C.D. = 9.851''$$

$$Y = 11.3''$$

$$K = 1.0 \text{ for manometer}$$

$$Q = 3.85 (9.851)^2 \sqrt{11.3} = 1256 \text{ gpm} = 2.80 \text{ cfs}$$

$$0.02 \text{ cfs/ac} \times 134 \text{ ac} = 2.68 \text{ cfs}$$

Recommend licensing for 2.70 cfs

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 134 \times 3.5 = 469$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.68 \times 214 \times 1.9835 = 1,137.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 469 \text{ a/c}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: 01-0262 ;

b) Other water rights with same point of diversion: N/A

c) Analysis:

R30

MICROFILMED

MAR 30 1989

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7139					2.80

4. Permit Holder: _____

Address: _____

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	2.68 cfs	469 afa

Allowable Maximums: 2.68 cfs 469 afa

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	16					39	35	28	32								134	
Total Acres																		134	

9. Recommended Conditions/Remarks: R 30

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Jethro Wilson Date 3 Mar 1986

Checked in Regional Office by Gary Spelman Date 3-5-86

Approved in State Office by _____ Date 12/1/88

MAR 30 1989

25-7139

