

NO LATE FEE IF RECEIVED
BY 6-18-90 ~~ES~~

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED

Ident. Number: A29-07174
Date Received: 5/17/1990
Receipt No: E014768/90
Received By: _____

JUN 7 1990

Department of Water Resources
Eastern District Office

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GARY L. SKEEM 208-254-3325
Address: P.O. BOX 291
MC CAMMON, ID 83250

OR
Name: SHARON SKEEM 208-254-3325
Address: P.O. BOX 291
MC CAMMON, ID 83250

2. Date of Priority: FEB 27, 1974

3. Source: PORTNEUF RIVER Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
09S	36E	12	NW NE		BANNOCK

5. Description of diverting works:
SEE REMARKS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
POWER	01/01	12/31	27.000		

7. Total Quantity Appropriated is:
27.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
POWER GENERATION. 12' HEAD, 20KW GENERATOR
GENERATING CAPACITY 20.0 KILOWATTS

A2907174

A29-07174

Page 1

Date: 05/17/90

MICROFILMED

NOV 13 1992

(20)(3.5) + 50 =

10. Place of Use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
09S	36E	12	NW NE	NE NW	POWER POWER	

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
29-07247

14. Remarks:

THIS PROJECT SHALL BE OPERATED IN A MANNER THAT WILL NOT CONFLICT OR INTERFERE WITH THE FUTURE UPSTREAM DIVERSION OF WATER FOR IRRIGATION OR OTHER BENEFICIAL CONSUMPTIVE USES.

ITEM 5: WATER DIVERTED THROUGH SCREEN AND GEAD GATE BY CHANNEL CUT THROUGH RIVER BANK. THEN TRAVELS INTO PEN STOCK THROUGH WATER TURBINE. THEN RELEASED INTO A TAIL WATER POND, AND FLOWS BACK TO RIVER.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Gary L Skeem Date: May 29, 1990
Sharon Skeem Date: May 29, 1990

State of Idaho)
County of Bannock) SS.

Subscribed and sworn (or affirmed) before me this 29 day

of May 19 90

Belva Olsen
Notary Public

Seal

Residing at Mc Cammon

My Commission Expires 10-95



IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

02/28/2001

RIGHT NUMBER: 29-7174

NAME AND ADDRESS: GARY L SKEEM
SHARON SKEEM
PO BOX 291
MC CAMMON, ID 83250

SOURCE: PORTNEUF RIVER TRIBUTARY: SNAKE RIVER

QUANTITY: 27 CFS

USE OF THIS RIGHT WITH RIGHT NO. 29-07247 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 54.44 CFS.

PRIORITY DATE: 02/27/1974

POINT OF DIVERSION: T09S R36E S12 NWNE Within BANNOCK County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
POWER	1-01 12-31	27.00 CFS

NON-CONSUMPTIVE POWER GENERATION.

PLACE OF USE:

<u>POWER Within BANNOCK County</u>			
T09S R36E S12	NWNE	T09S R36E S12	NENW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE
EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE
ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER
THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6),
IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7174 Priority February 27, 1974 Amount 27 cfs

THIS IS TO CERTIFY, that GARY L. SKEED
of McCannon, Idaho, has complied with the terms and conditions of Permit
No. 29-7174 issued pursuant to Application for Permit dated February 27, 1974
and has submitted proof to the Department of Water Resources on December 8, 1976
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 54.44 cfs of water from Portneuf River
tributary to Snake River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Power Generation	from January 1 to December 31	at 27 cfs and	N/A
	from to	at cfs and	
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 27 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the NW 1/4, Sec. 12, Twp. 9S,
Rge. 36E, B. M. in the County of Bannock

Description and location of place of:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Total
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	36E	12		X			X												

Total number of acres irrigated

Measuring devices of a type approved by this Department shall be permanently
installed and maintained at the point of diversion and the point of effluent dis-
charge.

This project shall be operated in a manner that will not conflict or inter-
fere with the future upstream diversion of water for irrigation or other beneficial
consumptive uses.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of

February, 19 79

CLAMOR AS LICENSOR
So, RECOMMENDED

Stephen Allred
Director

*Acc Limiting Permit
From 29-7247*



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Alford
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 22, 1979

Re: Permit No. 29-7174

Gary L. Skeem
P.O. Box 291
McCammon, Idaho 83250

Dear Mr. Skeem:

We acknowledge receipt of the assignment submitted conveying the above referenced permit to you.

A representative of this Department made an examination of the works covered by your Permit No. 29-7174 on May 2, 1978, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 27 cfs *du* Source: Portneuf River *du*

The maximum quantity diverted shall not exceed N/A acre feet per year.

Point of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 12, Twp. 9S, Rge. 36E, B. M. *du*

Beneficial use: Power Generation within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 12,
Twp. 9S, Rge. 36E, B. M. *du*

Priority date established: February 27, 1974 *du*

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

* Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

DEC 15 1970

Department of Justice
Eastern District of Texas
Phone (254) 332-5

(name spring, stream, etc.)

Other uses: _____

Permit No. 29-7174
Examination for b/u

Max Rate of Diversion 27.00 cubic feet per second and annual volume AF/Annum.

Township 9S N/S, Range 36E E/W, B.M., Section 12 Subdivision NW 1/4 NE 1/4 Bannock
County
Township N/S, Range E/W, B.M., Section Subdivision 1/4 1/4 County
Township N/S, Range E/W, B.M., Section Subdivision 1/4 1/4 County

Other Points of Diversions:

Description of diverting works: concrete headgate adjacent to the Portneuf. There are no conveyance channels.

Mensuring, device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**





Diagram of System



DATE OF EXAM MAY 2, 1978

ACREAGE
Found 0
Recommended 0

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Injection 27.0 cfs 19.1 19.1

Is water co-mingled? yes _____ no X

Name source: N.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: N.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Point of injection: N.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: N.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____ Sub _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 54.44 cfs Method of measurement Rich. Sump

Total Q recommended 27.0 cfs Meter No. N.A. Type 3.33 Condition Std. Used

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

Q = 3.33' H^{1.32} Vol cap 4/100 (constant)
Q = 3.33 (11.0) ^{1.32} = 54.44
(3.33)(11.0) ^{1.32} = 54.44 cfs

SYSTEM DESCRIPTION:

2 openings (1.5' dia) each. The pressure of
water flows through 2' dia. The water enters the
water is discharged through a 12" diameter pipe. There
returning to the tank. The
6" dia. pipe, the pressure

REMARKS:

Examiner's Signature Billy Charles Jones Date May 2, 1978

Checked by Larry S. Johnson Date 5/2/78

Approved by _____ Date _____