



Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001





500 0 500 1000 Feet



Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001





500 0 500 1000 Feet




Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001



500 0 500 1000 Feet



SPATIAL
DYNAMICS

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A47-02276
Date Received: 9/09/1988
Receipt No: S002118
Received By: SCC

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: MONROE HAYS
Address: RT. 1
FILER, ID 83328
OR
Name: ADA L. HAYS
Address: 2100 LAKE WASHINGTON BLVD. N.
BOX 93
RENTON, WA 98055
2. Date of Priority: MAR 31, 1954
3. Source: GROUNDWATER Trib. to:
4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
10S	16E	2	SE	NE	NW	3	TWIN FALLS
5. Description of diverting works:
WELL AND PUMP
6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	1.960		
7. Total Quantity Appropriated is:
1.960 C.F.S. (and/or) A.F.A.
8. Total consumptive use is 339.0 Acre Feet Per Annum.
9. Non-irrigation uses:

A47-02276

Page 1

Date: 09/09/88

MICROFILMED

MAR 11 1993

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres		
09S	16E	35	NE	SW		IRR	28.0		
			SW	SW		IRR	5.0		
			SE	SW		IRR	30.0		
			Section Acres						63.0
10S	16E	2	NE	NW	3	IRR	40.0		
			NW	NW	4	IRR	10.0		
			Section Acres						50.0
			Total Acres						113.0

11. Place of use in counties: TWIN FALLS

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
TFCC SHARES

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number: 24831

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Monroe W. Hays Date: 9/9/88
Date: _____


State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 9th day
of September 19 88 Roxanne Storey
Notary Public

Seal

Residing at Buhl, Id
My Commission Expires 6-30-94

I-9



Log for claim 47-02276


Spatial Dynamics BTD

1/11/01

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
09s16e	35	NESW	28	28	
09s16e	35	SWSW	5	4.8	
09s16e	35	SESW	30	33	
10s16e	2	NENW	40	46	
10s16e	2	NWNW	10	7.5	
Totals:			113	119.3	

Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001





500 0 500 1000 Feet



**SPATIAL
DYNAMICS**

Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001





500 0 500 1000 Feet



SPATIAL
DYNAMICS

Water Right Claim Number 47-02276
Townships , 9S16E, 10S16E

01/11/2001



500 0 500 1000 Feet



SPATIAL
DYNAMICS

AJ5809NP
No. A47-02276

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 12/06/00
PAGE: 29

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MONROE HAYS RT 1 FILER ID 83328 (208) 734-4493	03/31/1954	IRRIGATION	03-15 11-15	1.960 CFS	
TOTAL DIVERSION:					1.960 CFS	
CONSUMPTIVE USE:						339.00 AFA

C ADA L HAYS
2100 LAKE WASHINGTON BLVD N
BOX 93
RENTON WA 98055

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T10S R16E S02 Lot03(SENENW)

TWIN FALLS County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
09S	16E	35	:											28		05		30		:	63.0
10S	16E	2	:																	:	50.0
																				TOTAL ACRES	113.0

POU County: TWIN FALLS

Other Rights: TFCC SHARES

Other Water Rights Listing Overlapping Place(s) of Use:
A01-0020921

Dates: Exam Made Date: Verified Date: 03/12/1985 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 09/09/88 CLELLAND 03/30/95 POST-STD

State of Idaho

License and Certificate of Water Right

Water License No. G-24831

Amount 1.96 second feet

Water District No. _____

Priority March 31, 1954

THIS IS TO CERTIFY that W. R. HAYS
of Twin Falls, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated March 31,, 1954; that Permit No. G-24831
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
1.96 second feet, was issued thereunder on October 28, 1955, showing that said works
were completed on the 27th day of October, 1954; and that on the 27th
day of October, 1954,

W. R. HAYS
of Twin Falls, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
~~subterranean flow~~ (subterranean flow), for the purpose of irrigation and domestic
use, under Use Permit No. G-24831 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
9 of Licenses at page 5577, on the 28th day of October, 1955;

The right hereby confirmed dates from March 31, 1954;

The Point of Diversion is located in Lot 3, or
in the NE 1/4 NW 1/4, Sec. 8, Tp. 10 S., R. 16 E., B. M. Twin Falls County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 1.96 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
10 S.	16 E.	2	Lot 3	45.94	45
			Lot 4	15.96	45
9 S.	16 E.	35	NE 1/4 SW 1/4	29	40
			SE 1/4 SW 1/4	40	40
Number of Acres Actually Irrigated-----					170

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
28th day of October, 1955.

MARK E. KULP

State Reclamation Engineer.

(SEAL)

47-2276

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 32645
Permit No. G- 24831
District No.

1. Name of Applicant: W. R. HAYS
Postoffice address: 153 Pierce, Twin Falls County: Twin Falls State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second. Two (2) or Idaho
Miners' inches 100 or gallons per minute.
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean water from a well
Southeast corner of Lot 3
4. Location of point of diversion or well is in the /NE 1/4 of the NW 1/4 of Section 2
Twp. 10 S. , Rge. 16 E. , B.M., County of Twin Falls
5. Water is to be used for: Irrigation and domestic purposes
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the 1/4 of the 1/4 of Section , Twp.
Rge. , B.M.
 - (b) Waste water or sewage effluent is to be returned to
at a point in the 1/4 of the 1/4 of Section , Twp. , Rge. , B.M.
7. Kind of works: Drilled well, electric pump and open ditches
8. Estimated cost of works: \$ Between \$3,000 and \$4,000
9. (a) Is reservoir to be used? No
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is Two (2) years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash onhand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: Water right evidenced by shares of stock in Twin Falls Canal Company, 1 share per acre.
 - (a) 2 (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-24831This proof is for Completion of Works & Beneficial Use In Water District No.

1. Name of applicant: W. R. Hays, 153 Pierce St., Twin Falls, Idaho
2. Source of water supply: Subterranean from a well
3. Location of point of diversion: Is in the Lot 3 of Section 2
T. 10 S. R. 16 E. County of Twin Falls
4. Describe works as they exist, giving dimensions and capacities of same: U. S. Motor 20
hp, serial No. 972204. Layne Bowler Pump serial No. 20367. 5' by 8"
delivery pipe to the South into an open ditch. There is no protection.
6' by 6' concrete platform. This water is supplemental. Well is 147'
deep by 12" diameter. H is 51'. Lift is 75'. 3 stage 10" bowls.
Column is 8" by 90'.
5. Water is used for: Irrigation and domestic purposes
6. State whether or not water has been turned into works of diversion: Yes
7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):
E 1/2 SW 1/4 Section 35, Twp. 9 South, Range 16 East, B. M.
Lots 3 and 4, Section 2, Twp. 10 South, Range 16 East, B. M.
See the map

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks:

Most of lot 4 is irrigated by exchange water.
Mr Hays son along on inspection.

This examination was made on the 26 day of July, 1957(Signed) E. H. Humphrey Examiner.

S 24831

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
SEP 13 1955

Department of Reclamation

W. R. Hays
153 Pierce St. Twin Falls, Idaho

Permit No. G-24831

Examination for Completion of Works
and Beneficial Use

County Twin Falls

2.0 a's.


S. 2 Well

1/2 Sec. 30.0' 1/2 Sec. 14.0' 1/2 Sec. 15.0' 1/2 Sec. 16.0' 1/2 Sec. 17.0' 1/2 Sec. 18.0' 1/2 Sec. 19.0' 1/2 Sec. 20.0' 1/2 Sec. 21.0' 1/2 Sec. 22.0' 1/2 Sec. 23.0' 1/2 Sec. 24.0' 1/2 Sec. 25.0' 1/2 Sec. 26.0' 1/2 Sec. 27.0' 1/2 Sec. 28.0' 1/2 Sec. 29.0' 1/2 Sec. 30.0' 1/2 Sec. 31.0' 1/2 Sec. 32.0' 1/2 Sec. 33.0' 1/2 Sec. 34.0' 1/2 Sec. 35.0' 1/2 Sec. 36.0' 1/2 Sec. 37.0' 1/2 Sec. 38.0' 1/2 Sec. 39.0' 1/2 Sec. 40.0' 1/2 Sec. 41.0' 1/2 Sec. 42.0' 1/2 Sec. 43.0' 1/2 Sec. 44.0' 1/2 Sec. 45.0' 1/2 Sec. 46.0' 1/2 Sec. 47.0' 1/2 Sec. 48.0' 1/2 Sec. 49.0' 1/2 Sec. 50.0' 1/2 Sec. 51.0' 1/2 Sec. 52.0' 1/2 Sec. 53.0' 1/2 Sec. 54.0' 1/2 Sec. 55.0' 1/2 Sec. 56.0' 1/2 Sec. 57.0' 1/2 Sec. 58.0' 1/2 Sec. 59.0' 1/2 Sec. 60.0' 1/2 Sec. 61.0' 1/2 Sec. 62.0' 1/2 Sec. 63.0' 1/2 Sec. 64.0' 1/2 Sec. 65.0' 1/2 Sec. 66.0' 1/2 Sec. 67.0' 1/2 Sec. 68.0' 1/2 Sec. 69.0' 1/2 Sec. 70.0' 1/2 Sec. 71.0' 1/2 Sec. 72.0' 1/2 Sec. 73.0' 1/2 Sec. 74.0' 1/2 Sec. 75.0' 1/2 Sec. 76.0' 1/2 Sec. 77.0' 1/2 Sec. 78.0' 1/2 Sec. 79.0' 1/2 Sec. 80.0' 1/2 Sec. 81.0' 1/2 Sec. 82.0' 1/2 Sec. 83.0' 1/2 Sec. 84.0' 1/2 Sec. 85.0' 1/2 Sec. 86.0' 1/2 Sec. 87.0' 1/2 Sec. 88.0' 1/2 Sec. 89.0' 1/2 Sec. 90.0' 1/2 Sec. 91.0' 1/2 Sec. 92.0' 1/2 Sec. 93.0' 1/2 Sec. 94.0' 1/2 Sec. 95.0' 1/2 Sec. 96.0' 1/2 Sec. 97.0' 1/2 Sec. 98.0' 1/2 Sec. 99.0' 1/2 Sec. 100.0'

Reclamation Division

1/2 Sec. 1.0' 1/2 Sec. 2.0' 1/2 Sec. 3.0' 1/2 Sec. 4.0' 1/2 Sec. 5.0' 1/2 Sec. 6.0' 1/2 Sec. 7.0' 1/2 Sec. 8.0' 1/2 Sec. 9.0' 1/2 Sec. 10.0' 1/2 Sec. 11.0' 1/2 Sec. 12.0' 1/2 Sec. 13.0' 1/2 Sec. 14.0' 1/2 Sec. 15.0' 1/2 Sec. 16.0' 1/2 Sec. 17.0' 1/2 Sec. 18.0' 1/2 Sec. 19.0' 1/2 Sec. 20.0' 1/2 Sec. 21.0' 1/2 Sec. 22.0' 1/2 Sec. 23.0' 1/2 Sec. 24.0' 1/2 Sec. 25.0' 1/2 Sec. 26.0' 1/2 Sec. 27.0' 1/2 Sec. 28.0' 1/2 Sec. 29.0' 1/2 Sec. 30.0' 1/2 Sec. 31.0' 1/2 Sec. 32.0' 1/2 Sec. 33.0' 1/2 Sec. 34.0' 1/2 Sec. 35.0' 1/2 Sec. 36.0' 1/2 Sec. 37.0' 1/2 Sec. 38.0' 1/2 Sec. 39.0' 1/2 Sec. 40.0' 1/2 Sec. 41.0' 1/2 Sec. 42.0' 1/2 Sec. 43.0' 1/2 Sec. 44.0' 1/2 Sec. 45.0' 1/2 Sec. 46.0' 1/2 Sec. 47.0' 1/2 Sec. 48.0' 1/2 Sec. 49.0' 1/2 Sec. 50.0' 1/2 Sec. 51.0' 1/2 Sec. 52.0' 1/2 Sec. 53.0' 1/2 Sec. 54.0' 1/2 Sec. 55.0' 1/2 Sec. 56.0' 1/2 Sec. 57.0' 1/2 Sec. 58.0' 1/2 Sec. 59.0' 1/2 Sec. 60.0' 1/2 Sec. 61.0' 1/2 Sec. 62.0' 1/2 Sec. 63.0' 1/2 Sec. 64.0' 1/2 Sec. 65.0' 1/2 Sec. 66.0' 1/2 Sec. 67.0' 1/2 Sec. 68.0' 1/2 Sec. 69.0' 1/2 Sec. 70.0' 1/2 Sec. 71.0' 1/2 Sec. 72.0' 1/2 Sec. 73.0' 1/2 Sec. 74.0' 1/2 Sec. 75.0' 1/2 Sec. 76.0' 1/2 Sec. 77.0' 1/2 Sec. 78.0' 1/2 Sec. 79.0' 1/2 Sec. 80.0' 1/2 Sec. 81.0' 1/2 Sec. 82.0' 1/2 Sec. 83.0' 1/2 Sec. 84.0' 1/2 Sec. 85.0' 1/2 Sec. 86.0' 1/2 Sec. 87.0' 1/2 Sec. 88.0' 1/2 Sec. 89.0' 1/2 Sec. 90.0' 1/2 Sec. 91.0' 1/2 Sec. 92.0' 1/2 Sec. 93.0' 1/2 Sec. 94.0' 1/2 Sec. 95.0' 1/2 Sec. 96.0' 1/2 Sec. 97.0' 1/2 Sec. 98.0' 1/2 Sec. 99.0' 1/2 Sec. 100.0'

1/2 Sec. 1.0' 1/2 Sec. 2.0' 1/2 Sec. 3.0' 1/2 Sec. 4.0' 1/2 Sec. 5.0' 1/2 Sec. 6.0' 1/2 Sec. 7.0' 1/2 Sec. 8.0' 1/2 Sec. 9.0' 1/2 Sec. 10.0' 1/2 Sec. 11.0' 1/2 Sec. 12.0' 1/2 Sec. 13.0' 1/2 Sec. 14.0' 1/2 Sec. 15.0' 1/2 Sec. 16.0' 1/2 Sec. 17.0' 1/2 Sec. 18.0' 1/2 Sec. 19.0' 1/2 Sec. 20.0' 1/2 Sec. 21.0' 1/2 Sec. 22.0' 1/2 Sec. 23.0' 1/2 Sec. 24.0' 1/2 Sec. 25.0' 1/2 Sec. 26.0' 1/2 Sec. 27.0' 1/2 Sec. 28.0' 1/2 Sec. 29.0' 1/2 Sec. 30.0' 1/2 Sec. 31.0' 1/2 Sec. 32.0' 1/2 Sec. 33.0' 1/2 Sec. 34.0' 1/2 Sec. 35.0' 1/2 Sec. 36.0' 1/2 Sec. 37.0' 1/2 Sec. 38.0' 1/2 Sec. 39.0' 1/2 Sec. 40.0' 1/2 Sec. 41.0' 1/2 Sec. 42.0' 1/2 Sec. 43.0' 1/2 Sec. 44.0' 1/2 Sec. 45.0' 1/2 Sec. 46.0' 1/2 Sec. 47.0' 1/2 Sec. 48.0' 1/2 Sec. 49.0' 1/2 Sec. 50.0' 1/2 Sec. 51.0' 1/2 Sec. 52.0' 1/2 Sec. 53.0' 1/2 Sec. 54.0' 1/2 Sec. 55.0' 1/2 Sec. 56.0' 1/2 Sec. 57.0' 1/2 Sec. 58.0' 1/2 Sec. 59.0' 1/2 Sec. 60.0' 1/2 Sec. 61.0' 1/2 Sec. 62.0' 1/2 Sec. 63.0' 1/2 Sec. 64.0' 1/2 Sec. 65.0' 1/2 Sec. 66.0' 1/2 Sec. 67.0' 1/2 Sec. 68.0' 1/2 Sec. 69.0' 1/2 Sec. 70.0' 1/2 Sec. 71.0' 1/2 Sec. 72.0' 1/2 Sec. 73.0' 1/2 Sec. 74.0' 1/2 Sec. 75.0' 1/2 Sec. 76.0' 1/2 Sec. 77.0' 1/2 Sec. 78.0' 1/2 Sec. 79.0' 1/2 Sec. 80.0' 1/2 Sec. 81.0' 1/2 Sec. 82.0' 1/2 Sec. 83.0' 1/2 Sec. 84.0' 1/2 Sec. 85.0' 1/2 Sec. 86.0' 1/2 Sec. 87.0' 1/2 Sec. 88.0' 1/2 Sec. 89.0' 1/2 Sec. 90.0' 1/2 Sec. 91.0' 1/2 Sec. 92.0' 1/2 Sec. 93.0' 1/2 Sec. 94.0' 1/2 Sec. 95.0' 1/2 Sec. 96.0' 1/2 Sec. 97.0' 1/2 Sec. 98.0' 1/2 Sec. 99.0' 1/2 Sec. 100.0'



STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. G-24831

REPORT ON PROOF OF Completion of Works & Beneficial Use

W. R. HAYS, 153 Pierce St., Twin Falls, Idaho

196 Q/S
mark

app. 2 c/s

170 acres
4-110'S