


Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001




400 0 400 800 Feet



Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001




400 0 400 800 Feet



SPATIAL
DYNAMICS

Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001



400 0 400 800 Feet



 SPATIAL
DYNAMICS

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A47-07719

Date Received: 3/08/1989

Receipt No: C005526

Received By: _____

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GRACE BAPTIST CHURCH
Address: 798 EASTLAND DRIVE NORTH
TWIN FALLS, ID 83301 208-733-1452

2. Date of Priority: MAR 13, 1981

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
10S	17E	11	NW	NW			TWIN FALLS

5. Description of diverting works:
WELL, 200' DEEP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.200		
DOMESTIC	01/01	12/31	1.000		

7. Total Quantity Appropriated is:
1.200 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 30.0 Acre Feet Per Annum.

9. Non-irrigation uses:
D/600 PEOPLE (CONGREGATION); AUDITORIUM, GYMNASIUM

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
10S	17E	11	NW	NW		IRR	10.0
			NW	NW		DOMEST	

Section Acres 10.0

A47-07719

Page 1

Date: 03/09/89

MICROFILMED

MAR 11 1993

10. Place of Use: Continued

Total Acres 10.0

11. Place of use in counties: TWIN FALLS

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
CITY WATER SYSTEM

14. Remarks:

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am _____ of

Title
_____, that I have signed the foregoing
Organization
document in the space below as _____ of

Title
_____ and that the statements contained in the
Organization
foregoing document are true and correct.

Signature of Authorized Agent

Title and Organization

Date

State of Idaho)
County of _____) SS.

Subscribed and sworn (or affirmed) before me this _____ day
of _____ 19 _____

Notary Public

Seal

Residing at _____

My Commission Expires _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 147-07719Date Received 3-08-89Receipt Number 4005526
COPIES 700
3-08-89

RECEIVED
MAR 08 1989

NOTICE OF CLAIM
TO A
WATER RIGHT

RECEIVED
OCT 6 1988

Department of Water Resources ACQUIRED UNDER STATE LAW

Department of Water Resources
Southern Region Office

Please type or print clearly

1. Name of Claimant (s) Grace Baptist Church Phone (208) 733-1452
Mailing Address 798 Eastland Dr. N. Twin Falls, ID Zip 83301
2. Date of Priority (Only one (1) per claim) 3/13/81
3. Source of water supply (a) ground water
which is tributary to (b) _____
4. a. Location of existing point of diversion is: Township 10S Range 17E Section 11,
1/4 of NW 1/4 of NW 1/4, Govt. Lot, B.M., County of Twin Falls
Additional points of diversion if any: _____
- b. If instream flow, beginning point of claimed instream flow is:
Township _____ Range _____ Section _____, 1/4 of 1/4 of 1/4,
Govt. Lot _____ B.M., County of _____
ending point is: Township _____ Range _____ Section _____, 1/4 of 1/4 of
1/4, Govt. Lot B.M., County of
5. Description of existing diversion works (Dams, Reservoirs, Ditches, Wells, Pumps, Pipelines, Headgates, Etc),
including the dates of any changes or enlargements in use, the dimensions of the diversion works as
constructed and as enlarged and the depth of each well. Pump well depth 200' Serves church
congregation of 600 people. Auditorium, gymnasium, and 10 irrigated acres with pipelines

MICROFILMED

MAR 11 1993

6. Water is claimed for the following purposes:

(both dates are inclusive)

(cfs)

(acre feet)

For domestic purposes from Jan 1 to Dec 31 amount 1.00cfs or _____
For irrigation purposes from Mar 15 to Nov 15 amount 0.20cfs or _____
For _____ purposes from _____ to _____ amount _____ or _____
For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 1.20 cfs (cfs) and/or (b) _____ (acre feet)

8. Total consumptive use claimed is 30.0 acre feet per annum.

9. Non-irrigation uses; describe fully (eg. Domestic: Give number of households served; Stockwater: Type and number of livestock Etc.) Domestic - serving a church congregation of 600 people

10. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
b. If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RNG	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
10S	17E	11					10 D												10

Total number of acres irrigated 10

11. In which county (ies) are lands listed above as place of use located? Twin Falls

12. Do you own the property listed above as place of use? Yes x No _____
If your answer is No, describe in Remarks below the authority you have to claim this water right.

13. Describe any other water rights used at the same place and for the same purposes as described above.
City Water System or None ()

14. Remarks:

MICROFILMED
MAR 11 1993


Last Name Grace Baptist Church Ident No. 47-7719

Copies: White -State, Yellow-Claimant

Map of Project: show clearly the point of diversion, place of use, section number, township, and range number.

Scale: 2 inches equals 1 mile

SEE ENCLOSED PLAT DESCRIPTION



UNRECORDED

MAR 11 1993

Last Name Grace Baptist Church

Ident No. 47-7719

Copies: *White-State, Yellow-Claimant*

15. Basis of Claim (check one) Beneficial Use _____ Posted Notice _____ License _____ Permit X

Decree _____

If applicable provide IDWR Water Right Number 47-7719

Court _____ Case Number _____ Decree Date _____

Plaintiff vs Defendant _____

16. Signature (s)

(a.) By signing below, I/We acknowledge that I/We have received, read, and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments _____

For Individuals: I do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant (s) [Signature] Date 10/6/88

Date _____

For Organizations: I do solemnly swear or affirm that I am _____ Pastor _____

Title

of Grace Baptist Church _____, that I have signed the foregoing

Organization

document in the space below as _____ Pastor _____ of Grace Baptist Church

Title

Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent [Signature]

Title and Organization Pastor/Grace Baptist Church Date 10/6/88

County of Twin Falls ss.

Subscribed and sworn (or affirmed) before me this 6th day of October 19 88

SEAL

Notary Public Roxanne Storey

Residing at Buhl, Id

My Commission Expires 6-30-94

Please Print Name

17. Notice of Appearance:

Notice is hereby given that I, _____ will be acting as attorney at law on behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature _____

Address _____

Date _____

MICROFILMED

MAR 11 1993

Last Name Grace Baptist Church Ident. Number 47-7719

Copies White-State, Yellow-Claimant

3368

SPILLWA

3417

Shoshone Falls

ME Falls

SHOSHONE FALLS PARK


VEA

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grace Baptist ch
49-7719

Alvin M. Frost
(Applicant) Deacon Board Memb



3/13/81

Received by JA Date 3-13-81 Time 1:15 pm
Preliminary check by Jeffrey Fee \$ 65.00
Receipted by JA Date 3-13-81 # 16894
Publication prepared by Lh Date 3/24/81
Published in Times news
Publication dates 4/9 + 4/10/81
Publication approved meepa Date 4/1/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JA JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7719, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 18th day of May, 1981.


A. Glen Saxton
Chief, Operations Bureau

Grace Baptist ch.
47-7719

GRACE BAPTIST CHURCH

798 EASTLAND DRIVE NORTH

TWIN FALLS, IDAHO 83301



State of Idaho Department of Water Resources
1301 North Orchard St.
Statehouse Mail
Boise, ID 83720

ATTN: Donald Shaff

MICROFILMED

MAR 11 1993

10/27/1988

SRBA CLAIMS RECEIVING CHECKLIST

CLAIMANT'S NAME Grace Baptist Church CLAIMMENT NO. DATE RECEIVED 10-6-88 CK # 2799 AMOUNT \$ 60.001. Is the name and address complete with zip code? ☒ YES ☐ NO2. Is a priority date entered? ☒ YES ☐ NO

Is the water use exempt from the Permit requirements, or if it is not exempt, has a Permit been approved or a License issued?

A Permit is required: (1) for groundwater developed after March 25, 1963 (except single family domestic and stockwater wells using less than 13,000 gpd), or (2) for surface water developed after May 20, 1971 (except for instream stockwater). USE CARE IF CLAIM IS RETURNED. REFER TO ADJUDICATION MEMOS # 1 (ADJ. CLAIMS/APPLICATIONS) AND # 9 (REJECTION OF CLAIMS). EXPLAIN IN COMMENTS.

3. (a) Is a source entered? ☒ YES ☐ NO(b) Is a tributary to entered? (if required) ☐ YES ☒ N/A4. Is the legal description of the p.d. sufficient? ☒ YES ☐ NO5. Is there a description of the diverting works? ☒ YES ☐ NO6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. ☒ YES ☐ NOIs the period of use included? ☒ YES ☐ NOIs a quantity claimed for each use? ☒ YES ☐ NO7. Is a total quantity claimed entered? ☒ YES ☐ NO8. If required is a consumptive use entered? ☐ YES ☒ N/AIs the consumptive use correct? ☐ YES ☒ N/A9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. ☐ YES ☒ N/A10. Is (are) the place(s) of use and purpose(s) indicated? ☒ YES ☐ NO11. Is (are) the county(ies) entered? ☒ YES ☐ NO12. Is the ownership of p.u. checked? ☒ YES ☐ NO13. Are other water rights listed or "none" indicated? ☒ YES ☐ NO14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) ☐ YES ☒ N/A15. Is the basis of the claim indicated? ☒ YES ☐ NO16. Is the claim signed by the claimant, and is the signature appropriate? (If an individual is the claimant, has that individual signed the claim, or if an organization is the claimant, is the organization signature block complete?) ☒ YES ☐ NOHas the claim been signed, sealed, and dated by a notary? ☒ YES ☐ NOWas this claim filed on time, or was an extension granted? ☒ YES ☐ NOIs the fee enclosed correct? ☐ YES ☒ ExemptIf this claim is based on an existing water right, has the identification number been entered? ☒ YES ☐ NOShould this claim be receipted and data entered? ☒ YES ☐ NO

MICROFILMED

MAR 11 1993

Claim checked by: CTComments: \$50.00 Flat Fee + \$10.00 for 10 ac. + 100.00 for 1 cfs = 160.00



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

February 18, 1989

Grace Baptist Church
798 Eastland Drive North
Twin Falls, ID 83301

RE: Snake River Basin Adjudication
A47-07719

Dear Sirs:

We are returning your Notice of Claim to a Water Right filed for your property in Twin Falls County and have enclosed a receipt (#C005526) for your check as partial payment for the filing fees. We have noted a problem with your claim which we would like you to correct.

The fees for your claim are calculated on the following basis: \$50.00 flat filing fee plus \$1.00 per irrigated acre for ten acres, or \$10.00; plus \$100.00 per cfs for the domestic, or \$100.00 for the amount claimed; for a total of \$160.00.

Please return the documents to this office at my attention, along with total fees in the amount of \$160.00. If you will make these corrections before March 18, 1989, you will not be assessed a late filing fee. Please do not hesitate to contact this office if you have any questions or concerns.

Yours Truly,

Donald V. Shaff
Adjudication Section Supervisor

DVS:db
Enclosures
Long Form Completed
Rec. #C005526

MICROFILMED

MAR 11 1989

Water Right Number - 47-07719

Adj. Flag Translation: Standard Water Right Number

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
GRACE BAPTIST CHURCH

1 - 798 EASTLAND DRIVE NORTH

2 -

3 -

City- TWIN FALLS

State- ID zip- 83301

Phone -

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
03/13/1981 17 P - PERMIT

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)

10S 17E 11 NW NW (83) TWIN FALLS

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION

03/15

11/15

0.200

43 - DOMESTIC

01/01

12/31

1.000

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
1.200

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

10S

17E

11

NW NW

10.0

01

IRRIGATION

(83) TWIN FALLS

Total Acres: 10.0

+ - - Diversion Means - WELL & PUMP

+ - - Non-Irrigation Use - D/600

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
No Remarks found.

+ - - - - Conditions of Approval - - - - - +

- 01C - A flow measurement port or other device as specified by the
- Department shall be installed by the permit holder to provide for
- the installation of measuring equipment and the determination of
- the rate of diversion by the Department.

MAR 11 1993

MICROFILMED

Water right number - 47-07719

Adj. flag translation: Standard Water Right Number

+ - - - - Decree Plaintiff - - - +

+ - - - - Decree Defendant - - - +

+ - Decree Date - +
00/00/0000

+ - - Microfilm Rolls -

+ - - Audit Fields - 02/05/88

05/28/88 CONVERT

+ - - - - Water Rights Dates and Flags Area - - - - - +

Proof Due Date	- 05/01/1986	Field Exam Made	- 10/09/1986	Field Exam Fee	- R
Approved/Denied	- 05/18/1981	Protested Date	- 00/00/0000	Swan Falls	- Y
Proof Made Date	- 05/02/1985	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 00/00/0000	DLE/Carey Act	- 1
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 00/00/0000	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 00/00/0000				

MICROFILMED
MAR 11 1993

Log for claim 47-07719



Spatial Dynamics LTD

1/31/01

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
10s17e	11	NWNW	10	5.7	
Totals:			10	5.7	

Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001




400 0 400 800 Feet

 SPATIAL
DYNAMICS

Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001



Legend			
Irrigated Area	Section Line	Roads	
Place of Diversion	Quarter Section Line	Streams and Canals	





400 0 400 800 Feet

SPATIAL
DYNAMICS

Water Right Claim Number 47-07719
Township , 10S17E

01/31/2001



400 0 400 800 Feet



 SPATIAL
DYNAMICS

AJ5809NP
No. A47-07719

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 12/06/00
PAGE: 240

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GRACE BAPTIST CHURCH 798 EASTLAND DRIVE NORTH TWIN FALLS ID 83301 (208) 733-1452	03/13/1981	IRRIGATION DOMESTIC	03-15 11-15 01-01 12-31	0.200 CFS 1.000 CFS	
TOTAL DIVERSION:					1.200 CFS	
CONSUMPTIVE USE:						30.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T10S R17E S11 NWNW

TWIN FALLS County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
10S	17E	11	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
																			10.0	
																			TOTAL ACRES	10.0

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
10S	17E	11	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
																			D	

POU County: TWIN FALLS

Non-Irrigation Uses: D/600 PEOPLE (CONGREGATION); AUDITORIUM, GYMNASIUM

Other Rights: CITY WATER SYSTEM

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

47-10587 47-10617 47-11151 47-11722 47-13601 47-13674 A47-10587 A47-10617 A47-11151 A47-11722
A47-13601 A47-13674 A47-14990

Other Water Rights Listing Overlapping Place(s) of Use:

A01-0020923

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag:

Audit: 03/09/89 HARRINGT 03/30/95 POST-STD

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07719

Priority: March 13, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.20 CFS
13.4 AF

This is to certify, that GRACE BAPTIST CHURCH
798 EASTLAND DR. N.
TWIN FALLS, ID 83301

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 13, 1981; and has submitted Proof of Beneficial Use on May 2, 1985. An examination indicates that the works have a diversion capacity of .220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	12.0 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	1.4 AF
	Totals	0.20 CFS	13.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 11, Township 10S, Range 17E
TWIN FALLS County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	17E	11	NWNW	4		4

Total number of acres irrigated: 4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a church.

MICROFILMED

NOV 13 1989


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 47-07719

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of OCTOBER, 1989.

Acting for


R. Keith Higginson, Director

MICROFILMED

NOV 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Grace Baptist Church Phone 733-1452

Post office address 798 Eastland Drive North, Twin Falls, Id 83301

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 10S

Range 17E B.M. Twin Falls County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.00 cfs for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 cfs for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 10S

Range 17E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 600.


(5) If water is to be used for other purposes describe: _____

Church congregation of about 600 people, gymnasium, auditorium, toilets, showers, drinking fountains, etc.


RECEIVED

[illegible]

10. Remarks _____



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albert M. Pratt Deacon
(Applicant) Deacon Board Member

Proposed Priority 3/13/81

Received by JA Date 3-13-81 Time 1:15 pm.
Preliminary check by Angus Fee \$ 65.00
Received by JA Date 3-13-81 # 16894
Publication prepared by LL Date 3/24/81
Published in Times news
Publication dates 4/9 + 4/16/81
Publication approved meysa Date 4/1/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JA R

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7719, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 18th day of May, 1981.

A. Glen Saxton
Chief, Operations Bureau

RECEIVED

FEB 14 1989

Form 219
8/86

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 47-7719
Phone No. 733-1452
1. Owner: Grace Baptist Church
Current Address: 798 Eastland Dr. North, Twin Falls, ID, 83301
2. Accompanied by: M. L. Glatz, Pastor EXAM. DATE: 10/9/86
Address: 1018 Desert View Dr. T.F. Phone No. 734-6447
Relationship to Permit Holder: Employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

NOV 13 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8" X 160' well with 7.5 hp submersible pump buried pipeline to two super 600 sprinklers and approx 20 hand lines with assorted rainbird sprinklers. pressure varies from 28 to 44 psi. Pump set to turn on @ 40 psi & off at 60 psi. Arnold Elsing who drilled well & installed pump stated that he believes p.w.l. is around 140'. His pump chart for that pump shows the capacity is 80 gpm @ 40 psi + 140' p.w.l. with sprinklers running at their min. design operating pressure of 25 psi. capacity would be near 100 gpm

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Starite	7.5		Starite	90K-603E

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	NW	11	10S	17E	Twin Falls	ASCS Photo

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	17E	11					4												4

Do not use this space

Microfilm

NOV 14 1989

CHECKLIST

DATE 1-17-89

SEE FOOTNOTE FOR SYMBOLS

1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>N/A</u>	1,5. <u>N/A</u>
1,6. <u>✓</u> ~~✗~~	1,7. <u>✓</u>	1,8. <u>✓</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>✓</u>	1,13. <u>✓</u>
1,14. <u>✓</u>	1,15. <u>✓</u>	1,16. <u>N/A</u>	1,17. <u>✓</u>

1,1. ✓ 1,2. ✓ 2. ~~***~~ 3. ~~***~~
4. ✓ 5. ~~***~~

1,1. ✓ 1,2. ✓ 1,3. ✓ 1,4. ✓
1,5. ✓

Date _____

*** = SEE REMARKS ATTACHED

*** Error in installation rendered measuring report unusable

Attachment A Field exam 47-7719

Water Requirements in Mult purpose Bldg.

Showers 16

Toilets 11

Sinks 12

Fountains 3

Urinals 3

Total Fixtures 45 @ 1 gpm / fixture = 45 gpm = 0.10 cfs (Table 27 See Hyd. Hdbk)

Annual Vol. of use in Mult. purpose Bldg.:

30 showers/day 80 days/Ann x 40 gal/shower = 216,000 gal/Ann

100 showers/Ann (Non-school season) x 40 gal/shower = 4,000 "

60 students x 15 gal./day/student x 180 days/Ann = 162,000 gal/Ann

Kitchen use 3 gal/day x 180 days/Ann + cleaning 3 gal/wk x 52 wks/Ann = 1320 gal/Ann

10 staff x 15 gal/day/person x 240 days/Ann = 36,000 gal/Ann

Athletic events: 15 games/Ann x 25 showers/game x 40 gal/shower = 15,000 gal/Ann

Spectators are 150/game x 15 games/Ann x 5 gal/person = 11,250 gal/Ann


Total 445,570 gal/Ann = 1.37 AF/Ann

RECEIVED

NOV 13 1989

STA-RITE

Attachment B FE 47-7714



IFICATIONS

let 3/4" N.P.T. thread
 diameter of cap 3"
 height 6 1/8"
 positive spring retraction
 pop-up stroke 2"
 maximum working pressure
 50 P.S.I.
 recommended operating
 pressure 25-50 P.S.I.

NOV 13 1989

INNOVATION

MODEL NUMBERS/PERFORMANCE CHARTS

MODEL	ARC	NOZZLE SIZE	BASE	PSI	GPM	RADIUS	PRECIPITATION RATES*		
							90°	180°	360°
PC FC	1.3	3/4"	3/4"	25	1.20	35'	.36	NOT RECOMMENDED	NOT RECOMMENDED
				30	1.27	37'	.34		
				35	1.36	38'	.34		
				40	1.45	39'	.36		
				45	1.53	39'	.36		
				50	1.61	40'	.36		
PC FC	2.5	3/4"	3/4"	25	2.38	41'	.52	NOT RECOMMENDED	NOT RECOMMENDED
				30	2.56	42'	.52		
				35	2.77	43'	.56		
				40	2.94	44'	.56		
				45	3.14	45'	.56		
				50	3.34	45'	.60	.30	

BODY STYLE	ARC	NOZZLE SIZE	BASE	PSI	GPM	RADIUS	PRECIPITATION RATES*		
							90°	180°	360°
S600C S600C	PC FC	3.0 5.0	3/4"	25	4.82	38'	1.24	.62	.31
				30	5.19	42'	1.08	.54	.27
				35	5.69	45'	1.04	.52	.26
				40	6.07	47'	1.00	.50	.25
				45	6.41	48'	1.04	.52	.26
				50	6.71	50'	1.00	.50	.25

*Precipitation rates are for triangular spacing, shown in inches per hour, calculated at 55% of diameter

Attachment C F.E. 47-77

FF 47-774 11-10-77

2A

2B

T2189

T2188

3

4

13.6

13.7

2
3.3

3
8

2
2.0

5.9

4

T22

1
19.5

4

MICROFILMED

NOV 13 1989

24

12

13

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MAX. Operating Capacity of Pump at Min. oper. press. of Sprinklers is Approx. 100gpm or .22 cfs. There is more than enough use capacity to use the max flow of pump.
10 5600C FC 5'20 5 @ 35psi = 5.69 gpm + 2 5600C PC 2.5 @ 2.77 gpm
= 62.44 gpm = 0.14 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Allow .03 cfs/Acre x 4 Acres = 0.12 cfs Irrig. Allow 0.10 cfs for Domestic see Attachment A

2. Alternate Method for Checking Purposes:

Pump chart from Elsing drilling and pump co. shows flow of 80gpm with Pwh 150' and dia. P. 40psi.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5A \times 4 \frac{\text{AF}}{\text{Acre}} = 20 \text{ AF/AHN}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .15 \times 246 \times 1.98 = 7.3 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 20 \text{ AF/AHN}$

2. Volume Calculations for Other Uses: See Attachment A

1.37 AFA

MICROFILMED

NOV 13 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

There was an access port in a 4" pipe however there was not enough clearance to insert the Cox-hall probe. Pump capacity is less than that requiring M.D. Domestic use in other buildings is from city water.

Amt allowed limited to Amt. Exam Fee was pd ON

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
domestic	01/01	12/31	0.10	1.37 AF/ANN
Irrigation	3/15	11/15	0.12	12 AF/ANN
Totals:				0.22 13.4 AF/ANN.

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name TERRY BLAN
 Signature [Signature]
 Certification Date 5/15/87
 Field Report Preparation Date 1/24/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DOM 3/7/89

MICROFILMED
NOV 13 1989