

RECEIVED

MAY 06 2004

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO
IN AND FOR THE COUNTY OF TWIN FALLS

Department of Water Resources

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 65-22822
Date Received: 1/23/2004
Receipt No:
Received By:

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name of Claimant(s)

DAVID RAINEY Phone: (208)634-1031
LAURIE RAINEY
130 CINDY CT
MCCALL ID USA 83638

2. Date of Priority: 12/31/1987

3. Source: GROUND WATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County	Type
18N	03E	30	SW SE	VALLEY	

5. Description of diverting works:

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
DOMESTIC	01/01	12/31	0.04	

7. Total Quantity Appropriated is:
0.04 C.F.S.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4 of 1/4 Lot	Use	Acres
18N	03E	30	SW SE	DOMESTIC	

11. Place of use in counties: VALLEY

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

Property also known as Lot 77, 78, Payette River Subdivision No. 1.

15. Basis of Claim: Beneficial Use

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 0

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): David Rainey Laurie Rainey Date: 4/29/04
4/29/04 Date:


State of Idaho)
County of Valley) SS.

Subscribed and sworn (or affirmed) before me this 29
of April 2004 Janet L Sanford

Notary Public

Residing at Lake Fork

My commission Expires April 29, 2004



State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Gos. Darrin Russel Butler, Jr.</u> Address: <u>Box 4246 McCall, Idaho</u> Drilling Permit No. <u>LS-90-2-052</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>87</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>48</u> °F Quality <u>good</u> (Describe character or temperature of water below)																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td align="center"><u>20</u></td> <td align="center"><u>124</u></td> <td align="center"><u>1</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>20</u>	<u>124</u>	<u>1</u>																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>20</u>	<u>124</u>	<u>1</u>																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>9</u></td> <td><u>0</u></td> <td><u>2</u></td> <td><u>TOP SOIL</u></td> <td> </td> <td>☒</td> </tr> <tr> <td><u>9</u></td> <td><u>2</u></td> <td><u>4</u></td> <td><u>BROWN CLAY</u></td> <td> </td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>18</u></td> <td><u>32</u></td> <td><u>Brown sand, gravel & boulders</u></td> <td> </td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>32</u></td> <td><u>67</u></td> <td><u>Brown Sand + Gravel</u></td> <td> </td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>67</u></td> <td><u>70</u></td> <td><u>BROWN SAND</u></td> <td> </td> <td>☒</td> </tr> <tr> <td><u>6</u></td> <td><u>70</u></td> <td><u>101</u></td> <td><u>Brown Sand + GRAVEL</u></td> <td>☒</td> <td> </td> </tr> <tr> <td><u>6</u></td> <td><u>101</u></td> <td><u>104</u></td> <td><u>BROWN SAND</u></td> <td>☒</td> <td> </td> </tr> <tr> <td><u>6</u></td> <td><u>104</u></td> <td><u>126</u></td> <td><u>Brown sand + Gravel</u></td> <td>☒</td> <td> </td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>9</u>	<u>0</u>	<u>2</u>	<u>TOP SOIL</u>		☒	<u>9</u>	<u>2</u>	<u>4</u>	<u>BROWN CLAY</u>		☒	<u>6</u>	<u>18</u>	<u>32</u>	<u>Brown sand, gravel & boulders</u>		☒	<u>6</u>	<u>32</u>	<u>67</u>	<u>Brown Sand + Gravel</u>		☒	<u>6</u>	<u>67</u>	<u>70</u>	<u>BROWN SAND</u>		☒	<u>6</u>	<u>70</u>	<u>101</u>	<u>Brown Sand + GRAVEL</u>	☒		<u>6</u>	<u>101</u>	<u>104</u>	<u>BROWN SAND</u>	☒		<u>6</u>	<u>104</u>	<u>126</u>	<u>Brown sand + Gravel</u>	☒	
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
<u>9</u>	<u>0</u>	<u>2</u>	<u>TOP SOIL</u>		☒																																																						
<u>9</u>	<u>2</u>	<u>4</u>	<u>BROWN CLAY</u>		☒																																																						
<u>6</u>	<u>18</u>	<u>32</u>	<u>Brown sand, gravel & boulders</u>		☒																																																						
<u>6</u>	<u>32</u>	<u>67</u>	<u>Brown Sand + Gravel</u>		☒																																																						
<u>6</u>	<u>67</u>	<u>70</u>	<u>BROWN SAND</u>		☒																																																						
<u>6</u>	<u>70</u>	<u>101</u>	<u>Brown Sand + GRAVEL</u>	☒																																																							
<u>6</u>	<u>101</u>	<u>104</u>	<u>BROWN SAND</u>	☒																																																							
<u>6</u>	<u>104</u>	<u>126</u>	<u>Brown sand + Gravel</u>	☒																																																							
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Aug ☐ Other _____	5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>1</u> foot</td> <td><u>125</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation <u>3/8</u> inches by <u>6</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>30</u> perforations</td> <td><u>120</u> feet</td> <td><u>124</u> feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between struts Describe access port: <u>SANITARY WELL SEAL</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> foot	<u>125</u> feet													Number	From	To	<u>30</u> perforations	<u>120</u> feet	<u>124</u> feet																																
Thickness	Diameter	From	To																																																								
<u>.250</u> inches	<u>6</u> inches	<u>1</u> foot	<u>125</u> feet																																																								
Number	From	To																																																									
<u>30</u> perforations	<u>120</u> feet	<u>124</u> feet																																																									
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name <u>PAYETTE RIVER SUB. #1</u> Lot No. <u>77</u> Block No. _____ County <u>VALLEY</u> <u>SW 1/4 SE 30 T. 18 N. 3 R. 3 E. 4</u>	10. Work started <u>9-14-91</u> finished <u>9-16-91</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Gos. Riv. Well Drilling</u> Firm No. <u>408</u> Address <u>Hc 88 Seale Connely, Id.</u> Date <u>9-16-91</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator) <u>[Signature]</u>																																																										

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT