

RECEIVED  
05/18/2004

JUN 03 2004

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

**YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: July 15, 2004**

Water right number: 86-4203

1850 ~~2245~~ GENESEE-TROY RD  
WILMA M PETERSON MC CABE  
MOSCOW ID 83843  
Telephone Number: (208)882-5096

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

OK AS WRITTEN

2. Describe the changes you wish to make in the proposed recommendation:

NONE

3. Give a brief explanation as to why you disagree with these portions:

NONE

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5-27-2004 SIGNATURE: Wilma M. McCabe BY William F. McCabe P.O.A.

Please print your name: WILMA M. PETERSON McCABE

IDWR Regional Office, 1910 Northwest Blvd, Suite 210, Coeur D' Alene, ID 83814, 2087691450

ADDRESS CHANGED TO 1850 GENESEE TROY ROAD, BUT LOCATION  
OF HOME & WATER RIGHT ARE THE SAME.

THANK YOU

William F. McCabe