

05/05/2004 RECEIVED

NOTICE OF ERROR
REPLY

JUN 01 2004

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: May 21, 2004

Water right number: 74-319F

DELILA T GARECHANA

103 CEMETARY LN

SALMON ID 83467

Telephone Number: (208)756-3588

BEN GARECHANA

103 CEMETARY LN

SALMON ID 83467

Telephone Number: (208)756-3588

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

I disagree with the quantity of 0.6 CFS, It should be 1.39 CFS

2. Describe the changes you wish to make in the proposed recommendation:

Change the quantity from 0.6 CFS to 1.39 CFS

3. Give a brief explanation as to why you disagree with these portions:

When I submitted my claim several years ago I was told to file for 1.39 CFS

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

5/25/04

SIGNATURE:

Ben Garechana

Please print your name:

BEN GARECHANA

May 25, 2004

RECEIVED

JUN 01 2004

DEPARTMENT OF
WATER RESOURCES

Dear Roxanne,

I was unable to attend the meeting you had in Salmon on May 19. I called Gary Speckel on May 20. I told Gary that the recommend water right of 0.6 CFS was incorrect. He looked up the claim on 74-319F that showed 1.39 CFS. I told Gary I did not understand why it was reduced. He told me he would leave a message with you and you would call me either Friday or Monday. He said if I did not get a call on Friday or Monday to call him back. I called you and on Tuesday at about 3:15-3:30 and left messages.

I am sending my forms in and hope to hear from you on Thursday.

Ben Fredman
Ben Garechana