

02/09/2004

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 23-11276

NAME AND ADDRESS: RUTH WEEKS
45785 COUNTY RD 16
COPE CO 80812-9516

STEVE WEEKS
45785 COUNTY RD 16
COPE CO 80812-9516

SOURCE: RAINEY CREEK

TRIBUTARY: SOUTH FORK SNAKE RIVER

QUANTITY: 0.150 CFS

USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL
COMBINED DIVERSION RATE OF 0.17 CFS. COMBINED RIGHT NOS.: 23-11276,
23-11278, 23-11280, 23-11282.

PRIORITY DATE: 06/01/1893

POINT OF DIVERSION:

T02N R44E S33 SENWSE Within BONNEVILLE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04/15 10/31	0.150 CFS

PLACE OF USE: IRRIGATION Within BONNEVILLE County

T01N R44E S05 NESW 7.5

7.5 ACRES TOTAL

USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 7.5 ACRES IN A SINGLE
IRRIGATION SEASON. COMBINED RIGHT NOS.: 23-11274, 23-11276,
23-11278, 23-11280, 23-11282.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for
the definition of the rights or for the efficient administration of the water
rights as may be ultimately determined by the Court at a point in time no
later than the entry of a final unified decree. Section 42-1412(6), Idaho
Code.

EXPLANATORY MATERIAL: Decreed

RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
PURSUANT TO SECTION 42-1425, IDAHO CODE.

RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT
TO SECTION 42-1425, IDAHO CODE.

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE: 23-11274, 23-11276, 23-11278, 23-11280,
23-11282.

Water Right 23-11276

1

02/09/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 23-11276

RUTH WEEKS
45785 COUNTY RD 16
COPE CO 80812-9516
Telephone Number: (208)483-3361

STEVE WEEKS
45785 COUNTY RD 16
COPE CO 80812-9516
Telephone Number: (208)483-3361

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4-23-04 SIGNATURE: Steve Weeks
Please print your name: STEVE WEEKS

IDWR Regional Office,

RECEIVED

APR 30 2004

Department of Water Resources
Eastern Region

Water Right Split History Analysis

Swan Valley Props.

23-11275

68.5 ac @ 1.37 cfs

POU: PANTS OF

TIN RUHE SCS. 415

T2N R44E SCS 32 d 33

POD: T2N R44E SEC. 33

SENWSE

SPLIT BY % 4/02/03

S. & R. WEEDS

23-11276

75 ac @ 0.15 cfs

POU: NESW (So. of Co. Rd.)

TIN RUHE SCS 5.

POD: T2N R44E SEC. 33

SENWSE

23-1BA 3 & R WEEDS & SWAN VALLEY PROPS.

SRBA CLAIMS 1.60 cfs @ 1.52 cfs RECOMM.

6/01/1993

76% AC @ 0.02 cfs/hr 42-202/2010 IC

23-0001B

1.60 cfs RANNEY

6/1/1993

DEED 9/30/1985

23-1BB Ed Kopp

4" BY DEED @ 0.02 cfs RECOMM.

SRBA CLAIMS 0.20 AMENDED TO 0.10


6/01/1993



State of Idaho

Department of Water Resources

Eastern Region



Water Right(s):

23-11274,
23-11276,
23-11278,
23-11280,
23-11282

Place of Use: (part of)

T1N, R44E Sec. 5
NESW (So. of Co. Rd.)

Point(s) of Diversion:

T2N, R44E
Sec. 33 SENWSE

LEGEND



Point of Diversion



Place of Use



Section



Quarter-Quarter



GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepared by: A. Ruberry
Date: February 2004

500 0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500 Feet

SEE PARENT 23 - 00018A
FOR EXAM NOTES AND PHOTOS

Neel

11276, 1893, 0.15, 7E

78, 1896, 0.15, 7E

80, 1898, 0.15, 7E

82, 1890, 0.15, 7E

0.60, 7E

1.15 .09

$E_a = 0.69$

Limits AC 7E AC

Q 0.176