

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 3957

Ident. Number: A22-07360
Date Received: 8/18/1988
Receipt No: E002234
Received By: EBV

A2207360



NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RANDY HUSKINSON 208-356-3498
Address: BOX 670
REXBURG, ID 83440
OR
Name: JIM HUSKINSON 208-356-7045
Address: 2404 N. 300 W.
REXBURG, ID 83440

RECEIVED

AUG 24 1988

2. Date of Priority: APR 14, 1981

3. Source: GROUNDWATER

Trib. to:

Department of Water Resources
Eastern District Office

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06N	40E	15	SW	SW	SW		MADISON
	44E	3	SW	NW	SE	R	TETON

5. Description of diverting works:
WELL, PUMP, PIPELINE & SPRINKLERS. EXCHANGE WELL. CLEMENTSVILLE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	1.780		

7. Total Quantity Appropriated is:
1.740 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 2207.5 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

RECORDED

OCT 29 1992

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
07N	43E	25	NE		SW		IRR	33.0
			NW		SW		IRR	40.0
			SW		SW		IRR	37.0
			SE		SW		IRR	33.0
							Section Acres	143.0
		26	NE		NE		IRR	33.0
			NW		NE		IRR	33.0
			SW		NE		IRR	39.0
			SE		NE		IRR	40.0
			NE		NW		IRR	16.0
			NW		NW		IRR	25.0
			SW		NW		IRR	38.0
			SE		NW		IRR	36.0
			NE		SW		IRR	40.0
			NW		SW		IRR	39.0
			SW		SW		IRR	18.0
			SE		SW		IRR	40.0
			NE		SE		IRR	40.0
			NW		SE		IRR	40.0
			SW		SE		IRR	40.0
			SE		SE		IRR	39.0
							Section Acres	556.0
		27	SE		NE		IRR	3.0
			NE		SE		IRR	23.0
			SE		SE		IRR	12.0
							Section Acres	38.0
		35	NE		NW		IRR	37.0
			NW		NW		IRR	35.0
			SW		NW		IRR	39.0
			SE		NW		IRR	35.0
							Section Acres	146.0
							Total Acres	883.0

11. Place of use in counties: TETON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
22-7216


14. Remarks:


GROUNDWATER WILL BE DISCHARGED INTO TETON R. IN EXCHANGE FOR WATER REDIVERTED IN NWSE, S3, T6N, R44E, TETON CO. & WILL NOT INTERFERE WITH PRIOR RTS. LOCATED BETWEEN REDIVERSION PUMP & THE EXCHANGE WELL. THE WELL CASING SHALL BE SEALED TO THE REQUIRED DEPTH (150 FT) ACCORDING TO IDWR WELL CONSTRUCTION STANDARDS, & AS APPROVED BY THE IDWR AT LEAST 5 DAYS PRIOR TO THE DRILLING OF THE WELL. THE EXCHANGE WELLS MUST INJECT WATER INTO THE RIVER WHENEVER WATER IS BEING DIVERTED FROM THE RIVER UNDER THIS PERMIT & THE INJECTION MUST CONTINUE AFTER THE DIV. FROM THE RIVER CEASES UNTIL THE WATER NOT DIVERTED REACHES THE PT. OF INJECTION. THE POWER SUPPLY TO EXCH. WELL CANNOT BE CONTRACTED UNDER POWER CO'S INTERR. RULES UNLESS POWER CO. AGREES TO NOTIFY APPLICANT. CLAIM FILED BASED ON FIELD EXAM DONE 1985 BY KCW. REDIVERSION KNOW AS CLEMENTSVILLE PIPELINE, NORTH PROJECT #1 DIVERSION.

15. Basis of Claim: PERMIT

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

OCT 29 1992





Log for claim 22-07360

Spatial Dynamics BTB

7/11/01

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
07n43e	25	NESW	33	37	
07n43e	25	NWSW	40	40	
07n43e	25	SWSW	37	38	
07n43e	25	SESW	33	38	
07n43e	26	NENE	33	40	Indiscernible
07n43e	26	NWNE	33	39	Indiscernible
07n43e	26	SWNE	39	38	
07n43e	26	SENE	40	40	
07n43e	26	NENW	16	30	Indiscernible
07n43e	26	NWNW	25	27	
07n43e	26	SWNW	38	39	
07n43e	26	SENW	36	34	
07n43e	26	NESW	40	40	
07n43e	26	NWSW	39	40	
07n43e	26	SWSW	18	20	
07n43e	26	SESW	40	40	
07n43e	26	NESE	40	40	
07n43e	26	NWSE	40	40	
07n43e	26	SWSE	40	40	
07n43e	26	SESE	39	38	
07n43e	27	SENE	3	9.1	
07n43e	27	NESE	23	19	
07n43e	27	SESE	12	10	
07n43e	35	NENW	37	33	
07n43e	35	NWNW	35	36	
07n43e	35	SWNW	39	40	
07n43e	35	SENW	35	30	
Totals:			883	915.1	

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 22-07360

Priority: April 14, 1981

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 729.9 AF

This is to certify, that TETON PIPELINE ASSN INC
PO BOX 272

TETONIA ID 83452 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 14, 1987; and has submitted Proof of Beneficial Use on June 14, 1983. An examination indicates that the works have a diversion capacity of 11.950 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	2.00 CFS	729.9 AF

LOCATION OF POINT(S) OF DIVERSION:

Rediversion

SWSW , Sec. 15, Township 06N, Range 40E
MADISON County
NWSE , Sec. 3, Township 06N, Range 44E
TETON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	43E	25	NESW 33	NWSW 40	SWSW 37	143
			SESW 33			
	26		NENE 33	NWNE 33	SWNE 39	
			SENE 40	NENW 16	NWNW 25	
			SWNW 38	SENW 36	NESW 40	
			NWSW 39	SWSW 18	SESW 40	
			NESE 40	NWSE 40	SWSE 40	
			SESE 39			556
	27		SENE 3	NESE 23	SESE 12	38
	35		NENW 37	NWNW 35	SWNW 39	
			SENW 35			146

Total number of acres irrigated: 883

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

OCT 21 1997

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 22-07360

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.
7. No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the redirection pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River.
8. Totalizing measuring devices shall be maintained at the exchange well and redirection pumps from the Teton River.
9. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection.
10. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated.
11. The rate of redirection from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well.
12. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river.
13. The maximum combined rate of diversion under this right and Right Nos. 22-07216, 22-07223 and 22-07235 shall not exceed 11.95 cfs.
14. Water is redirected from the Clementsville (North 1) Project of the Teton Pipeline irrigation system.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of SEPTEMBER, 1997.

Acting for

KARL J. DREHER, Director

MICROFILMED

OCT 21 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07360

Date of Priority: April 14, 1981 Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 729.9 AF

Comes now TETON PIPELINE ASSN INC
PO BOX 272
TETONIA ID 83452 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 22-07360, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	2.00 CFS	729.9 AF

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	
	SWSW , Sec. 15, Township 06N, Range 40E MADISON County
Rediversion	NWSE , Sec. 3, Township 06N, Range 44E TETON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	43E	25	NESW 33	NWSW 40	SWSW 37	143
			SESW 33			
		26	NENE 33	NWNE 33	SWNE 39	
			SENE 40	NENW 16	NWNW 25	556
			SWNW 38	SENW 36	NESW 40	
			NWSW 39	SWSW 18	SESW 40	
			NESE 40	NWSE 40	SWSE 40	
			SESE 39			
		27	SENE 3	NESE 23	SESE 12	38
		35	NENW 37	NWNW 35	SWNW 39	146
			SENW 35			

Total number of acres irrigated: 883

MICROFILMED

OCT 21 1997

State of Idaho
Department of Water Resources


APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 22-07360

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Tetonia, Idaho, this 14 day of November, 1994.


(Signature)

MICROFILMED

OCT 21 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07360

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = 50⁰⁰ Receipted by Klt # C036874 Date 10/31/96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 22-07360 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 01.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

MICROFILMED

OCT 21 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-07360

CONDITIONS OF APPROVAL AND REMARKS

7. No demand on upstream prior rights or existing prior exchanges can be made and no interference with prior rights located between the redirection pumps and the exchange well will be allowed even if the exchange well is pumping water into the Teton River.
8. Totalizing measuring devices shall be maintained at the exchange well and redirection pumps from the Teton River.
9. The exchange well must inject water into the Teton River whenever water is being diverted from the river under this license, and the injection must continue after the diversion from the Teton River ceases until the water not diverted reaches the point of injection.
10. The power supply to the exchange well cannot be contracted under the power company's interruptable rules unless the power company agrees to notify the right holder at least 24 hours prior to the time the power service is terminated.
11. The rate of redirection from the Teton River shall not exceed the rate of injection into the Teton River from the exchange well.
12. Unperforated well casing shall be retained to a depth of 150 feet to prevent interference with shallow wells and recharge to the river.
13. The maximum combined rate of diversion under this right and Right Nos. 22-07216, 22-07223 and 22-07235 shall not exceed 11.95 cfs.
14. Water is redirected from the Clements ville (North 1) Project of the Teton Pipeline irrigation system.

Witness my hand this 16TH day of SEPTEMBER, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED

OCT 21 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	22-07360	Hink, Inc.	2.0
Full Assignment	22-07360	Teton Pipeline Assn., Inc.	2.0

MICROFILMED

OCT 21 1997

State of Idaho
DEPARTMENT OF WATER RESOURCES

ASSIGNMENT OF PERMIT

To change the ownership of a permit

I, Hink, Inc./Jim Huskinson, hereby assign to Teton Pipeline Assoc., Inc.
(Permit Holder)
 of Post Office Box 272, Teton, Idaho 83452
(Full Address)

All my right, title, and interest in and to Permit No. 22-07360 ✓
 to appropriate the public waters of the State of Idaho. ~~22-07261~~


~~22-07157~~ ✓
~~22-07178~~

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 31st day of May, 19 94.



 Permit Holder(s)

State of Idaho)
) ss
 County of Teton)

On this 31 day of May, 199 4, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

J C Haines
 Notary Public

SEAL


 Signature

My commission expires: 5-16-2001

MICROFILMED

OCT 21 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Hink, Inc. Phone 356-9349
Post office address c/o K. D. Huskinson, Rt. #1, Sugar City, ID 83448

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 6N

Range 40E B.M. Madison County, additional points of diversion if any: _____

Ground water will be discharged into the Teton River in exchange for water
rediverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, T. 6N, R. 44E, B.M., Teton County

4. Water will be used for the following purposes:

Amount 2.00 for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, at point of diversion;
pumps and mainline and sprinkler system at point of rediversion

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
7N	43E	25									40	40	40	40					160
		26	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	640
		35					40	40	40	40									160
Total number of acres to be irrigated																			960

]


c. Describe any other water rights used for the same purposes as described above. _____
 Amended permit No. 22-7216 and Permit No. 22-7121

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Hink, Inc. purchased property and wants to drill
a well on their property.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Heintz Inc.
by Kaeph Lankinen
 (Applicant)
Farm Manager

MICROFILMED

Drafted by EMC

Received by EMC Date April 14, 81 Time 1:00 P.M.

Preliminary check by HWT Fee \$ 65.00

Received by kw Date 4/15/81 # 17172

Publication prepared by kw Date 4/15/81

Published in Standard Journal

Publication dates ~~4/28/81~~ 4/30/81 & 5/01/81

Publication approved _____ Date _____

Protests filed by: Woodmansee Johnson Canal by
Dee Palmer, Russell Wilding, Brent Peters,
Boyle Thomson, Harry Parpington, Tremont Madison
by Mary Smith; Jaton Dr. & Man. Company

Copies of protests forwarded by _____

Hearing held by _____ Date _____


Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7360, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 87.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: PURSUANT TO PROPOSED MEMORANDUM DECISION AND ORDER and
ORDER ADOPTING PROPOSED MEMORANDUM DECISION AND ORDER

Dated this 31 day of March, 1982.


Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

~~22-7235~~

~~22-7216~~

Permit No. 22-7360

Phone No. 356-9349
3498

1. Owner: Hink Inc. % Randy Huskinson Phone No. 356-9349
Current Address: RT1 Sugar City Idaho 83448 3498
2. Accompanied by: Randy Huskinson EXAM. DATE: 25 June 1985
Address: Same Phone No. 356-9349
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Exchange well	GE	125	DXJ418122	Aurora	3x47.286

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
Diversion from Teton River thru Clementsville Pipeline dependent on flow

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McCrometer				14-240		

7. Measurements ☐ Additional data/computation sheets attached

0.01af in 36.45 sec - 11.95cf


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

Ident #	1/4	1/4	1/4	Sec.	Twp.	Rge.	Survey Information from Known Corner	County	Remarks
17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000									
17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49									
40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000									
17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49									
40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000									
17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49									
40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-13									

9. **Place(s) of Use:** Irrigation - give acres served by system at time of exam.
Indicate Method of Determination *ASCS Aerial + on-site inspection*

[illegible]

- Teton River Groundwater
10. Other water rights on these lands (22-7157 + 22-7178) (22-7216)
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|---|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☒ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature Keith C. Wilson Date 25 June 1985
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____
- Date _____
- CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

22-7360
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

WELL 0.01 cfs in 36.45 sec = 11.95 cfs

Rediversion Limited to 20% of North Project #1 $\therefore Q$ limited to 5.74 cfs

22-7216 $Q = 4.0$ cfs Remaining $Q = 5.74$ cfs - 4.0 cfs = 1.74 cfs

MOST RESTRICTIVE IS REMAINING $Q = 1.74$ cfs

$\therefore$ Recommend $Q = 1.74$ cfs

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 883 \text{ ac} \times 3 \text{ cfs} = 2649 \text{ acf}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.74 \text{ cfs} \times 183 \times 1.9835 = 631.6 \text{ acf}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 631.6 \text{ acf}$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: Teton River (22-7157 / 22-7178) GROUNDWATER
(22-7216)

b) Other water rights with same point of diversion: 22-7216 / 7235

c) Analysis: Total capacity of well NOT EXCEEDED BY 22-7216 / 7235 / 7360

The most restrictive condition is on the rediversion rate which is 20% of North Project #1 CLEMENTVILLE PIPELINE $Q = (0.20)(28.7 \text{ cfs}) = 5.74 \text{ cfs}$

Portion of lands under 22-7216 / 22-7360 not covered by surface rights; therefore, CONDITION: UNLESS SUPPLEMENTAL WATER IS OBTAINED PRIOR TO EACH IRRIGATION SEASON FOR: N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec 26; SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec 27; NW $\frac{1}{4}$ Sec 35, T7N R43E, IRRIGATION OF SAID LAND WILL REQUIRE THAT THE GROUNDWATER EXCHANGE WELL BE IN OPERATION.

RO1 MEASURING DEVICE; LOCKABLE CONTROL STRUCTURE AT BOTH THE POINT OF DIVERSION AND POINT OF RE-DIVERSION

RO4 (01)

THIS RIGHT LIMITED BY 20% OF OWNERSHIP IN NORTH PROJECT #1 CLEMENTVILLE PIPELINE

NOT RECORDED
JUL 21 1987

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
22-7360					

4. Permit Holder: _____

Address: _____

5. Source: Groundwater tributary to _____

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Irrigation</u>	<u>4/15</u>	<u>10/15</u>	<u>1.74 cfs</u>	<u>631.60 afa</u>

Allowable Maximums: 1.74 cfs 631.6 cfs

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: REDIVERSION FROM TETON RIVER IS THREE NORTH
PROJECT #1 ONLY (CLEMENTVILLE - TETON PIPELINE)

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Keith C. Wilson


Date 4 Nov 1986


Checked in Regional Office by H. G. Jensen

Date Nov. 21, 1986

Approved in State Office by ROBERT J. KELLY

Date 7/20/97





28 '93

21

$$\begin{array}{r} 7247 \\ \hline 7286 \end{array}$$

28

Oct 14, 1937

WILSON J. L. MED

