

A25-04168-2 PDW looking N from well



A25-04168-3 PDW looking NW from well



A25-04168-5
survey plat



A25-04168-1
well



A25-04168-4 Pou
looking S. from well



A25-04168-6
well pump
control

FE
WARNING ADVERTISSEMENT ADVERTENCIA
ELECTRIC SHOCK HAZARD DISCONNECT POWER BEFORE OPENING.
RISQUE POUR CHOC 'ELECTRIQUE COUPER LE COURANT AVANT L'OUVRIR
PELIGRO CHOQUE ELECTRICO DESCONECTAR ALIMENTACION ELECTRICA ANTES DE ABRIR
OVERLOAD PROTECTORS OR SWITCHES IN THIS BOX DO NOT CUT OFF ALL POWER LINES TO THE PUMP, EVEN THOUGH THE PUMP STOPS WHEN THE SWITCHES ARE OFF. TO AVOID SERIOUS OR FATAL SHOCK, SWITCH OFF POWER TO THIS BOX AT THE FUSE OR CIRCUIT BREAKER PANEL BEFORE WORKING ON OR AROUND THE BOX, PIPES, CABLE, PUMP OR MOTOR. DO NOT USE OR TOUCH THIS BOX, PIPES, CABLE, PUMP OR MOTOR UNLESS ALL METAL PARTS HAVE BEEN PROPERLY GROUNDED ACCORDING TO APPLICABLE CODES.
155661101
Franklin Electric
Franklin Electric
MODEL 2823008110
RPM 3450
CONT. DUTY
H.P. 1/1.5
AMP 6.6/10.0
DATE 02B19
S.F. 1.4/1.3
VOLT 230
S.F. MAX. AMP 8.0/11.0
HZ 60
PH 1
CODE L/J
PUSH TO RESET