

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED

JUN 8 1989

Department of Water Resources
Southern Region Office

Ident. Number: A45-07522
Date Received: 6/07/1989
Receipt No: 5008499 AD
Received By: ~~AD~~

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: NORTHERN STONE SUPPLY, INC. 208-862-3353
Address: P.O. BOX 249
OAKLEY, ID 83346

2. Date of Priority: JAN 14, 1983

3. Source: SPRING Trib. to: UNNAMED STREAM

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
15S	22E	23	NW	NE			CASSIA

5. Description of diverting works:
HEAD BOX, PIPE

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
COMMERCIAL	03/01	12/01	0.010		0.60

7. Total Quantity Appropriated is:
0.010 C.F.S. (and/or) 0.60 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
THREE CABINS

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
15S	22E	23	NE	NW		COMMER	

11. Place of use in counties: CASSIA

A45-07522

Page 1

Date: 06/07/89

MICROFILMED

MAR 08 1993

13. Other Water Rights Used:
45-7521, 45-7520

15. Basis of Claim: LICENSE

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not / wish to receive and pay a small annual fee for monthly copies of the docket sheet.

For Individuals:

Signature of Claimant(s): _____ Date: _____
 _____ Date: _____

I do solemnly swear or affirm that I am General Manager of
Northern Stone Supply, that I have signed the foregoing
Organization document in the space below as General Manager of
Northern Stone Supply and that the statements contained in the
Organization foregoing document are true and correct. Garth Greenwell

MAR 08 1993

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 7 day
of June 19 89 Bruce A. Schuld
Notary Public

Seal

Residing at _____

My Commission Expires _____

BRUCE A. SCHULD, NOTARY PUBLIC
RESIDING AT BOISE, IDAHO
MY COMMISSION EXPIRES APRIL 11, 1995

01/23/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 45-7522

NAME AND ADDRESS: NORTHERN STONE SUPPLY INC
PO BOX 249
OAKLEY ID 83346

SOURCE: SPRING

TRIBUTARY: UNNAMED STREAM

QUANTITY: 0.010 CFS
0.600 AFY

PRIORITY DATE: 01/14/1983

POINT OF DIVERSION:

T15S R22E S23 NWNE Within CASSIA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

DOMESTIC

03/01 12/01

0.010 CFS
0.60 AFY

Domestic use is for 1 cabin.

PLACE OF USE:

DOMESTIC Within CASSIA County

T15S R22E S23 NENW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: License

3268 III NW
(OAKLEY)

263000m.F.

264

265

50

Spring

x7171

X-8099

4667000m.N

16/

15.

14

Quarry X

Slide
Spring

Pol

Spring

21

22

23

4665

X 6343

X-530

AWD

4664

28

27

26

26-1-D-D-L-E

Springs

X7191

6899 X

Spring

4663

5

Spring

X17023

X-6934

Greek

X 7524

33

34

35

no info. from
'87 aerial photo
for this area
in ArcView...
(no layout)

01/23/2003

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 45-7522 V1

WATER RIGHT NUMBER: 45-7522 V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	NORTHERN STONE SUPPLY INC PO BOX 249 OAKLEY, ID 83346 (208)862-3353

Priority Date: 01/14/1983

Basis: License

Status: Active

Source

SPRING

Tributary

UNNAMED STREAM

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	03/01 to 12/01	0.010 CFS	0.60 AF
	<u>Total Diversion:</u>	0.010 CFS	0.60 AF

Location of Point(s) of Diversion

SPRING

CASSIA County

NW1/4NE1/4

Sec. 23, Twp 15S, Rge 22E, B.M.

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	22E	23					X												

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.
2. X01 Domestic use is for 1 cabin.

Remarks:Comments:

1. jroberts 1/23/2003 Basis of Recommendation
Comment: Recommended as licensed. Claim was for Commercial Use for three cabins, but license was for Domestic Use and only one cabin.

IDAHO DEPARTMENT OF WATER RESOURCES
 Adjudication Recommendation Report 45-7522 V1

Dates and Other Information:

Decreed Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Defendant:
 Plaintiff:
 Civil Case Number:
 Judicial District:
 Notice of Error Flag:
 State or Federal: S
 Owner Name Connector:
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
Priority Date	1/23/2003 2:03:51 PM	jroberts			Active
POD	1/23/2003 2:04:06 PM	jroberts			Active
Source	1/23/2003 2:28:40 PM	jroberts			Active
Use	1/23/2003 2:35:13 PM	jroberts			Active
POU	1/23/2003 2:38:09 PM	jroberts			Active
Season	1/23/2003 2:39:39 PM	jroberts			Active
Quantity	1/23/2003 2:40:34 PM	jroberts			Active
Summary			01/23/2003	jroberts	Active

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
POD	1/23/2003 2:27:54 PM	jroberts	Edited point location
POD	1/23/2003 2:28:03 PM	jroberts	Edited PLS
Source	1/23/2003 2:28:45 PM	jroberts	(Yes) 1. Is the basis of claim Decree or License? (Yes) 4. Does the Decree or License have a source? (Yes) 5. Can the claimed source be verified using the water right file? (No) 11. Is a Source remark and/or condition required?

01/23/2003

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 45-7522 V1

Use	1/23/2003 2:35:18 PM	jroberts	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 4. Does the Decree or License have a Purpose of Use? (No) 5. Can the claimed Purpose of Use be verified using the water right file? (No) 6. Is there evidence that there has been a change in the Purpose of Use? (Yes) 11. Does the file contain all the necessary information to verify the Water Use? (No) 13. Is a Purpose of Use remark and/or condition required? Description for Question 10,11,12 - licensed for domestic, 1 unit
POU	1/23/2003 2:38:13 PM	jroberts	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 2a. Is the POU required? (Yes) 5. Does the Decree or License have a POU? (Yes) 6. Can the claimed POU be verified using the water right file? (No) 14. Is a POU remark and/or condition required?
Season	1/23/2003 2:39:43 PM	jroberts	(Yes) 1. Is the basis of claim Decree or License? (Yes) 4. Does the Decree or License have a Period of Use? (Yes) 5. Can the claimed Period of Use be verified using the water right file? (No) 14. Is irrigation claimed as a Purpose of Use? (No) 18. Is a Period of Use remark and/or condition required?
Quantity	1/23/2003 2:40:39 PM	jroberts	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 4. Does the Decree or License have a diversion rate and/or volume? (Yes) 5. Can the claimed diversion rate and/or volume be verified using the water right file? (Yes) 8. Does the parent right have an annual diversion volume limit? (No) 10. Is a irrigation a purpose of use? (No) 12. Is a Quantity remark or condition required? Description for Question 10 - as licensed
Summary	1/23/2003 2:42:38 PM	jroberts	(Yes) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (No) 2. Does any evidence indicate a five year period of continuous nonuse occurred that could result in recommending forfeiture or partial forfeiture? (Yes) 5. Is an additional remark and/or condition required? (Yes) 6. Would you like to view the recommended right? (No) 7. Is this a split or combined right? (No) 8. Do you have documents you would like to attach or link to the file? (Yes) 9. Would you like to set the verification date?

01/23/2003

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 45-7522 V1

Priority Date	1/23/2003 2:03:55 PM	jroberts	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (Yes) 4. Is the basis of claim decree or license? (Yes) 5. Does the decree or license have a Priority Date? (Yes) 6. Did the Claimant claim the decreed or licensed Priority Date ? (Yes) 15. Is the basis of claim coded correctly? (No) 16. Is a Priority Date remark and/or condition required?
POD	1/23/2003 2:04:11 PM	jroberts	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 4. Does the Decree or License have a POD? (Yes) 5. Can the claimed POD be verified using the water right file? (No) 10. Is a POD remark and/or condition required?
POU	1/23/2003 2:38:39 PM	jroberts	Edited shape boundary
POU	1/23/2003 2:38:50 PM	jroberts	Edited PLS

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Northern Stone Supply, Inc.

that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.04 cfs of water from a spring tributary to unnamed stream, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Subject, however, to the condition that no more than 0.01 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned is limited to the amount which can actually be beneficially used and shall not exceed 0.6 feet per year, said waters to be diverted within the MINER Section 23, Twp 15S, Rge 2E in the County of Cass

Description and location of place of use:

[illegible]

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10TH day of JANUARY, 19 86.

Acting for the Director

Norman C. Young

1/14/86

STATE OF IDAHO

Licensing

RECEIVED

NOV 7 1985

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

APPROVED

Comes now Northern Stone Supply, Inc. Phone _____
of (address) Box 249 Oakley, ID 83346, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 45-7522, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 NE 1/4, Section 23, Township 15S, Range 22E, B.M.,
County of Cassia. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)
No change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:
No change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~15S~~	~~22E~~	~~23~~				*													
15S	22E	23					X*												

*per correspondence of 11/15/85 - kw

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? BLM
b. Who owns the land to be irrigated or the place of use? Domestic
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

MICROFILMED

Not Necessary **MICROFILMED**

Not Necessary

Scale: 2 inches equal 1 mile

Signed at Oakley, Idaho, this 5th day of November, 19 85

Northern Star Supply, Inc.
by Gary Mullent, Pres. (Signature)

Received by af Date 11-8-85 #37297

Published in _____

Approve the above Application for Amendment for Permit No. 45-7522.

Witness my hand this 10TH day of January, 19 86

For the Director Norman C. Young

120V

Form 202
RECEIVED

JAN 10 1983

Department of Water Resources
Southern District OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Ident. No. 45-7522**APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Northern Stone Supply, Inc. Phone 208/862-3353
 Post office address P.O. Box 249 Oakley, Idaho 83346

2. Source of water supply Spring which is a tributary of sinks

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 15S
 Range 22 E B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .01 for domestic purposes from March 1 to December 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .01 CFS cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. An enclosed cement head box collects
Spring water that is piped approximately 800 feet to a cabin. Unused water is
returned to the drainage.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
 capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
 use is Five years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 15S
 Range 22 E.B.M.

(2) Amount of power to be generated: None horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served _____, or number of families to be
 supplied with domestic water One

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Bureau of Land Management


b. Who owns the land to be irrigated or place of use Bureau of Land Management

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant operated stone quarry nearby unpatented land.

The cabin is part of the operation and a right of way from B.L.M. for the pipeline will be secured when water permit is granted.

10. Remarks The Spring, pipeline and cabin is located on public land and is used to
house employees at the nearby building stone quarry.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Northern Stone Supply Inc
by Earl Guernsey
(Applicant)

APPROVED

Proposed Priority 1/14/1983

Received by mmp Date 1/10/83 Time 8:00 a

Preliminary check by J.S. Fee \$ 30.00 23928

Receipted by mmp Date 1/14/83

Publication prepared by mmp Date 2/3/83

Published in South Idaho Press

Publication dates 2/10 + 2/17/83 2/24/83

Publication approved mmp Date 2/14/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADA RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 45-7522, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.

Witness my hand this 23rd day of March, 1983.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 3 1985

45-7522

Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Measured 0.04 ft/sec Allow 0.01 ft/sec applied for ✓

- b) Volume Calculations for Irrigation:

$V_{i,r} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{d,r} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{i,r} \text{ and } V_{d,r} =$ _____

- c) Volume Calculations for Other Uses:

Domestic - 50 gal/day x person x 5 persons = 250 gal/day x 365 days/ann = 91,250 gal/ann = 0.2 AFA ← LOW
ALLOW 0.6 AFA per standard in-house domestic use -

2. Overlap Review

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis: _____

MICROFILMED

RECOMMENDED AMOUNTS

3 day #1

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
45-7522	1-14-1983	0.01 cfs	1-14-1983	10-6-1983	0.04 cfs

4. Permit Holder: Northern Stone Supply, Inc.

Address: P.O. Box 249, Oakley, Id., 83346

5. Source: 2 Springs

tributary to Un-named stream

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

Domestic
(1 unit)

Mar 15 Nov 15

0.01 cfs

ALLOW
0.2 0.6 AF

ALLOW 3-1 12-1
per permit.

MICROFILMED

Allowable Maximums:

0.01 cfs

0.6 AF

7. Point(s) of Diversion: per quad map attachment spring is in NW 1/4 NE 1/4 -

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		SE	NE	NW	23	15S	22E	Cassia
			NW	NE				

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S.	22E.	23					X												
													</						

Total Acres

9. Recommended Conditions/Remarks:

Mr. Greenwell stated that the maximum use period is Mar 15 - Nov 15 due to weather conditions. Not to exceed 0.2 AFA when combined with rights 45-7520 + 45-7521. → Condition not used due to different springs and different places of use.

10. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

J. E. Stanton

Date 9-25-84

Checked in Regional Office by

Rh. D. Marshall

Date 4/10/85

Approved in State Office by

K. Walker

Date 10-17-85



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 15, 1985

RE: Water Right No. 45-7522

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Gentlemen:

We have received and reviewed the licensing amendment that you submitted on the above referenced permit. In reviewing the amendment, however, we find that you did not agree with the place of use our examiner found and you have changed it to show the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, Twp 15S, Rge 22E.

Enclosed you will find a copy of the quad sheet that our examiner used in determining which 40-acre tract your point of diversion and place of use were located in. Please note that the point of diversion is in the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23 and the place of use is in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23. In order for the Department to license this permit, you must agree with our examiner's findings, or we will need to re-examine the project to correct the error.

Please review the quad sheet enclosure and if you still believe that the place of use under this right is within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 23, contact our office immediately. If we have not heard from you by November 25, 1985 we will assume you do agree with the findings of our examiner and we will issue the license as proposed in our letter of October 21, 1985, and as shown on the quad sheet enclosure.

If you have any questions regarding this matter, please do not hesitate to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosure

MICROFILMED

October 21, 1985

RE: Permit No. 45-7522

Northern Stone Supply, Inc.
Box 249
Oakley, ID 83346

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 45-7522 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.01 cfs Source: a spring trib to
unnamed stream

The maximum quantity diverted shall not exceed 0.6 acre feet per
year.

Point(s) of diversion: NWNE, Sec. 23, Twp 15S, Rge 22E

Beneficial Use: Domestic use for 1 unit within NENW, Sec. 23,
Twp 15S, Rge 22E

Priority date established: January 14, 1983

Conditions (if any):

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

SEP 3 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

1. Owner of Warehouse: Northern Stone Supply Inc.
Current Address: P.O. Box 249, Oakley, ID 83346

Permit No. 45-7522

Phone No. 862-3353

2. Accompanied by: Garth Greenwell

Address: _____

EXAM. DATE: 9-21-84

Relationship to Permit Holder: same
query operator

862-3432

3. Source: Spring tributary to Quarry pond

tributary to Unnamed Stream

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
Headbox (2' metal standpipe) & 1/4" buried pipeline to cabin with sink & shower.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Calibrated Bucket					4.2 gal	

7. Measurements

☒ Additional data/computation sheets attached
$$4.2 \text{ gal} / 14.5 \text{ sec} = 18 \text{ gal/min} = 0.04 \text{ cfs} \checkmark$$

8. **Point(s) of Diversion:**

Indicate Method of Determination

[illegible]

9.


Place(s) of Use:

Irrigation - give acres served by system at time
Indicate Method of Determination

[illegible]

Total Acres

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature _____

JF Stanton

Date 9-25-84

Consultant's License Number _____

IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date _____

CONSULTANT SEAL

713
→ Sec. 23 14.5 sec for 4, 3 gal cabin spring above Slide Spring
45-7522 2' metal standpipe, 1 1/4" ABS line to cabin w/ sink & shower

→ Sec 14 4, 3 gal / 69 sec lines from 2 springs to 1' concrete standpipe, 3/4" line
45-7521 to cabin & stock tank for clothes washing, etc

→ Sec. 22 Slide Spring headbox & 1 1/4" pipe to 2 cabins measure 4 gpm
45-7520

use period Mar 15 - Nov 15 at the most

request license ASAP

MICROFILMED

113°52'30"
42°07'30"

