

Ryan

RECEIVED

04/16/2004

SEP 07 2004

NOTICE OF ERROR
REPLY

Department of Water Resources

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-12323

E BRAYTON WIGHT

392 W 33 N

IDAHO FALLS ID 83401

Telephone Number: (208)528-9858

L GENENE WIGHT

392 W 33 N

IDAHO FALLS ID 83401

Telephone Number: (208)528-9858

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

1. point of diversion differs slightly from map. (see corrections on map)
2. place of use is larger - it extends further to the south and east. ↗

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

except for the above discrepancies, I agree with all other recommendations.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 27 Aug, 04

SIGNATURE:

Please print your name:

E. Brayton Wight, L. Genene Wight
E. Brayton Wight, L. Genene Wight

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161