

RECEIVED

SEP 07 2004

Ryan

08/23/2004

NOTICE OF ERROR
REPLY

Department of Water Resources
Eastern Region

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-4026

MAIBEN S JONES
3205 CENTRAL AVE
IDAHO FALLS ID 83401
Telephone Number: (208)523-1472

M DUANE JONES
3711 SILVERWOOD CIRCLE
IDAHO FALLS ID 83406
Telephone Number: (208)522-5985

LEDA S JONES
3205 CENTRAL AVE
IDAHO FALLS ID 83401
Telephone Number: (208)523-1472

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

MAP SHOWS ONLY 2 POINTS OF DIVERSION
THERE ARE ACTUALLY THREE IN SEC 8

2. Describe the changes you wish to make in the proposed recommendation:

THE DIVERSION OF SELLERS CREEK INTO MUD CREEK
DOES NOT SHOW ON THE MAP. THERE SHOULD
BE 3 DIVERSION POINTS IN SEC 8 - ONE IN 25-10410

3. Give a brief explanation as to why you disagree with these portions:

2 IN 25-4026 AS DRAWN IN IN PEN

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161