

12/11/2003

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-4198

DEAN DANIELSON
4603 S 15 W
IDAHO FALLS ID 83402
Telephone Number: (208)523-~~2092~~ ⁴⁵¹²

CAROL BAILEY
4673 S 15 W
IDAHO FALLS ID 83402
Telephone Number: (208)523-2092

JOYCE DANIELSON
4603 S 15 W
IDAHO FALLS ID 83402
Telephone Number: (208)523-4512

PAULINE FISCHER
4011 E 49TH S
IDAHO FALLS ID 83406
Telephone Number: (208)523-2092

M RODDY FISCHER
4011 E 49TH S
IDAHO FALLS ID 83406
Telephone Number: (208)523-2092

FRANCIS BAILEY
4673 S 15 W
IDAHO FALLS ID 83402
Telephone Number: (208)522-2595

RECEIVED

SEP 09 2004

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/1/04

SIGNATURE:

Joyce Danielson

Please print your name:

JOYCE DANIELSON

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161