

LM
01/23/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7303

JOHN CROOK
DBA TOWN & COUNTRY GARDENS
5800 S YELLOWSTONE HWY
IDAHO FALLS ID 83402

TOWN & COUNTRY GARDENS
C/O JOHN CROOK

~~RT 9 BOX 85~~ 446 Springwood Lane
IDAHO FALLS ID ~~83402~~
83404

RECEIVED

SEP 1 10 2004

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2 Sept. 2004

SIGNATURE: _____

Please print your name: _____

John Crook
John Crook

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161