

MH
03/03/2004

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7137

NEWELL K RICHARDSON

2088 E 4900 S

IDAHO FALLS ID 83404

Telephone Number: (208)529-0436

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5 Sept 04 SIGNATURE: NEWELL K. RICHARDSON
Please print your name: NEWELL K. RICHARDSON

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED


SEP 13 2004

Department of Water Resources
Eastern Region

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 1148 BOISE ID

POSTAGE WILL BE PAID BY ADDRESSEE



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

RECEIVED

SEP 09 2004

DEPARTMENT OF
WATER RESOURCES

IDAHO DEPARTMENT OF WATER RESOURCES
PO BOX 83720
BOISE ID 83707-9815

RECEIVED

~~SEP 10 2004~~

Department of Water Resources
Eastern Region

