

08/20/2004

NOTICE OF ERROR
REPLY

RECEIVE
SEP 21 2004
DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 30, 2004

Water right number: 85-4213

CHARLES J MC COLLISTER
917 TAMARACK DR
LEWISTON ID 83501-4773

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

No mention of stock water or domestic use of spring on SEC 4-36N-1E LOT 4

2. Describe the changes you wish to make in the proposed recommendation:

Include Two Springs Mentioned Above.

3. Give a brief explanation as to why you disagree with these portions:

Marksbury used these springs in 1927 on to ?
and I used them in 1950 to 65

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9-14-04 SIGNATURE: Charles J. McCollister

Please print your name: Charles J. McCollister

IDWR State Office, P.O. Box 83720, Boise, ID 83707-9815


Since this Lot of 52A is East of the Township line and the rest on the other side, this property ends up in 3 different Lots

would this cause it to be handled as a different Township ?

Sincerely

Charles J. McCollister


Agree **85-4213**



Disagree

T36N R01E
Section 5
T37N R1E
Section 32

● Point of Diversion
□ Place of Use



Map prepared by: Greg Taylor
Date Prepared: May 23, 2004
Photography: Aerial photo
Idaho Department of Water Resources

0 600 1200 1800 Feet