

RECEIVED

SEP 24 2004

12/02/2003

Department of Water Resources
Eastern Region

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7080

JIM PLETSCHER
3354 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)523-2410

STEPHEN R PLOCK
3334 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)523-1053

RICHARD K SUMMERS
3310 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)529-5479

KEITH BARRUS
3290 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)522-2223

ROY MINKS
3268 LEROY DR
IDAHO FALLS ID 83406

→ sold to Scot L. Schneider

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Domestic use is for 5 homes not 2 as listed.

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

9/24/04

SIGNATURE:

Scot L. Schneider

Please print your name:

Scot L. Schneider

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161