



RED LION HOTELS®

SEP 24, 04

Mike -

I forwarded the originals
To Boise in the envelope
provided. These copies
are To assure my
information gets into
or confirmed by IDWR.

Thanks for your good
help. Stan 208.538.6484

RESERVATIONS redlion.com • 800-Red Lion

WESTCOAST FAMILY OF HOTELS | RED LION® WESTCOAST®


A P Smith
5130 E. Boise Rd #23
Rivie, Id 83443

ATTN:
M. Holiday

IDWR Regional Office
900 N. Skyline Dr. Ste 4
Idaho Falls, Idaho 83402



83402+1714



12/18/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 25-4169

NAME AND ADDRESS: STANLEY P SMITH
~~16322 E RIRIE HWY~~ 5130 E. HEISE Rd. #23
RIRIE ID 83443

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.040 CFS

The quantity of water under this right shall not exceed 13,000 gallons per day.

PRIORITY DATE: 06/01/1946

POINT OF DIVERSION:
T03N R41E S6 SENW Within BONNEVILLE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
DOMESTIC	01/01 12/31	0.040 CFS
Domestic use is for 1 home.		

PLACE OF USE: DOMESTIC Within BONNEVILLE County
T03N R41E S06 SENW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

The quantity of water decreed for this water right is not a determination of historical beneficial use.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Statutory Claim

Change of address
And Tel Nos. only

12/18/2003

NOTICE OF ERROR
REPLY

RECEIVED
SEP 27 2004

Department of Water Resources
Eastern Region

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-4169

STANLEY P SMITH

~~16322 E RIRIE HWY~~

RIRIE ID 83443

Telephone Number: ~~4703-451-0523~~

5130 E. HEISE Rd. #23

208-538.6484 or 208.375.5334

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

Sep 23, 2004

SIGNATURE:

Stanley P. Smith

Please print your name:

STANLEY P. SMITH

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161