

Rm

09/24/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7080

JIM PLETSCHER
3354 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)523-2410

STEPHEN R PLOCK
3334 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)523-1053

KEITH BARRUS
3290 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208)522-2223

ROY MINKS
3268 LEROY DR
IDAHO FALLS ID 83406

SCOT L SCHNEIDER
3310 LEROY DR
IDAHO FALLS ID 83406
Telephone Number: (208) 522-0195

RECEIVED

OCT 08 2004

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10.8-04

SIGNATURE:

Stephen R Plock

Please print your name:

STEPHEN R. PLOCK

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161