

RECEIVED

09/29/2004 OCT 19 2004

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 27, 2004

Water right number: 84-7038

CITY OF WEIPPE

PO BOX 146

WEIPPE ID 83553

Telephone Number: (208)435-4216

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Point of Diversion shown on aerial photo is incorrect

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

84-7002 ~ # 84-7038 are not in the exact same location as shown on the aerial.

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-11-04 SIGNATURE: *Norman C Steadman*

Please print your name: Norman C Steadman

IDWR Regional Office, 1910 Northwest Blvd, Suite 210, Coeur D' Alene, ID 83814, 2087691450

84-7038



location is here.
for this permit.

2000 Feet

Sections 10 & 15
N R4E



Map prepared on October 1, 2003
By Kenneth Knoblock
Idaho Department of Water Resources

Place of Use