

10/25/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-14133

LINDA LEE STOOR
3780 WAYAN LOOP RD
WAYAN ID 83285
Telephone Number: (208) 574-2144

RALPH E STOOR
3780 WAYAN LOOP RD
WAYAN ID 83285
Telephone Number: (208) 574-2144

RECEIVED

NOV 01 2004

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity 0.020

2. Describe the changes you wish to make in the proposed recommendation:

Quantity 0.02

3. Give a brief explanation as to why you disagree with these portions:

might be a mistype allotted usage for
my Stock water is 0.02

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-29-04 SIGNATURE: Ralph E. Stoor

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161