

Claim No. \_\_\_\_\_

## Document Checklist

- ☒ Copy License/Decree

- ☐ **Copy Transfer**

- ☐ Copy Licensing Field Exam

- ☐
- Check if Ownership/Address Change is Required

- ☐ **Generate, mail and file "Evidence of Priority" letter**

- ☒
- Generate Arcview Map**

State of Idaho  
Department of Water Resources

RECEIVED

OCT 12 1990

**WATER RIGHT LICENSE**

WATER RIGHT NO. 21-07341

Department of Water Resources  
Eastern District Office

Priority: August 8, 1983

Maximum Diversion Rate:  
Maximum Diversion Volume:<sup>1</sup>

0.04 CFS  
0.1 AF

This is to certify, that GORDON ZOLLINGER  
ANN ZOLLINGER  
BOYD ZOLLINGER

P.O. BOX 26  
IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 23, 1983; and has submitted Proof of Beneficial Use on March 19, 1986. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| COMMERCIAL            | 01/01 to 12/31       | 0.04 CFS                 | 0.1 AF               |

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 15, Township 13N, Range 43E  
FREMONT County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

13N 43E 15 SENE

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is limited to 10 trailer lots.

## WATER RIGHT LICENSE


WATER RIGHT NO. 21-07341

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this 4<sup>TH</sup>  
day of OCTOBER, 1990.

Acting for

  
R. Keith Higginson, Director

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Royal J. Felipe  
(Applicant)

Phone No. 522-7525

[illegible]

10. Other water rights on these lands NA
11. Other water right diverted from same p.d. NA
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached  
or Map of Irrigated Acreage Attached

14. Remarks \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

15. Recommended Amendments

- ☐ Change P.D. as reflected above  
☐ Change P.U. as reflected above

- ☒ Add P.D. as reflected above  
☐ Add P.U. as reflected above

- ☒ None  
☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 7-24-81

Consultant's License Number \_\_\_\_\_

IDWR Director's Authorization to Conduct

Beneficial Use Examination \_\_\_\_\_

Date

CONSULTANT'S SEAL