

RECEIVED

NOV 29 2004

08/30/2004

Department of Water Resources
Eastern Region

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-14116

DEMONT CRYSTAL
197 N 3300 E
RIGBY ID 83442
Telephone Number: (208)754-4326

GLENNA CRYSTAL
197 N 3300 E
RIGBY ID 83442
Telephone Number: (208)754-4326

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: November 28, 2004

SIGNATURE:

Please print your name:

Demont Crystal *Glenna Crystal*
Demont Crystal, Glenna Crystal

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161