

RECEIVED

NOV 29 2004

07/13/2004

NOTICE OF ERROR
REPLY

Department of Water Resources
Eastern Region

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-4265

DEMONT CRYSTAL

197 N 3300 E

RIGBY ID 83442

Telephone Number: (208)754-4326

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity, Period of use, Point of Diversion, Place of use

2. Describe the changes you wish to make in the proposed recommendation:

Quantity should be 6.00 cfs. Period of use should be April 1 thru October 31.

Point of Diversion should be TOTS R44E S13. See attached sheet for Place of use.

3. Give a brief explanation as to why you disagree with these portions:

See attached

☐ I AGREE with this proposed recommendation; no changes need to be made.

DATE: November 28, 2004

SIGNATURE:

Demont Crystal

Please print your name:

Demont Crystal

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161