

01/28/2004

NOTICE OF ERROR
REPLY

RM

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7360

CHURCH OF JESUS CHRIST OF THE LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR EAST
50 E NORTH TEMPLE
SALT LAKE CITY UT 84150-6312
Telephone Number: (801)240-4656

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Our records show the total allowed diversion as 15.8 AF, whereas the recommended is 9 AF.

2. Describe the changes you wish to make in the proposed recommendation:

The Church proposes the IDWR recommend the larger diversion of 15.8 AF.


3. Give a brief explanation as to why you disagree with these portions:

The original claim dated May 10, 1989 was for 9 AF but an Application for Amendment because the pond was enlarged was for a total diversion of 15.8 AF was dated June 3, 1999.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11/19/04

SIGNATURE:



GSC

Please print your name:

Susan Nash

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Ryan at the IDWR received supervisor approval to recommend a total diversion of 15.8 AF instead of the 9 AF.

RECEIVED

NOV 24 2004

Department of Water Resources
Eastern Region