

12/15/2003

RECEIVED
DEC - 2 2004
DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-4084

BERNARD LINDSTROM
454 GRAYS LAKE RD
WAYAN ID 83285
Telephone Number: (208)574-2795

ELIZABETH LINDSTROM
454 GRAYS LAKE RD
WAYAN ID 83285

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11-21-04 SIGNATURE: Bernard Lindstrom Elizabeth Lindstrom
Please print your name: BERNARD LINDSTROM Bernard Lindstrom

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED
DEC 06 2004

Department of Water Resources
Eastern Region