

Rm

01/02/2004

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-264

LEITH R SOMSEN

3847 WAYAN LP

WAYAN ID 83285

Telephone Number: (208)574-2131

VIRIJEAN S SOMSEN

3847 WAYAN LP

WAYAN ID 83285

Telephone Number: (208)574-2131

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12/1/04

SIGNATURE:

Leith R. Somsen - Viri Jean S. Somsen

Please print your name: LEITH R. SOMSEN - VIRIJEAN S. SOMSEN

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

DEC 08 2004

Department of Water Resources
Eastern Region