

02/08/2003

jen

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-7267

KIRK IRICK

8928 SUNNYSIDE RD

LAVA HOT SPRINGS ID 83246

Telephone Number: (208) 776-5361

208-776-5365

*OK gc
3/28/03*

MARYLU IRICK

8928 SUNNYSIDE RD

LAVA HOT SPRINGS ID 83246

Telephone Number: (208) 776-5361

208-776-5365

incorrect

incorrect

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

3/21/2003

SIGNATURE:

Kirk Irick Marylu Irick

Please print your name:

Kirk Irick Marylu Irick

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

MAR 28 2003

Department of Water Resources
Eastern Region