

RECEIVED
FEB 27 2003

Department of Water Resources
Eastern Region

02/08/2003

Craig

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-4188

W J CHRISTENSEN
4044 TECH FARM RD
POCATELLO ID 83204
Telephone Number: (208)232-8659

DIXIE CHRISTENSEN
4044 TECH FARM RD
POCATELLO ID 83204
Telephone Number: (208)232-8659

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

2-21-03

SIGNATURE:

W. J. Christensen

Please print your name:

W. J. Christensen

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161