




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: J. Larick

Water Right(s): 31-00018, 31-02397




LEGEND




Point of Diversion

SESE

Place of Use



Section Line




Quarter-section line

**Legal Description: T12N, R39E
Sec.1 NE**

**Point(s) of Diversion: T13N, R38E
Sec. 36 SWNWNE (surface)
T12N, R38E
Sec. 1 Lot 2 (NWNWNE) (well)**



GIS Place of Use Illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: Sept. 2000



Camas

Creek

25 30
36 31

31-00018

West

7/10/2K
P30

Camas

Creek

31-02397

L4

L3

L2
NWNE
19

L1
NENE
18

1

6

L4

L3

L5

SWNE
40

SENE
39

L6

L7


1

6

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
		DATABASE EXAMINER	DATABASE EXAMINER	DATABASE EXAMINER
IRRIG	5/1 10/31	0.85		
Stock	5/1 10/31	0.03		
TOTAL FOR THIS RIGHT		0.85		
REVIEWED BY: <i>ABR</i>	DATE: 7/10/2K			

Acx 3.
→ AF/A



RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RSE.	SEC.	1/4	1/4	1/4	LOT	COUNTY	DIVERSION NAME
12N	30E	1	NW	NW	NE	2	CLARK	
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

SLR

DATE:

7/10/2K

SYSTEM DESCRIPTION:

BELT DRIVEN GEARBOX FROM 1952 FORD TRACTOR. OPEN DISCHARGE OR CONDUIT w/ 31-00018 - OR A FITTING FOR HANDLINGS CAN BE ADAPTED. THIS WILL RUN 3/8 mi (48 BIRDS w/ 5/32" NOZZLES) WHICH HE SWINGS IN AN ARC FROM THE WELL BECAUSE THERE IS NO MAINLINE.



Water User

LARICK, JOHN A ID: 100

POD

12N 38E 1 NWNE

Site Tag #

A0008500

Record #

300755

Diversion Name



IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

09/20/2000

RIGHT NUMBER: 31-2397

NAME AND ADDRESS: JOHN A LARICK
KILGORE RT
DUBOIS, ID 83423

SOURCE: GROUND WATER

QUANTITY: 0.85 CFS

USE OF THIS RIGHT WITH RIGHT NO. 31-00018 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 2.32 CFS.

PRIORITY DATE: 11/17/1961

POINT OF DIVERSION: T12N R38E S1 LOT 2 NWNWNE Within CLARK County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	05-01 10-31	0.85 CFS
STOCKWATER	05-01 10-31	308.5 AFY 0.03 CFS

PLACE OF USE:

<u>IRRIGATION Within CLARK County</u>							
T12N R38E S1	SWNE	40	T12N R38E S1	SENE	39		
T12N R38E S1	LOT 1 NENE	18	T12N R38E S1	LOT 2 NWNE	19		
<u>STOCKWATER Within CLARK County</u>							
T12N R38E S1	SWNE		T12N R38E S1	SENE			
T12N R38E S1	LOT 1 NENE		T12N R38E S1	LOT 2 NWNE			
116 ACRES TOTAL							

USE OF THIS RIGHT WITH RIGHT NO. 31-00018 IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 116 ACRES IN A SINGLE
IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE
EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE
ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER
THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6),
IDAHO CODE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

STOCKWATER; 100 CATTLE

FIELD AMENDMENT FORM

31-02397

31-00018

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): John M. Larick Date: 7/10/00
 _____ Date: _____

For Organizations:

I do solemnly swear or affirm that I am _____ of
 _____ Title
 _____, that I have signed the foregoing
 _____ Organization
 document in the space below as _____ of
 _____ Title
 _____ and that the statements contained in the
 _____ Organization
 foregoing document are true and correct.

 Signature of Authorized Agent

 Title and Organization


 Date

State of Idaho)
 County of Bonanza) SS.

Subscribed and sworn (or affirmed) before me this 10th day
 of July 20 00

A. B. RUBERY
 Notary Public

Seal



Residing at Idaho Falls Idaho

My Commission Expires 09/23/03

THIS AMENDMENT ADDS STOCKWATER AS
 A CLAIMED (PERMITTED) USE, AND AS
 DECREED. _____

ABR

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A31-02397
Date Received: 6/15/1988
Receipt No: E000598
Received By: SM

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: JOHN A. LARICK 208-778-5336
Address: KILGORE RT.
DUBOIS, ID 834230000

2. Date of Priority: NOV 17, 1961

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
12N	38E	1	NW	NE			CLARK

5. Description of diverting works:
WELL & PUMP TO HAND LINES.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/15	10/15	2.400		
~~STOCKWATER~~	~~5/1~~	~~10/31~~	~~0.03~~	<i>JAL</i>	<i>7/10/00</i>

7. Total Quantity Appropriated is:
2.400 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 180.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
12N	38E	1	NE	NE		IRR	20.0
			NW	NE		IRR	20.0
			SW	NE		IRR	40.0
			SE	NE		IRR	40.0

IRRIG AND STOCKWATER
JAL 7/10/00

Section Acres 120.0

A31-02397

Page 1

Date: 06/15/88

RECEIVED

JUN 30 1988

Department of Water Resources
Eastern District Office

MICROFILMED

NOV 17 1992

A3102397



10. Place of Use: Continued

Total Acres 120.0

11. Place of use in counties: CLARK

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A31-00018.

14. Remarks:

15. Basis of Claim: PERMIT
Water Right Number: 30305

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): John A. Larist Date: 6/15/88


Date: _____

State of Idaho)
County of Clark) SS.

Subscribed and sworn (or affirmed) before me this 15th day
of June 19 88

Carter Fritsch
Notary Public

Residing at Boyle, ID
My Commission Expires 3-21-94




A31-02397

Page 2

Date: 06/15/88

MICROFILMED

NOV 17 1992



A31-00018




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: J. Larick

Water Right(s): 31-00018, 31-02397



1000 0 1000 2000 3000 4000 5000 6000 7000 8000 Feet

LEGEND



Point of Diversion

SESE

Place of Use




Section Line



Quarter-section line

**Legal Description: T12N, R39E
Sec.1 NE**

**Point(s) of Diversion: T13N, R38E
Sec. 36 SWNWNE (surface)
T12N, R38E
Sec. 1 Lot 2 (NWNWNE) (well)**



GIS Place of Use Illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: Sept. 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

22:45:51
03/15/93

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A31-92597

LAST: LARICK
ADDRESS: KILGORE RT.
CITY: BOJES
PHONE NUMBER: 208-778-5530

FIRST: JOHN A.

STATE: ID ZIP: 834230003

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

FIELD EXAMINATION INFORMATION

CONTACT PERSON:

A. Rubenry & C. Saxon

PHONE NUMBER: () -

DATE OF FIELD EXAM: 7/10/2K

APPOINTMENT MADE: Y() N()

TIME: 1:00 A() P()

ACCOMPANIED BY: John Larick

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT:

Owner

DIRECTIONS TO PROPERTY / NOTES:

7/10/2K Met w/ John Larick @ NO AS APPOINTED TO MEASURE WELL.

7/10/2K 6:15pm. Went to see John to have him Amend claim to add stockwater (103.4
non-addition) as permitted. Field Amendment form signed/Notarized. AOK

A. AJ CLAIM: # A31-02597 PRIORITY DATE: 11-17-1961 STAGE: P

B. WR RECORD: # A31-02597 PRIORITY DATE: 11-17-1961 STAGE: P

C. FIELD EXAM REQUIRED?

FIELD
EXAMINER
DATABASE
N

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

NOTES: Well log is dated Dec. 15, 1961. Permit approved Nov. 29, 1961.

RECOMMENDED PRIORITY DATE:
~~11-17-1961~~

12/15/96

REVIEWED BY

ASR

DATE

2/10/97

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A31-02397	12N	56E	1	NW	NW	NE		CLARK

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

NR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. NR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
31-02397	12N	56E	1		NW	NE		CLARK

OTHER NR RECORDS WITH SAME NR POD
NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
NONE NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

NOTES:
Claims NWNE Sec. 1. No changes But to 10ac. Tract.

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TM ²	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY	DIVERSION NAME
12N	30E	1	NW	NW	NE	2	CLARK	
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---

SOURCE: GROUNDWATER

TRIS:

REVIEWED BY: SPR DATE: 7/10/24

SYSTEM DESCRIPTION:

BELT DRIVEN CLEARBOX FROM 1952 ROAD TRACTOR. OPEN DISCHARGE OR CONTAINER w/ 31-00018 - OR
A FITTING FOR HANDLINGS CAN BE ADAPTED. THIS WILL RUN 3/8" (48 BIRDS w/ 5/32" NOZZLE)
WHICH HE SWINGS IN AN ARC FROM THE WELL BECAUSE THERE IS NO MAINLINE.



A. ROOT WATER RIGHT NUMBERS: A31-02397

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
12N	38E	1	NE	NE	1	LARICK, JOHN A.	A31-02397 120.0	31-02397 120.0			
			NE	NE	1	LARICK, JOHN A.	A31-00018 120.0	31-00018 1			
									Gov't Lot 20.15	Hs & Co. Ros.	
12N	38E	1	NE	NE	2	LARICK, JOHN A.	A31-02397 120.0	31-02397 120.0			
			NE	NE	2	LARICK, JOHN A.	A31-00018 120.0	31-00018 1			
									Gov't Lot 20.67	Co Rd & Non Irrig Area	
12N	38E	1	SW	NE		LARICK, JOHN A.	A31-02397 140.0	31-02397 140.0			
			SW	NE		LARICK, JOHN A.	A31-00018 140.0	31-00018 1			
									89.0	Non Irrig Area	
12N	38E	1	SE	NE		LARICK, JOHN A.	A31-02397 140.0	31-02397 140.0			
			SE	NE		LARICK, JOHN A.	A31-00018 140.0	31-00018 1			
									33.0	Co Rd.	
TOTAL ACRES							A31-02397	120.00	120.00	72.00	

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y () N ()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

POU COUNTY: CLARK

50% G & S for
A & D. Dist. B.

PRESUMPTION FLAG:

NOTES:

Permitted FOR IRRIG., STOCK WATERING AND DOMESTIC. USGO (WHENEVER)
FOR IRRIG AND STOCKWATER. STOCK DRINK FROM OPEN DITCHES, SAME POU AS
IRRIG.

RECOMMENDATIONS:

TOTAL ACRES:

REVIEWED BY:

DATE:

PPH w/ 31-00018

A. AJ CLAIMED USES:

PURPOSES
A31-02397 IRRIGATION

5/1 10/31
MONTH/DAY
FROM 05-15 TO 10-15

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
2.400 CFS 0.83

2.400 CFS 0.03 (NON-ADDITIONAL) AMOUNT 7/10/24

B. NR RECORDED USES:

PURPOSES
31-02397 IRRIGATION
31-02397 STOCKWATER
31-02397 DOMESTIC

MONTH/DAY
FROM TO
FROM TO
FROM TO

TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
2.400 CFS
2.400 CFS
2.400 CFS

2.400 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

DUE TO WATER-USE DISCREPANCY? (Y/N)
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)

FIELD
EXAMINER
DATABASE
Y
Y
Y

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N()

RECOMMEND TO NR STANDARDS OR OTHER?

Y() N() EXPLAIN IN NOTES, BELOW.

NOTES:

DEPT. STD PERIOD OF USE IS MAY 1 TO OCT 31. DUE TO IS UNUSUAL.

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N(✓)

See Measurements Below

AJ TOTAL CLAIMED DIVERSION RATE: 2.400 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 2.400 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN NOTES. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y

B. FLOW MEASUREMENT

MEASUREMENT METHOD * 15" Broad Crested, SEE ATTACHED CALCULATIONS.
Water Flume

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A31-00018.

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM NO.	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A31-02397	GROUNDWATER	LARICK, JOHN A.	2.400	0.020		
A31-00018	WEST CAMAS CREEK	LARICK, JOHN A.	2.900	0.016		

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

* MEASUREMENT 10.5 cm $\Rightarrow$ 105 mm WHICH CONVERTS FROM CMH2O to 0.8505 cfs $\Rightarrow$ 0.85 cfs

mm cfs

103 - 0.8212

104 - 0.8309 (0.8310)

105 - 0.8505

106 - 0.8603

See Photo, Pg. 9

PPH w/ 31-00018.

MEASUREMENT $\rightarrow$

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE

ACRES _____ X 0.02 CFS/ACRE = _____ CFS
(TAKEN FROM P/U REVIEW)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() SEE

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 150.0 AF/A

ACRES _____ X CONSUMPTIVE VOL. AF/A FOR AREA _____ =

TOTAL CONSUMPTIVE USE _____ AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = _____ AF/A

ACRES _____ X DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

NOTES: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

1B. CALCULATIONS

CLAIM NUMBER: A31-02397

RECOMMENDATIONS:

REC.
PURPOSES

REC. PERIOD
FROM TO

REC. DIV
RATE CFS
DATABASE EXAMINER

REC. DIV
VOL. AF/A
DATABASE EXAMINER


REC. CONS.
USE
DATABASE EXAMINER

Ax 3.
→ AF/A

TOTAL FOR THIS RIGHT

REVIEWED BY:

DATE:



A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
()	()
()	()
()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 51-02397

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
2.400

EXAMINER

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A51-02397	2.400	-		51-02397	2.400
	TOTAL CFS	2.400				2.400

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE
Y

FIELD
EXAMINER

NOTES:

PERMITTED FOR 2.4 cfs, APPROVED NOV. 27, 1961

W/WR MEASURED 7/10 PER @ 0.85 CFS - SO DISCONTINUED

FIELD AMENDMENT 7/10 PER TO ADD STOCKWATER AS PERMITTED. (NON-ADDIT.)

AUTHENTICATION:

SIGNATURE: [Signature]

DATE: 7/10/61

NAME OF FIELD EXAMINER: Arnon B. Rosenberg

TITLE: SR. AGT

PPH w/ 31-00018

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

22:45:51
03/15/93

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A31-02397

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y							
SOURCE								
PLACE OF USE	Y							
DIV. AMOUNT CFS/VOLUME	Y							
CONSUMPTIVE USE	-							
PURPOSES	Y							
PERIOD OF USE	Y							
BASIS OF CLAIM								
REMARKS								

VERIFIED BY CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAIP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

01:24:24
03/15/95

PAGE: 12
PROFILE REPORT

CLAIM NUMBER: A31-02897

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN A. LARICK KILGORE RT. DUBOIS ID 834250000 (208) 773-5335	11/17/1961	IRRIGATION	14-15 10-15	2.40 CFS	
					TOTAL DIVERSION: CONSUMPTIVE USE:	2.40 CFS 180.0 AFA

WATER SOURCE: GROUNDWATER

TRIBUTARY TO:

STAGE: PERMIT

POINT(S) OF DIVERSION:

T12N R32E S01

NWNE

CLARK COUNTY

PLACE OF USE LEGAL DESCRIPTION FOR: IRRIGATION

NE				NW				SW				SE					
Y	R	S	:	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	:	SUM
12N	38E	1	:	20		20										:	40.0
																TOTAL ACRES	120.0

POU COUNTY: CLARK

OTHER RIGHTS: A31-00318.

DATES: EXAM MADE DATE:

VERIFIED DATE: 12/30/1985

MISC: WATER DISTRICT NUMBER:

FIELD INSPECTION FLAG:
PRESUMPTION FLAG:

Memorandum

TO: Shelley Keen - Allocations

07 August 2000

From: Keith C. Wilson

RE: Licensing of **31-02397**

Please complete the licensing of **31-02397** as soon as possible.
Adjudication needs this like yesterday!

Thanks

A handwritten signature in cursive script, appearing to read "Keith C. Wilson", is written over a horizontal line.

Keith C. Wilson
Senior Resource Agent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 31-0 2397

1. Owner: John A Larick

Phone No. (208) 778-5336

Current Address: Kilgore Route, Kilgore ID 83423

2. Accompanied by: John Larick

EXAM. DATE: 7/10/2000

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 31-00018

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump (w/ Right angle Drive) open Discharge or uses lateral lines to sprinklers

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	TRACTOR PTO	15	Layne & Bowler	Layne & Bowler	# 27201

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion: GPS C100119A TAG # A0008500

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	1	12N	38E	Clark	ON SITE/GPS

6. Place(s) of Use:

Indicate Method of Determination FSA Aerial

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	38E	1	L-1 18	L-2 19	40	39													116ac

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Weir Flume	RECTANGULAR Bread-Crumb Weir flume	Powles	15"			

2. Measurements:

105 mm = 0.85 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 105 mm = 0.85 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{116(3)} = \underline{348}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{0.85(183)} \times 1.9835 = \underline{308.5}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{308.5 \text{ ac-ft}}$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Stock drink out of Ditches
Max. 150 head range cattle

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	5/1	10/31	0.85 cfs	308.5
STOCKWATER	1/1	12/31	0.03 cfs	2.0
Totals:			0.85	308.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON

Signature Keith C. Wilson

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

**POWLUS 15"
RECTANGULAR
BROAD-CRESTED
WEIR FLUME**

Discharge Equation

$$Q_{cfs} = 4.63[h(ft) + 0.005]^{1.878}$$

CROSS SECTION DATA:

Approach Channel:

Simple Trapezoid

Bottom Width B1 = 1.2467 ft (0.38 m)

Side Slope Z1 = 0.000:1

Throat Section:

Simple Trapezoid

Bottom Width BC = 1.2467 ft (0.38 m)

Side Slope ZC = 0.000:1

Tailwater Channel

Simple Trapezoid

Bottom Width B2 = 1.2467 ft (0.38 m)

Side Slope Z2 = 0.000:1

PROFILE DATA:

STATIONARY WEIR:

Length to Gauge AL = 0.7545 ft (0.230 m)

Cor Ramp Length BL = 0.7447 ft (0.227 m)

Throat Length *DL = 0.000 M

JOHN LARICK'S WEIR

LICENSING EXAM OF

31-02397

10.5 cm $\Rightarrow$ 105 mm MEASURED

103 - 0.0212

104 -

105 - 0.8472 $\Rightarrow$ 0.85 cfs

106 - 0.8603

Gage Reading	Flow Rate	Gage Reading	Flow Rate
mm	cfs	mm	cfs
30	0.1186	122	1.0654
33	0.1378	125	1.1085
36	0.1581	128	1.1523
40	0.1793	131	1.1967
43	0.2015	134	1.2418
45	0.2245	137	1.2875
49	0.2486	140	1.3338
52	0.2735	143	1.3810
55	0.2993	146	1.4286
58	0.3259	149	1.4769
61	0.3534	152	1.5258
64	0.3818	155	1.5752
67	0.4109	158	1.6254
70	0.4409	161	1.6762
73	0.4717	164	1.7276
76	0.5032	168	1.7796
79	0.5356	170	1.8322
82	0.5687	174	1.8854
85	0.6026	177	1.9392
88	0.6372	180	1.9937
91	0.6726	183	2.0487
94	0.7087	186	2.1043
97	0.7454	189	2.1606
100	0.7829	192	2.2174
103	0.8212	195	2.2748
106	0.8603	198	2.3328
110	0.8999	201	2.3912
113	0.9402	204	2.4507
116	0.9813	207	2.5027
119	1.0230		

7/10/2K
ABR
CLS

31-02397

31-2397

R38E R39E

POINT OF
DIVERSION


PLACE OF USE

R38E


R38E R39E

31-02397

SCALE 1:24 000



17 1/2°
1 MI.



**POWLUS 15"
RECTANGULAR
BROAD-CRESTED
WEIR FLUME**

Discharge Equation

$$Q_{cfs} = 4.63[h(ft) + 0.005]^{1.629}$$

CROSS SECTION DATA:

Approach Channel:

Simple Trapezoid

Bottom Width B1 = 1.2467 ft (0.38 m)

Side Slope Z1 = 0.000:1

Throat Section:

Simple Trapezoid

Bottom Width BC = 1.2467 ft (0.38 m)

Side Slope ZC = 0.000:1

Tailwater Channel

Simple Trapezoid

Bottom Width B2 = 1.2467 ft (0.38 m)

Side Slope Z2 = 0.000:1

PROFILE DATA:

STATIONARY WEIR:

Length to Gauge AL = 0.7545 ft (0.230 m)

Con-Ramp Length BL = 0.7447 ft (0.227 m)

Throat Length *DL = 0.000 M

JOHN LARICK'S WELL

LICENSING EXAM OF

31-02397

10.5 cm $\Rightarrow$ 105 mm MEASURED

103 - 0.8212

104 -

105 - 0.8412 $\Rightarrow$ 0.85 cfs

106 - 0.8603

Gage Reading	Flow Rate	Gage Reading	Flow Rate
mm	cfs	mm	cfs
30	0.1186	122	1.0654
33	0.1378	125	1.1085
36	0.1581	128	1.1523
40	0.1793	131	1.1967
43	0.2015	134	1.2418
45	0.2245	137	1.2875
49	0.2486	140	1.3338
52	0.2735	143	1.3810
55	0.2993	146	1.4286
58	0.3259	149	1.4769
61	0.3534	152	1.5258
64	0.3818	155	1.5752
67	0.4109	158	1.6254
70	0.4409	161	1.6762
73	0.4717	164	1.7276
76	0.5032	168	1.7796
79	0.5356	170	1.8322
82	0.5687	174	1.8854
85	0.6026	177	1.9392
88	0.6372	180	1.9937
91	0.6726	183	2.0487
94	0.7087	186	2.1043
97	0.7454	189	2.1606
100	0.7829	192	2.2174
103	0.8212	195	2.2748
106	0.8603	198	2.3328
110	0.8999	201	2.3912
113	0.9402	204	2.4507
116	0.9813	207	2.5027
119	1.0230		

7/10/2K
ABR
CLS

Camas
Creek

31-00018

31

7/10/2K
P/B

6

L4

L3

19

18

SWNE
40

SENE
39

Water User

LARICK, JOHN A ID: 100

POD

12N 38E 1 NWNE

Site Tag #

A0008500

Record #

300755

Diversion Name



WATER MEASUREMENT DISTRICT
FIELD REPORT

DISTRICT NORTH

RECORD NUMBER 300755

SITE DATA:

EXAMINER (inv_name) B CONTOR

EXAM DATE 10/1/98 DIVERSION NAME _____
(site_visit) (div_name)

GPS FILE C100119A SITE TAG NUMBER A0008500
(gps_filnam) (site_tagno)

GPS OFFSET (offset) 3' above well

TAG LOCATION (tag_locat) banded to casing

POD LEGAL (pod) T 12 (N) S, R 38 E, Sec 1, NW NE

DISTRICT MEASUREMENT CAPABILITY (std_rcmd):

SONIC (s)

SONIC/DIG (sd)

SONIC @ PVT (sp)

COLLINS (c)

PYGMY (p)

MEASUREMENT RECOMMENDATIONS (op_num):

PCC (2)

HOURLY METER (7)

IRR. FLOWMETER (1)

ALTERNATE (3)

OTHER FLOWMETER (8)

CRP (4)

AMEND CLAIM (A)

OPEN CHANNEL DEVICE (9)

SUITABLE FOR PCC even if other method selected (pcc_ok)

YES NO

TRACKING will be required (trkng_reqd)

YES NO

Well has ACCESS PORT for water level meas. (wl_access)

YES NO

FLOWMETER installation poss. w/o major change (qmtr_ez)

YES NO

FOLLOW-UP DATE (folup_date) 2001

OWNER/OPERATOR INFORMATION

OWNER (name) Joe Larick

PHONE _____

ADDRESS _____

CEL PHONE _____

OPERATOR (contact) _____

PHONE _____


ADDRESS _____

CEL PHONE _____

PUMPING PLANT SKETCH

VALVE	=	
CHECK VALVE	=	
AIR VAC	=	
PRESS. RELIEF	=	
INDIVE/UPDIVE	=	
HOSE BIB	=	
PRESS. GAGE	=	
WELL ACCESS	=	

↑ N



WELL/PUMP INFORMATION:

DEPTH OF WELL: _____ DEPTH OF BOWLS: _____

WATER LEVELS:

PRE-SEASON STATIC: _____ DATE MEAS: _____
(swl_pre) (swlpredate)DURING-SEASON STATIC: _____ DATE MEAS: _____
(swl_mid) (swlmidddate)POST-SEASON STATIC: _____ DATE MEAS: _____
(swl_post) (swlpstdate)DYNAMIC WATER LEVEL: _____ DATE MEAS: _____
(pmpng_wl) (pwl_date)

DOES STATIC WATER LEVEL DROP OR RISE OVER SEASON? YES NO

DOES ANOTHER WELL SPECIFICALLY INTERFERE WITH THIS WELL? YES NO

PUMP AND MOTOR INFORMATION:

WELL MOTOR

MFG: T. tractor PTO

SERIAL: _____

HP: 15

BOOSTER 1 MOTOR

MFG: _____

SERIAL: _____

HP: _____

BOOSTER 2 MOTOR

MFG: _____

SERIAL: _____

HP: _____

WELL PUMP

MFG: Layne } BowlerSERIAL: 29201TYPE: _____ VERT T CENT SUBMER
(pump_type) (v) (c) (s)

BOOSTER 1 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

BOOSTER 2 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

UTILITY KWH METER INFORMATION:

UTILITY: _____
(utility)POLE #: _____
(pole_no)

MAX KW DEMAND _____

KILOWATT HRS _____
(kwh_1)
(use date of exam for "kwh1_date")UTILITY ACCOUNT NUMBER _____
(acct_no)KWH METER SERIAL: _____
(pwrmttr_sn)METER MFG: _____
(pwrmttr_mfg)Kh DISK CONSTANT _____
(kh)MULTIPLIER _____
(disk_mult)

SYSTEM DESCRIPTION/NARRATIVE COMMENTS:

SYSTEM TYPE Open dish.
(system_type)COMMENTS TO DATA-ENTER (exam_notes): Used very seldom.Pump tag rated 450 GPM @ 40 ft. Danner
Will call when used next, for measurement.Exam complete = "Y"

FILE-ONLY COMMENTS:

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.


Signature Byron A. ContorDate 10/1/98

EASTERN WATER MEASUREMENT DISTRICT

SUPPLEMENTAL DATA FORM A

SKETCH OF IRRIGATED LANDS AND MAJOR COMPONENTS OF DELIVERY SYSTEM/S

crop	acres
1	
2	
3	
4	
total	



SCALE 1:24,000

PHOTOS

PERMIT
NUMBER



RONALD D. CARLSON
HYDROGRAPHER

STATE OF IDAHO
NORTHERN WATER MEASUREMENT DISTRICT
900 N. SKYLINE DR., SUITE A
IDAHO FALLS, ID 83402
(208) 525-7171 FAX (208) 525-7177

IDWR DIRECTOR
KARL J. DREHER

TREASURER
DEL RAYBOULD

ADVISORY COMMITTEE

KIRK JACOBS
CHAIRMAN

DALE COPE
MONTEVIEW

DAREN BITTER
TERRETON

CARL BALL
HAMER

DON PARKER
REXBURG

FRANK SULLIVAN
DUBOIS

LYNN WOOD
MONTEVIEW

NICK HILLMAN
HAMER

JERRY PANCHERI
HOWE

AARON SAVAGE
HAMER

June 10, 1998

John Larick
Kilgore Rt
Dubois, ID 83423

Dear Mr. Larick:

We received your pump card, thank you for mailing it even though you did not divert water in May. We also received your note regarding non-use of the pump.

On June 16, 1997, you told me on the telephone that you had not used the pump for three years but you maintained it as a "supplemental" well, and you supposed you would not use it until another dry year came. This is the reason we have decided to send you pump cards, so you don't have to buy an expensive flowmeter.

I know it seems silly to just check "pump not used" month after month, but this shows that we are making an effort to measure your water use, as required by State law.

If you truly do not intend to use this pump again, even in a wet year, we can change its classification to "unused." This might affect your water right, however.

Please call me if you have questions. Otherwise, silly as it seems, it helps us to have you send back the card once a month.

Thank you,

Bryce A. Contor
Bryce A. Contor
Assistant Hydrographer

Water User Data Card - Water Measurement District

Name: JOHN LARICK

ID# 100

Diversion Name: TRACTOR WELL

Tag#

Month: May

Year: 1998

Check here if pump not used this month: ☒ MAY

1998

Note: Please fill out only the sections that apply to your diversion and reporting method.

I. INSTALLED FLOWMETER OR HOURMETER SECTION

Date and time of reading: _____ Hr. Meter reading: _____

Totalizer Reading: _____ Units: _____ X _____

Instantaneous Reading: _____ Units: _____ X _____

II. ALTERNATE METHOD OR POWER RECORD SECTION

(Please fill out the columns that apply to your reporting method)

DAY	OPER. HOURS			PSI	BOOSTER		COUNT
	COND A.	COND B.	COND C.		ON	OFF	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

Signature: John A Larick

Date: _____

Memo

TO: File 31-02397

25 February, 2000

FROM: Keith C. Wilson

RE: Documentation of contact with permit holder & dated documents

09/20/1967 - Hand written note on exam "Not on this year, didn't need. Tony"
02/27/1978 - Letter from Anthony R. Kozlowski
07/25/1979 - Written on exam "Called, call back July 30 or 31. J.C."
08/10/1979 - John Carlson letter "Since June...79, ...attempts...setting up...irrigation system."
11/21/1980 - Note stapled to exam form "Try to get done in early summer" HWJ
06/16/1986 - Letter "Examination Fee Notice" E.C.
09/03/1986 - No response letter daily loss of priority. E.C.
09/05/1986 - Letter pursuant to phone conversation... E.C.
11/05/1986 - "OK" initialed on Examination Fee Information sheet. KCW
11/12/1986 - E.S.V. initialed & dated on a "Staff Analysis Sheet" for the exam folder
04/08/1986 - PD & PU index initialed & dated for overlapping water rights KCW
05/26/1992 - Contact Sheet "Will call when system is operating" GB

UNDATED - Sheet of yellow paper with:
"15 Aug."
"no main line."
"56 - nozzels. Size?"
"sprinkles ~~about~~ 118 acres ("
"DATES { dates. Irrigation. → during dry seasons & late summer."
{ Stock. 1 Sept. to 1 Nov. - trough adjacent to _____"
"Runs at 1750 RPM."

UNDATED - Written on old field exam form by me while in Dubois forest service office.
"Work T & Th"
"778-5422"
"778-5371"
"778-5498"

In addition to these items the following is written on old exam form:

"Motor- "U.S." gear drive, 15 HP. Ser # 1256752 w/ Verti line pump Ser # 29201, Mod # - 8FHH
450 gpm @ 1275 RPM. - no main line uses lateral lines originating from pump - a full capacity runs
56 nozzels."



Keith C. Wilson
Senior Resource Agent

31-02397

APPLICATION FOR PERMIT
To appropriate the Subterranean Waters of The State of Idaho

Application No. G-232
Permit No. G-3030
District No.

Name of Applicant: John J. Ford

Postoffice address: Elmore

County: Clark

State: Idaho

Quantity of water claimed:

(a) Rate of withdrawal in cubic feet per second

Miners' inches

Gallons per minute

or Idaho

(b) Annual withdrawal in acre feet per annum

Source of water supply: Subterranean

Location of point of diversion or well is in the NE 1/4 of the NE 1/4 of Section 1

Typ. Sec. 1, Twp. 1 N., R. 1 E., B. M., County of Clark

Water to be used for: Irrigation, stock watering, domestic

(For municipal, industrial or recreational purposes, give

(a) Point of use of water is in the 1/4 of the 1/4 of Section 1, Twp.

Rge. 1 E., B. M.

(b) Waste water or sewage effluent is to be returned to

at a point in the 1/4 of the 1/4 of Section 1, Twp.

Rge.

B. M.

Kind of work: Drilled well, pump powered with electricity

Estimated cost of work: \$1,000

(b) Is any work to be used?

(b) Capacity of reservoir:

The time required for the completion of such work and complete application of the water to the proposed uses:

If applicant is a corporation, give:

(a) Date and place of incorporation:

(b) Amount of capital stock: \$

(c) Amount paid in: \$

(d) Names and addresses of directors:

The substantial resources of the applicant are (a) Cash on hand: \$

(b) Real estate:

(c) Bonds to be issued:

(d) Other resources:

The land to be irrigated is described in the following tabulation:

Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: Water Right No. 1, with a priority of 1900-1-100, for 2.0 c.f.s. from West Canon Crank. This right is very inadequate for the proposed use.

(a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.

(b) (cubic feet per second, inches or gallons per minute) is for new lands.

BE IT KNOWN THAT The undersigned hereby makes application in fee pursuant to applicable law for public waters of the State of New York.

Date of final receipt at Department of Reclamation: 11:30 A.M. November 27, 1967

Corrected application received

The number of Data period is 7— 30305

Reviewed in Book 106 Page 30305 Approved November 23, 1961

This is to certify that I have reviewed the within application for a permit to appropriate the public water of the State of _____
(the name, subject to the following restrictions and conditions: _____)
and in the sum of \$ _____ to be filed on or before _____
Work to begin on or before _____
and to continue diligently and uninterruptedly to completion, unless

One-fifth of the work above specified to be completed on or before May 30, 1961

The whole of said work is to be completed and beneficial use of water appropriated in accordance herewith on or before the 1st day of January, 1916.

Witness my hand this 27th day of July at New York, 1964.

GOVERNOR OF THE SEVENTH QUARTER

W. H. WILKINS, Secretary of State of Idaho, have caused the signature of

It is central to the name of the State of Idaho, and bears the Great Seal of the State of Idaho, and is state property.

Countdown to the 2000 Presidential Election

(SEAL) ARNOLD WILLIAMS

Secretary of State



Page	Date	Sec.	NE 1/4	NW 1/4	SW 1/4	SE 1/4	Totals
12	10-11-12	20	10	10	10	10	

Permit No. 30305

As Approved

GEO. N. CARTER

NOV 27 1961

State Engineer

31-02397
RECEIVED

WELL LOG AND REPORT OF THE STATE RECLAMATION ENGINEER OF IDAHO Department of Reclamation

Permit No. G30305 Well No. 62-265 County Clark

Owner John Iarick

Address Kilgore, Idaho

Driller Robert Rups for Irving Kendle Well Drilling

Address C 17 Anderson Ave. Idaho Falls, Idaho

Well location N 1/4 W 1/4 Sec 28 T 13N R 39E/W

Size of drilled hole 16"

Total depth of well 61'

Give depth to standing water from the ground 10 ft. Water temp. °Fahr.

On "Pumping Test" delivery was g.p.m. or c.f.s. Drawdown was feet.

Size of pump and motor used to make test

Length of time of test hours minutes.

If flowing well, give flow c.f.s. or g.p.m. and of shut off pressure

If flowing well, described control works (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for irrigation Weight of casing per lineal foot 47lb.

Thickness of casing .281 Casing material Steel (STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing (CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
16"	0	61		

Number and size of perforations 4 per ft. located 0 feet to 52 feet from ground

Date of commencement of well Aug 1 Date of completion of well Aug 10

1272-388-1 1100706

[illegible]

This well was drilled under my supervision and the above information is true and correct to the best of my knowledge and belief.

By Henry H. H. H.

License No. 116

e Meridian, Idaho

