




STATE OF IDAHO


Department of Water Resources
Eastern Region

Water Right(s): 31-04067



Total Irrigated Acres: 38

-  Point of Diversion
-  Place of Use
-  Quarter Section Lines
-  Section Lines



GIS Place of Use Illustration
1987/1988 Napp photography
Prepared by: C. Saxton
Date: September 2000

WR #: 31-04067

Sid Brown

7N, 36E

SWSE
38.0

5	6
8	9

Total Irrigated Acres: 38

Acreage Distribution

Prepared By: Craig Saxton
September 2000

09/20/2000

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 31-04067

NAME AND ADDRESS: JAN A BROWN
SID E BROWN
JESSE MOMBERGER
HC 69
BOX 1670
HAMER, ID 83425

SOURCE: GROUND WATER

QUANTITY: 0.55 CFS
129.5 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 06/01/1941

POINT OF DIVERSION: T07N R36E S5 SWSE Within JEFFERSON County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
STOCKWATER	01-01 12-31	0.02 CFS
IRRIGATION	04-01 10-31	0.55 CFS
		129.5 AFY

PLACE OF USE:

IRRIGATION Within JEFFERSON County
T07N R36E S5 SWSE 38
38 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO
CODE.

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommended Right Report

WATER RIGHT NO. 31-4067

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	JAN A BROWN
Current Owner	SID E BROWN
Current Owner	JESSE MOMBERGER
	HC 69
	BOX 1670
	HAMER, ID 83425
	(208)662-5424
Original Owner	WILLIAM L SHUPE
	USSES
	DUBOIS, ID 83423

Priority Date: 06/01/1941
Basis: Beneficial Use
Status:

Source Tributary to
GROUND WATER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>	<u>Subuse Code</u>
IRRIGATION	04/01	10/31	0.55 CFS	129.5 AFA	
STOCKWATER	01/01	12/31	0.02 CFS		
Total Diversion			0.55 CFS	129.5 AFA	

Point(s) of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
07N	36E	5	SW SE		JEFFERSON

IRRIGATION Use:
Acre Limit: 37

Place(s) of use:

Place of Use Legal Description: IRRIGATION JEFFERSON County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
07N	36E	5		SWSE	38									

Place of Use Legal Description: STOCKWATER same as IRRIGATION

Total Acres: 38

Conditions of Approval:

- C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

Dates:

Licensed Date:
 Claim Received Date: 11/14/1988
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Decreed Date:
 Date Filed with Court:
 Objection Filed Date:
 SF5 Filed:
 Special Master Recom Signed Date:

Element Reviewed/Verified Dates:

Element	Last Review Date	Reviewer	Last Verified Date	Verifier	Status
Contacts	9/20/00 12:25:28 PM	csaxton			In Process
POD	9/20/00 12:27:06 PM	csaxton			In Process
POU	9/20/00 12:39:23 PM	csaxton			In Process
Priority Date	9/20/00 12:26:31 PM	csaxton			In Process
Quantity	9/20/00 12:45:04 PM	csaxton			In Process
Season	9/20/00 12:42:23 PM	csaxton			In Process
Source	9/20/00 12:36:42 PM	csaxton			In Process
Summary	9/20/00 12:57:01 PM		9/20/00 12:57:01 PM	csaxton	Complete
Use	9/20/00 12:38:23 PM	csaxton			In Process

Other Information:

Receipt Number(s):
 State or Federal: S
 Owner Name Connector: OR
 Overall Max Diversion Rate: 0.55
 Overall Max Diversion Volume: 129.5
 Generic Max Rate per Acre:
 Generic Max Volume per Acre:
 Civil Case Number:
 Old Case Number:
 Decree Plaintiff:
 Decree Defendant:
 PresumptionFlag:
 Notice of Error Flag:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Cary Act Number:
 Mitigation Plan: False

Verification Log:

Element	Date Time Stamp	Reviewer	Log Text
Contacts	9/20/00 12:25:26 PM	csaxton	1. Appointment has not been scheduled. Comment for 1: Field Exam on 6-6-00.
POD	9/20/00 12:34:19 PM	csaxton	Edited point location
POD	9/20/00 12:33:50 PM	csaxton	Edited point location
POD	9/20/00 12:33:20 PM	csaxton	Edited point location
POD	9/20/00 12:31:45 PM	csaxton	Edited point location
POD	9/20/00 12:27:05 PM	csaxton	1. (YES) The basis is beneficial use. 4. (NO) There is not evidence that there has been a change in the Point of Diversion. 6. (YES) The file contains all the necessary information to verify the POD. Comment for 6: Field Exam 6-6-00 8. (NO) Point of Diversion remark was not required. 9. (NO) Point of Diversion condition was not required.
POU	9/20/00 12:39:22 PM	csaxton	1. (YES) The POU is required. 2. (YES) The basis of claim is beneficial use. 5. (NO) There is no evidence that there has been a change in the POU. 9. (YES) The file contains all the necessary information to verify the POU. Comment for 9: Field Exam 6-6-00 12. (NO) POU remark was not required. 13. (NO) POU condition was not required.
Priority Date	9/20/00 12:26:29 PM	csaxton	1. (NO) There has not been a later court decree of the water right(s) from the water source.

Quantity	9/20/00 12:45:03 PM	csaxton	4. (YES) The basis of claim is beneficial use. 4b. (NO) The priority date was not claimed after the date a permit was required for the source and water use. 10. (YES) The claim file contains sufficient evidence of priority date. 12. (YES) The claim is recommended. 13. (NO) The claim is not coded correctly. 14. (NO) Priority remark was not required. 15. (NO) Priority condition was not required. 1. (YES) The basis of claim is beneficial use. 5. (YES) A flow measurement was required. Comment for 5: Sonic 6. (YES) The source is ground water and the purpose of use requires a diversion volume limit. 8. (YES) Irrigation is a purpose of use. 9. (NO) Quantity remark was not required. 10. (NO) Quantity condition was not required.
Season	9/20/00 12:42:22 PM	csaxton	1. (YES) The basis of claim is beneficial use. 4. (NO) There is not evidence that there has been a change to the period of use. 9. (YES) The file contains all the necessary information to verify the period of use. 11. (NO) The basis of is not a decree, license, or a transferred beneficial use right that has had the period of use administratively determined. 13. (YES) Irrigation is the purposed use. 15. (NO) Period of Use remark was not required. 16. (NO) Period of Use condition was not required.
Source	9/20/00 12:36:38 PM	csaxton	1. (YES) The basis is beneficial use. 4. (NO) There is not evidence that there has been a change in the Source. 7. (YES) The file contains all of the necessary information to verify the source. Comment for 7: Field Exam 6-6-00 8. (NO) The source is not surface water. 10. (NO) Source remark was not required. 11. (NO) Source condition was not required.
Summary	9/20/00 12:56:59 PM	csaxton	1. (YES) The basis of the claim is beneficial use. 2. (NO) All the water being used for all the purposes is not being claimed and to the extent it was claimed. 5. (NO) General remark was not required. 6. (NO) Explanatory remark was not required. 7. (YES) Additional condition was required. 8. (YES) Wanted to view the recommended right. 9. (NO) This is not a split right. 10. (NO) This is not a combined right. 11. (NO) Documents were not linked or attached to this file. 12. (YES) Set the verification date.
Use	9/20/00 12:38:21 PM	csaxton	1. (YES) The basis of claim is beneficial use. 4. (NO) There is not evidence that there has been a change to the purpose of use. 9. (YES) The file contains all the necessary information to verify the purpose of use. 11. (NO) Purpose of Use remark was not required. 12. (NO) Purpose of Use condition was not required.



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A31-04067
Date Received: 11/14/1988
Receipt No: E004018
Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name:	SID E. BROWN	208-662-5424
Address:	HC 69	
	BOX 1670	
	HAMER, ID	83425
OR		
Name:	JAN A. BROWN	208-662-5424
Address:	HC 69	
	BOX 1670	
	HAMER, ID	83425
OR		
Name:	JESSE MOMBERGER	208-662-5487
Address:	HC 69	
	BOX 1670	
	HAMER, ID	83425



2. Date of Priority: JUN 01, 1941

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07N	36E	5	SW	SE			JEFFERSON

5. Description of diverting works:
WELL, PUMP & PIPELINE.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.800		
STOCKWATER	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.040		

7. Total Quantity Appropriated is:
0.860 C.F.S. (and/or)

A.F.A.

A31-04067

Page 1

Date: 11/14/88

MICROFILMED

NOV 17 1992

8. Total consumptive use is 100.0 Acre Feet Per Annum.

9. Non-irrigation uses:
S/45 RANGE.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07N	36E	5	SW	SE		IRR	40.0
Section Acres							40.0
Total Acres							40.0

11. Place of use in counties: JEFFERSON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.


Signature of Claimant(s): Sid E. Brown Date: 11/14/88

Date: _____

State of Idaho)
County of BONDAVILLE) SS.

Subscribed and sworn (or affirmed) before me this 14 day
of Nov 19 88

[Signature]
Notary Public



Residing at Idaho Falls
My Commission Expires 9-12-94


29
A31-0406

CAMAS NATIONAL
WILDLIFE REFUGE

PACIFIC

T8N
T7N
R36E

57' 30"





STATE OF IDAHO

Department of Water Resources
Eastern Region


Water Right(s): 31-04067



1320 0 1320 Feet

Total Irrigated Acres: 38

- Point of Diversion
- Place of Use
-  Quarter Section Lines
-  Section Lines



GIS Place of Use Illustration
1987/1988 Napp photography
Prepared by: C. Saxton
Date: September 2000

WR #: 31-04067

Sid Brown

7N, 36E

SWSE
38.0

5 6
8 9

Total Irrigated Acres: 38

Acreage Distribution

Prepared By: Craig Saxton
September 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:24
03/20/93

PAGE: 1
GENERAL INFORMATION

2153
CLAIM NUMBER: A31-9735

LAST: SANDERS
ADDRESS: 112 EAST 20TH
CITY: IDAHO FALLS
PHONE NUMBER: 208-522-7242

FIRST: RAY
STATE: ID ZIP: 83404

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
N

FIELD
EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

FIELD EXAMINATION INFORMATION

CONTACT PERSON: _____

PHONE NUMBER: () -

DATE OF FIELD EXAM: 20 JUNE 94

APPOINTMENT MADE: Y() N()

TIME: : A() P()

ACCOMPANIED BY: _____

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / NOTES:

DRIVE BY OBSERVATION. - P.O.U. WAS BEING IRRIGATED. DID NOT VISIT WE

- Drive By 5-9-00, Confirmed POU Was Not Being Irrigated
But had been Plowed

PAGE: 2
PRIORITY DATE REVIEW PAGE

2154
CLAIM NUMBER: A31-0735

A. AJ CLAIM: # A31-07357 PRIORITY DATE: 01-21-1981 STAGE: L
B. WR RECORD: # 31-07357 PRIORITY DATE: 01-21-1981 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE FIELD EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

NOTES: CLAIMED SAME AS SHOWN ON LICENSE.
NO EVIDENCE OF NAME USE.
LICENSING EXAM DATED 1981

RECOMMENDED PRIORITY DATE:
01-21-1981

REVIEWED BY EMC

DATE 5 Oct 94

PAGE: 3
POINT OF DIVERSION REVIEW SHEET

2155
CLAIM NUMBER: A31-0735

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A31-07357	07N	56E	4		NW	SW		JEFFERSON

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

OKAY

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
31-07357	07N	56E	4		NW	SW		JEFFERSON

OTHER WR RECORDS WITH SAME WR POD
NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
NONE NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO POD DISCREPANCY? (Y/N)	Y	<u>N</u>
DUE TO SOURCE DISCREPANCY? (Y/N)	N	<u>N</u>

NOTES:

NEITHER WELL LOCATION NOR SOURCE HAS CHANGED SINCE LICENSING.

PAGE: 6
POINT OF DIVERSION REVIEW SHEET CONTINUED

2156
CLAIM NUMBER: A31-9755

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY	DIVERSION NAME
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---
---	---	---	---	---	---	---	---	---

RECOMMENDED
AS
CLAIMED

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: EMC

DATE: 5 Oct 94

SYSTEM DESCRIPTION:

SEE LICENSING FIELD EXAM DATED 7-30-81.

PAGE: 5
PLACE OF USE REVIEW SHEET

2157
CLAIM NUMBER: A31-07357

A. ROOT WATER RIGHT NUMBERS: A31-07357

B. POB LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	JR #/ACRES	LANDSAT DATA	FIELD EXAM.
07N	36E	4	N4	SW		SANDERS, RAY	A31-07357 740.0	31-07357 740.0	42.0	
TOTAL ACRES						A31-07357	40.00	40.00	42.00	

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POB DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

POB COUNTY: JEFFERSON

PRESUMPTION FLAG:

NOTES:

40.6 ACRES DETERMINED BY ASCS.

RECOMMENDATIONS:

TOTAL ACRES: 40.0

REVIEWED BY: EMC

DATE: 5 Oct 94.

A. AJ CLAIMED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A31-07357	IRRIGATION <i>OK</i>	FROM 04-11 TO 11-01	.520 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.520 CFS

B. WR RECORDED USES:

	PURPOSES	MONTH/DAY	DIVERSION QUANTITY
31-07357	IRRIGATION	FROM 04-11 TO 11-01	.520 CFS 120.00 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED			.520 CFS 120.00 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u> </u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u> </u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u> </u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N(X)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(X) N() EXPLAIN IN NOTES, BELOW

NOTES:

RECOMMEND IOWR STANDARD OF 4-15 to 10-15

Recommend as originally licensed - Meets current IOWR standards
(Craig Saxton 3-23-00) 4-1 to 11-1

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 0.620 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.520 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN NOTES. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y

B. FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

SEE LICENSING EXA

C. ARE OTHER WATER RIGHTS USED? Y(☐) N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE

ACRES 40 X 0.02 CFS/ACRE = 0.80 CFS
(TAKEN FROM P/U REVIEW)

1B. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N(X) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 100.0 AF/A

ACRES 40 X CONSUMPTIVE VOL. AF/A FOR AREA 2.5 = N/A

TOTAL CONSUMPTIVE USE 100 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 40 X DIVERSION VOL. AF/A FOR AREA 3.5 = - Recommending as originally

TOTAL DIVERSION VOLUME 140 AF/A

licensed. 120 AFA
Craig Saxton 3-23-00

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

NOTES: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

PAGE: 9
DIVERSION AMOUNT REVIEW SHEET CONTINUED

2161
CLAIM NUMBER: A31-0735

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS USE
IRRIGATION	~~04-01~~ ~~11-01~~	DATABASE EXAMINER 0.620	DATABASE EXAMINER	DATABASE EXAMINER
TOTAL FOR THIS RIGHT	~~4-15~~ ~~10-15~~ 04-01 11-01 15	0.620	~~140.0~~ 120.25	100.0

REVIEWED BY: EMC

DATE: 5 Oct 94

PAGE: 10
BASIS OF CLAIM REVIEW SHEET

2162
CLAIM NUMBER: A31-0735

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP	(✓)	()
FORFEIT/ABANDON	(✓)	()
ADDITIONAL DIV. AMOUNT	(✓)	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 31-07357

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
0.620

EXAMINER

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSI RATE
-	A31-07357	0.620	-		31-07357	0.62
TOTAL CFS		0.620				0.62

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE
Y

FIELD
EXAMINER

NOTES:

WATER RIGHT IS NOT SPLIT AND HAS BEEN CLAIMED IN FULL.

AUTHENTICATION:

SIGNATURE: Ernest Carlson

DATE: 5 Oct 94

NAME OF FIELD EXAMINER: Ernest Carlson

TITLE: W R Supervisor.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:20
03/23/95

PAGE: 11
QUICKLOOK INFORMATION

2163
CLAIM NUMBER: A31-0735

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED BY CODE
PRIORITY DATE						5 Eme Oct 94	5 Eme Oct 94	
POINT OF DIV	Y			N	2, 5			
SOURCE								
PLACE OF USE	Y		28 Eme JUN 94	N	2, 5			
DIV. AMOUNT CFS/VOLUME				Y	6			
CONSUMPTIVE USE	-							
PURPOSES								
PERIOD OF USE				Y	6			
BASIS OF CLAIM								
REMARKS								

VERIFIED BY CODES

TOPD MAP/ORTHO-PQ = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 NAPP PHOTOS = 4
 FIELD EXAM = 5
 OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

C/X

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

03:43:51
03/23/93
2166

PAGE: 12
PROFILE REPORT

CLAIM NUMBER: A31-9735

OWNER CJDE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOL.
C	RAY SANDERS 112 EAST 20TH IDAHO FALLS ID 83406 (208) 522-7242	01/21/1981	IRRIGATION	06-01-11-01 40-15 10-15	0.62 CFS	14
				TOTAL DIVERSION: CONSUMPTIVE USE: DIVERSION VOL.	0.62 CFS	
WATER SOURCE: GROUNDWATER		TRIBUTARY TO:		STAGE: LICENSE		
POINT(S) OF DIVERSION:		T07N R36E S04 NWSW		JEFFERSON COUNTY		

PLACE OF USE LEGAL DESCRIPTION FOR: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC	LT	AC
07N	36E	4	:																		
								40													
												TOTAL ACRES									

POU COUNTY: JEFFERSON

NON-IRRIGATION USES: NONE

OTHER RIGHTS: NONE

DATES: EXAM MADE DATE: VERIFIED DATE: 01/21/1985

MISC: WATER DISTRICT NUMBER: FIELD INSPECTION FLAG:
PRESUMPTION FLAG:

01/24/2001

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 9, 2001

Water right number: 31-4067

JESSE C MOMBERGER

HC 69 BOX 1670

HAMER ID 83425

Telephone Number: (208)662-5487

SID E BROWN

2251 E 2350 N

HAMER ID 83425

Telephone Number: (208)662-5424

JAN A BROWN

2251 E 2350 N

HAMER ID 83425

Telephone Number: (208)662-5424

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2/12/01 SIGNATURE: Sid E. Brown
Please print your name: Sid E. Brown

IDWR Regional Office, 900 N Skyline, Idaho Falls, ID 83402, 2085257161

SENSOR MOUNTING

SENSOR TYPE

FLD12

TRANS. MOUNTAGE

ITIME

00-06-06 10:10:11
+2.985E+0 ft/s
+2.526E+2 gal/m
+TOTAL 0000104 gal
NORMAL

00-06-06 10:11:10
+2.981E+0 ft/s
+2.480E+2 gal/m
+TOTAL 0000349 gal
NORMAL

00-06-06 10:12:10
+2.973E+0 ft/s
+2.473E+2 gal/m
+TOTAL 0000595 gal
NORMAL

00-06-06 10:13:10
+2.991E+0 ft/s
+2.485E+2 gal/m
+TOTAL 0000841 gal
NORMAL

00-06-06 10:14:10
+2.986E+0 ft/s
+2.476E+2 gal/m
+TOTAL 0001087 gal
NORMAL

00-06-06 10:15:10
+2.985E+0 ft/s
+2.475E+2 gal/m
+TOTAL 0001340 gal
NORMAL

00-06-06 10:16:10
+2.983E+0 ft/s
+2.474E+2 gal/m
+TOTAL 0001585 gal
NORMAL

00-06-06 10:17:10
+2.989E+0 ft/s
+2.478E+2 gal/m
+TOTAL 0001835 gal
NORMAL

00-06-06 10:18:10
+2.987E+0 ft/s
+2.494E+2 gal/m
+TOTAL 0002083 gal
NORMAL

00-06-06 10:19:10
+2.990E+0 ft/s
+2.475E+2 gal/m
+TOTAL 0002331 gal
NORMAL

00-06-06 10:20:10
+2.986E+0 ft/s
+2.484E+2 gal/m
+TOTAL 0002579 gal
NORMAL

00-06-06 10:21:10
+2.985E+0 ft/s
+2.483E+2 gal/m
+TOTAL 0002827 gal
NORMAL

00-06-06 10:22:10
+2.987E+0 ft/s
+2.485E+2 gal/m
+TOTAL 0003075 gal
NORMAL

PCC EXAM

NORTH / EAST DISTRICT

EXAM DATE: 6-6-00 EXAMINER'S SIGNATURE S. HEMON
 NAME: SID BROWN / WHITE HOUSE SITE TAG# A 000 8555 RECORD # 300215

EXAM COMPLETE: (Y) / NSTANDARD CONFIDENCE: E G F P

KILO-WATT HOUR METER		LEGAL: <u>072 36E 5 SUSE</u>	
UTILITY	<u>PACORP</u>	KW-A	<u>14.12</u> GPM <u>247.5</u> PCC <u>309.84</u> PSI <u>71</u> % <u>100</u>
POLE NO.		DESCRIPTION COND #1	
METER MEGR.	<u>SANLAM</u>	<u>Handline + Pivot</u>	
METER SN	<u>75789199</u>		
DISK CONST (KH)	<u>28.8</u>		
MULTIPLIER	<u>12</u>		

KW-B		GPM		PCC		PSI		%	
DESCRIPTION COND #2									

- Z ZERO PUMPAGE
 1 SIMPLE, NO TRACKING
 2 COMPLEX, NO TRACKING REQUIRED.
 3 TRACKING REQUIRED & PROVIDED
 4 TRACKING REQUIRED, BUT NOT PROVIDED
 5 COMPLEX, EXAM INCOMPLETE
 6 KNOWN DATA PROBLEM
 7 PCC MEASURED @ Q-METER VERIF.
 8 LOW PCC WHERE Q-METER IS REQUIRED BUT NOT INSTALLED
 9 CALCULATED OR ESTIMATED PCC

N NO PCC
 Q OTHER, SEE EXAM NOTES
 CHANGES TO SYSTEM Y / N
 NOTES:

$$KW = 1.17 \times 12 = 14.04$$

$$Kwh = 2781 \times 12 = 33372$$

KW-C		GPM		PCC		PSI		%	
DESCRIPTION COND #3									

KILOWATTS OF ENERGY CONSUMED COND #1

N= 5 (No. of Disc Rev) Time (sec): (86.65) + (36.75) + (26.73) / 3 = Avg 36.71

3.6 x 28.8 (Kh) x 1 (Mult) x 5 (N) / 36.71 (T) = 14.12 KW

PCC COND#1 = 14.12 (KW) X 5431 / 247.5 GPM = 309.84 (KWh/ac.ft)

KILOWATTS OF ENERGY CONSUMED COND #2

N= _____ (No. of Disc Rev) Time (sec): (_____) + (_____) + (_____) / 3 = Avg

3.6 x _____ (Kh) x _____ (Mult) x _____ (N) / _____ (T) = _____ KW

PCC COND#2 = _____ (KW) X 5431 / _____ GPM = _____ (KWh/ac.ft)

KILOWATTS OF ENERGY CONSUMED COND #3

N= _____ (No. of Disc Rev) Time (sec): (_____) + (_____) + (_____) / 3 = Avg

3.6 x _____ (Kh) x _____ (Mult) x _____ (N) / _____ (T) = _____ KW

PCC COND#3 = _____ (KW) X 5431 / _____ GPM = _____ (KWh/ac.ft)

Water User
ID: 34

BROWN, SID E; MOMBERGER, JESSE

POD

07N 36E 5 SWSE

Site Tag #

A0008555

Record #

300215

Diversion Name

WHITE HOUSE



WATER MEASUREMENT DISTRICT
FIELD REPORT

DISTRICT North

RECORD NUMBER 300215

SITE DATA:

EXAMINER (inv_name) B Contor

EXAM DATE 8/27/98
(site_visit)

DIVERSION NAME white house
(div_name)

GPS FILE C082722A
(gps_filnam)

SITE TAG NUMBER 10008555
(site_tagno)

GPS OFFSET (offset) 4' East of well

TAG LOCATION (tag_locat) post SW of well

POD LEGAL (pod) T 71 S, R 3/4 E, Sec 5, SW SE

DISTRICT MEASUREMENT CAPABILITY (std_rcmd):

SONIC (s)

SONIC/DIG (sd)

SONIC @ PVT (sp)

COLLINS (c)

PYGMY (p)

MEASUREMENT RECOMMENDATIONS (op_num):

PCC (2)

HOUR METER (7)

IRR. FLOWMETER (1)

ALTERNATE (3)

OTHER FLOWMETER (8)

CRP (4)

AMEND CLAIM (A)

OPEN CHANNEL DEVICE (9) UNUSED (6)

SUITABLE FOR PCC even if other method selected (pcc_ok)

YES NO

TRACKING will be required (trkng_reqd)

YES NO

Well has ACCESS PORT for water level meas. (wl_access)

YES NO

FLOWMETER installation poss. w/o major change (qmtr_ez)

YES NO

FOLLOW-UP DATE (folup_date) 2001

OWNER/OPERATOR INFORMATION

OWNER (name) Sid Brown

PHONE _____

ADDRESS _____

CEL PHONE _____

OPERATOR (contact) Sid Brown


PHONE _____

ADDRESS _____

CEL PHONE _____

PUMPING PLANT SKETCH

VALVE	=	
CHECK VALVE	=	
AIR VAC	=	
PRESS. RELIEF	=	
INDIVE/UPDIVE	=	
HOSE BIB	=	
PRESS. GAGE	=	
WELL ACCESS	=	



well access =
plug in
pump base

WELL/PUMP INFORMATION:

DEPTH OF WELL: _____ DEPTH OF BOWLS: _____

WATER LEVELS:

PRE-SEASON STATIC: _____ DATE MEAS: _____
(swl_pre) (swlpredate)DURING-SEASON STATIC: _____ DATE MEAS: _____
(swl_mid) (swlmiddate)POST-SEASON STATIC: _____ DATE MEAS: _____
(swl_post) (swlpstdate)DYNAMIC WATER LEVEL: _____ DATE MEAS: _____
(pmpng_wl) (pwl_date)

DOES STATIC WATER LEVEL DROP OR RISE OVER SEASON? YES NO

DOES ANOTHER WELL SPECIFICALLY INTERFERE WITH THIS WELL? YES NO

PUMP AND MOTOR INFORMATION:

WELL MOTOR

MFG: GESERIAL: KHJ 1026283HP: 25

BOOSTER 1 MOTOR

MFG: _____

SERIAL: _____

HP: _____

BOOSTER 2 MOTOR

MFG: _____

SERIAL: _____

HP: _____

WELL PUMP

MFG: _____

SERIAL: _____

TYPE: _____
(pump_type) VERT T CENT SUBMER
(v) (c) (s)

BOOSTER 1 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

BOOSTER 2 PUMP

MFG: _____

SERIAL: _____

TYPE: _____ VERT T CENT SUBMER

UTILITY KWH METER INFORMATION:

UTILITY: _____
(utility)POLE #: See PCC
(pole_no) extraMAX KW DEMAND a HatchedKILOWATT HRS _____
(kwh_1)

(use date of exam for "kwh1_date")

UTILITY ACCOUNT NUMBER _____
(acct_no)KWH METER SERIAL: _____
(pwrmttr_sn)METER MFG: _____
(pwrmttr_mfg)Kh DISK CONSTANT _____
(kh)MULTIPLIER _____
(disk_mult)

SYSTEM DESCRIPTION/NARRATIVE COMMENTS:

SYSTEM TYPE Handline, Wheel line
(system_type)

COMMENTS TO DATA-ENTER (exam_notes):

FILE-ONLY COMMENTS:

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature

Dyca A. Coates

Date

8/27/98


EASTERN WATER MEASUREMENT DISTRICT

SUPPLEMENTAL DATA FORM A

SKETCH OF IRRIGATED LANDS AND MAJOR COMPONENTS OF DELIVERY SYSTEM/S

Not to Scale

	crop	acres
1	<i>A/H</i>	<i>35</i>
2		
3		
4		
total		<i>35</i>



SCALE 1:24,000

PCC WORKSHEET

Name Sid Brown

(attach to WMD Field Report) Rec No _____

Division Name White House

SITE TAG: _____

DATE 8/22/98

EXAMINER (examiner) _____

KILOWATT HOURS (kwh_2) 9664 x 12IF MOTOR, PUMP, OR SYSTEM HAVE CHANGED SINCE FIELD INVENTORY, NOTE CHANGES HERE: _____

PCC_AF_QAL:

=====

Z = ~~Zero Pumpage~~

1 = Simple, no tracking

2 = Complex, no tracking req.

3 = Tracking req. & provided

4 = Tracking req, not provided

5 = Complex, exam incomplete

6 = Known problem with data

7 = PCC measured @ q-meter verification

8 = Low PCC where q-meter is required but not installed

9 = Calculated or Estimated PCC

N = No PCC

Q = Other, see exam notes

FOLLOW-UP DATE 2001

Power and Water Metering Information

KILOWATT HOUR METER		WATER MEASUREMENT METER and MOUNTING PIPE INFORMATION	
Utility	<u>UPL</u>	METER INFORMATION	
Pole No.		Manufacturer	<u>Polysonic</u>
Meter Manufacturer	<u>Sanyama</u>	Model Number	<u>TFP</u>
Meter Serial No.	<u>75789999</u>	Type (std-meter)	<u>Sonic</u>
Disc Constant(Kh)	<u>28.8</u>	PIPE INFORMATION	
Rated Voltage		Pipe material	<u>see type</u>
Demand	<u>1.59 x 12</u>	Outside Diameter	
Multiplier (Mult)	<u>12</u>	Inside Diameter	
CTR (Current) PTR (Voltage)		Distance of straight pipe upstream and down	<u>Upstream /Down 5/2 dia</u>

Exam complete (Y) Nstd confid E (G) F P

Determination of Power Consumption Coefficient

Kilowatts of Energy Consumed

$KW = 3.6 \times Kh \times \text{Multiplier} \times \text{No. of revolutions}(N) \div \text{Time}(T) \text{ in seconds per } N$

Cond.#1 $N = 5$ (No. of Disc Rev) Time (sec) = $(35.6) + (35.7) + (35.6) / 3 = 35.63$ Ave

$3.6 \times 28.8 (Kh) \times 1 (\text{Mult}) \times 5 (N) \div 35.63 (T) = 14.5 \text{ KW}$ $1.59 \times 12 = 19.08$

Cond.#2 $N =$ (No. of Disc Rev) Time (sec) = () + () + () / 3 = Ave

$3.6 \times$ (Kh) $\times$ (Mult) $\times$ (N) $\div$ (T) = KW

Cond.#3 $N =$ (No. of Disc Rev) Time (sec) = () + () + () / 3 = Ave

$3.6 \times$ (Kh) $\times$ (Mult) $\times$ (N) $\div$ (T) = KW

Measured Flow Rate and Discharge Pressure - Enter flow rate as determined by the "standard" water measurement meter in GPM, and discharge pressure measured in PSI. Attach documentation to support data such as notes, printout tapes etc.

GPM Cond. #1 235 #2 #3

PSI Cond. #1 70 #2 #3
over

Power Consumption Coefficient (PCC) = $KW \times 5431 \div GPM$

PCC Cond. #1 = $14.5 (KW) \times 5431 + 235 (gpm) = 335 (kWh/ac.ft)$ $70 \times 4 = 280$
 $20 \times 2 = 40$
320

Percent of seasonal use 100

PCC Cond. #2 = (KW) $\times$ 5431 + (gpm) = (kWh/ac.ft)

Percent of seasonal use

PCC Cond. #3 = (KW) $\times$ 5431 + (gpm) = (kWh/ac.ft)

Percent of seasonal use

Is the system operator required to track and report changes in system operation? Yes / No
(see form PCC3)

Water Level Data

Does the well have access to measure water levels? Yes / No

Static Water Level ft Pumping Water Level ft (at condition #)
Date Date

Describe system operating conditions and how percentage of seasonal use is obtained: _____

COND 1 = 2 lines

Sketch of pumping plant layout or attach photograph of pumping plant and piping:

Data enter
Comments: Note large difference between meas KW
and demand 8/27/98.

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature Dwight A. Contor Date 8/27/98
(person performing measurements)

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

OUTER DIAMETER
6.0276 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
.10000 IN

SOUND VELOCITY
1450 M/S-

SPACING
3.968 IN U

00-00 00:0400 *H
+002.80 % AI2

0221.1 MMSEC
099.80 % TO

ZERO MODE
CLEAR

ZERO MODE
CLEAR

00-00 00:0500 *R
+265.492E 06GPM

ZERO MODE
AUT ZERO

00-00 00:0900 *R
+226.131E 06GPM

ZERO MODE
AUT ZERO

08-27 16:0600 *R
+233.263E 06GPM

ZERO MODE
ZERO OPR

08-27 16:1700 *R
*G

16:20+234.320E 06GPM 00R
+00000 *G 00R
-00000 *G 00R

16:21+235.113E 06GPM 00R
+00234 *G 00R
-00000 *G 00R

16:22+233.528E 06GPM 00R
+00469 *G 00R
-00000 *G 00R

16:23+234.584E 06GPM 00R
+00703 *G 00R
-00000 *G 00R

16:24+234.848E 06GPM 00R
+00938 *G 00R
-00000 *G 00R

16:25+234.320E 06GPM 00R
+01173 *G 00R
-00000 *G 00R

16:26+234.056E 06GPM 00R
+01407 *G 00R
-00000 *G 00R

16:27+234.320E 06GPM 00R
+01641 *G 00R
-00000 *G 00R

16:28+234.320E 06GPM 00R
+01876 *G 00R
-00000 *G 00R

16:29+234.056E 06GPM 00R
+02110 *G 00R
-00000 *G 00R

16:30+234.584E 06GPM 00R
+02345 *G 00R
-00000 *G 00R

55580004
8/27/98

REC ADD PODS NAME

ST CFS USES POD

300215

COMMENTS

34 1 SID E BROWN, JESSE MOMBERGER

2086625424

228 34 BROWN, SID E; MOMBERGER, JESSE

S 0.86 10443 07N 36E 5 SWSE TWO OWNERS, SAME MAI

5/22/97 0642 ~~XXXXXXXXXXXXXXXXXXXX~~1 wheel line + 1 hand line - usually both together
40 acresPCCMay want to install meter for own
purposesRecommendation : PCCFollow-up : 1998/1999

8/21/98 2010 Water is running - just out hay -

~~main rd from S-~~

gravel rd South from over pass. -

cross Bridge - White on left - go past
go past trailerNorth at 3rd house - white -
hay stacks @ corner

8/25/98 - Look Kish meter - well is where?

BROWN, SID E; MOMBERGER, JESSE

ID # 34

Diversion

Method

PCC

Est_PCC

Est_Acre_Ft

07N 36E 5 SWSE

PCC-Poss T

300

96

Theoretical Calculation A31-04

$$PCC = \frac{TDH \times 1.02}{eff}$$

$$\frac{PCC \times eff}{1.02} = TDH$$

$$\frac{310 \times .60}{1.02} = 186$$

310 pcc from
exam 6/6/00
Steve Heaton
1 line (wheel line)

$$PSI = 70$$

$$70 \times 2.31 = 162$$

$$\text{Lift} + \text{Friction} = 14'$$

$$GPM = \frac{\text{Water HP} \times 3960}{TDH}$$

Use 19 KW demand
from exam 8/27/98
and 60 psi
discharge reported
by Sid Brown
for 2 lines.

$$GPM = \frac{19 \times 1.34 \times .60 \times 3960}{(14 + 60 \times 2.31)} = \frac{60,000}{152}$$

Theoretical
Capacity w/ 2 lines

$$= 398 \text{ GPM}$$

$$= .88 \text{ of } 1$$

Bac 6/7/00

Questions:

1: Is there still stockwater use. How many head?

yes, Not enough to require more than 0.02.

2: Sid told me on the phone that originally there was one well, used for both domestic and irrigation purposes. Later a second well was drilled solely for irrigation. When was the second well put in? Is a transfer necessary?

1986

Found a well log for 1978. Is this the new well, or the old one.

? Not new one

3: Measure well.

0.55 cfs

4: Look at the system. System History.

1 wheel line, 1 handline

Date: 06/01/00
Time: 15:55:33

Date: 06/01/00
Time: 15:55:33

Remarks: THE USE OF WATER IDENTIFIED BY THIS NOTICE WAS CLAIMED UNDER
A31-04067 TO CORRESPOND WITH NOTICE OF CLAIM 31-4067 ALREADY ON
FILE WITH IDWR.

A31-04067 TO CORRESPOND WITH NOTICE OF CLAIM 31-4067 ALREADY ON
FILE WITH IDWR.

FILE WITH IDWR.

(GOLD2=Update) (GOLD4=Prev Scrn) (GOLD6=End of Data) (GOLD8=Cancel)
(GOLD3=Delete) (GOLD5=Next Scrn) (GOLD7=Copy to Cmts) (Gold9=Add Std Rmk)

(GOLD2=Update) (GOLD4=Prev Scrn) (GOLD6=End of Data) (GOLD8=Cancel)

(GOLD3=Delete) (GOLD5=Next Scrn) (GOLD7=Copy to Cmts) (Gold9=Add Std Rmk)



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAY 15, 1997

SID E BROWN
2251 E 2350 N
HAMER ID 83425

RE: CHANGE IN ADDRESS FOR A31-04067


Dear Mr. Brown:

Your Eastern Water Measurement District bill was recently returned to our office because there was an old address on file. I have updated my records with information obtained from the phone book, but my original information came from the records of the Snake River Basin Adjudication (SRBA).

I have enclosed the change of address form the SRBA uses to change their records. I recommend that you complete this form and return it to Jo Thompson, Department of Water Resources, 900 N Skyline Dr.; Idaho Falls, ID 83402, so that all future correspondence regarding your water right is mailed to the correct address.

Please do not hesitate to contact this office if you have any questions regarding this matter (525-7161).

Respectfully submitted,


Wendy Murphy
Administrative Assistant

Enclosure

STATE OF IDAHO
DEPT. OF WATER RESOURCES
150 SHOUP AVE.
IDAHO FALLS ID 83403

WATER RIGHT #A31-04067 BENEFICIAL USE VERIFICATION

During the year of 1941 I lived and worked in the Hamer area.

I can remember the well now owned by Sid Brown , being used for
Beneficial use purposes.

Melvin Ellis
Hamer ID 83425

Melvin Ellis

STATE OF IDAHO)

COUNTY OF Jefferson)

I, (Du Brown), a notary public, do hereby certify that on this

2nd day of March 1993, did personally appear before me Melvin

Ellis and has signed and declared the forgoing statement to
to be true.

(Du Brown)

Notary

"My commission expires on 5/18, 1993."

MICROFILMED

APR 14 1994

STATE OF IDAHO
DEPT. OF WATER RESOURCES
150 SHOUP AVE.
IDAHO FALLS ID

WATER RIGHT # **A31-04067** BENEFICIAL USE VERIFICATION

During the year of 1941 I lived and worked in the Hamer area.

I can remember the well now owned by Sid Brown, being used for Beneficial use purposes.

Oley Davies - 2-25-93

Oley Davies
Hamer ID 83425

STATE OF IDAHO)
COUNTY OF *Jefferson*) SS

I, *T. Brown*, a notary public, do hereby certify that on this
25th day of Feb, 1993, personally appeared before me *Oley Davies*
has signed and declared the forgoing statement to be true.

T. Brown
"My commission expires on 5/8, 1993"

MICROFILMED

APR 14 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - FAX: (208) 525-7177

EASTERN REGION

FEBRUARY 9, 1993

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

*

RE: EVIDENCE OF PRIORITY

Dear Claimant(s):

The Notice(s) of Claim identified with the number shown above in the "address" label and at the "end" of this letter has been filed in the Snake River Basin Adjudication (SRBA). The Notice indicates water usage is based on "Beneficial Use". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed, at or on the place of use identified on the Notice. The date the water was first put to use, known as the priority date, has not been confirmed by a License, Decree, or Permit. For this reason, proof must be provided supporting the priority date. As the claimant, you are responsible for submitting the necessary proof to support the priority date.

It is important that each element of the Notice be substantiated. For instance, regarding claims for irrigation, the evidence should tend to show that diversion works were in place, that they were capable of diverting the claimed diversion rate, and that the diverted water was beneficially used on the entire claimed place of use on or before the claimed priority date.

For your reference, I have provided a printout of your Notice and the pamphlet entitled "Evidence of Priority". The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. While I encourage you to read all of the pamphlet, I direct your attention to the two sections entitled "What Kind of Evidence is Required" and "Some examples of Documents Which May Be Evidence of the Priority Date".

EVIDENCE OF PRIORITY


Page - 2 -

It is our goal to recommend historical water rights within the Snake River Basin as accurately as possible. Field exams to verify other items of the Notice have been or soon will be conducted by Department personnel.

The Department will not recommend the Notice be decreed by the court if no evidence of a priority date is submitted.

Please submit the required evidence supporting the priority date by MARCH 9, 1993, referencing all documents with the corresponding Notice number. If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

Respectfully submitted,


Eric Verner
Senior Water Agent

EV:jt

Enclosure: Brochure on "Evidence of Priority"
Proof Report

Other Water Right Numbers Needing Evidence of Priority

MICROFILMED
APR 14 1994