

Idaho Department of Water Resources


Water Right 31-7287, 31-11312

Township 7 North Range 36 East
Section 22



0 1320 Feet

-  Point of Diversion
-  Point of Diversion - Other Rights
-  Place of Use
-  Place of Use - Other Rights
-  Quarter-quarter Sections
-  Section Lines



GIS Illustration prepared from 1987/1988 NAPP photography by B. Contor 10/2000

PCC EXAM

NORTH WATER MEASUREMENT DISTRICT

EXAM DATE: 06/19/00

EXAMINER'S SIGNATURE: _____

NAME: SMALL PIVOT

SITE TAG #: A0008489

RECORD #: 300249

EXAM COMPLETE: YES

STANDARD CONFIDENCE: FAIR

LEGAL DESCRIPTION: 07N 36E 22 NWSW

KILOWATT HOUR METER	
UTILITY:	PACORP
POLE NO.:	?
METER MFG:	ABB
METER SN:	01 987 308
DISK CONST (Kh):	14.4
MULTIPLIER:	1

KW-A	27.15	GPM	491.09	PCC	300.25	PSI	?	%	100
DESCRIPTION, CONDITION #1									
ONE SMALL PUMP, ONE SMALL PIVOT - END GUN ON									

PCC-AF-QAL	
Z	ZERO PUMPAGE
1	SIMPLE, NO TRACKING REQ.
2	COMPLEX, NO TRACKING REQ.
3	TRACKING REQ. & PROVIDED
4	TRACKING REQ., NOT PROVIDED
5	COMPLEX EXAM INCOMPLETE
6	KNOWN DATA PROBLEM
7	PCC MEASURED @ Q-MTR VERIF.
8	LOW PCC, Q-MTR REQ.-NOT INST.
9	CALCULATED OR EST PCC
N	NO PCC
Q	OTHER, SEE EXAM NOTES

KW-A		GPM		PCC		PSI		%	
DESCRIPTION, CONDITION #2									

KW-A		GPM		PCC		PSI		%	
DESCRIPTION, CONDITION #3									

CHANGES TO SYSTEM: NONE

NOTES:

KW = 28.87 X 1 = 28.87
 KWH = 68066 X 1 = 68066

MULTIPLIER NOT WRITTEN
 ON KWH MTR FACE.

KILOWATTS OF ENERGY CONSUMED CONDITION #1									
N	23	TIME 1	43.51	TIME 2	44.15	TIME 3	44.09	AVE	43.92
KW = (3.6 x Kh X MULT X N) / T					KW CONDITION #1: 27.15 KW				
PCC = (KW X 5431) / GPM					PCC CONDITION #1: 300.25 KWh/ac.ft				

KILOWATTS OF ENERGY CONSUMED CONDITION #2									
N		TIME 1		TIME 2		TIME 3		AVE	
KW = (3.6 x Kh X MULT X N) / T					KW CONDITION #2: KW				
PCC = (KW X 5431) / GPM					PCC CONDITION #2: KWh/ac.ft				

KILOWATTS OF ENERGY CONSUMED CONDITION #3									
N		TIME 1		TIME 2		TIME 3		AVE	
KW = (3.6 x Kh X MULT X N) / T					KW CONDITION #3: KW				
PCC = (KW X 5431) / GPM					PCC CONDITION #3: KWh/ac.ft				

FLOW RATE DATA CHECK - FUJI ELECTRIC; (PORTAFLOW X)									
TOTALIZER END READING:					5,426				
TOTALIZER INITIAL READING:					24				
DENOMINATOR:					11				
AVERAGE GPM:					491.09				

~ 1.09 GPM



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7150

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommended Right Report

EASTERN REGION

WATER RIGHT NO. 31-7287

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Owner Type
Current Owner

Name and Address
WADE YEARSLEY
2354 E 1900 N
HAMER, ID 83425
(208)662-5223

Priority Date: 01/23/1978
Basis: License
Status: Valid

Source: GROUND WATER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>	<u>Subuse Code</u>
IRRIGATION	04/01	11/01	0.9 CFS	135 AFA	
Total Diversion			0.9 CFS	135 AFA	

Point(s) of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4	Lot	County
07N	36E	22	NE NW SW		JEFFERSON

Place(s) of use:

Place of Use Legal Description: IRRIGATION

JEFFERSON County

<u>Township</u>	<u>Range</u>	<u>Section</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>	<u>Lot</u>	<u>Tract</u>	<u>Acres</u>
07N	36E	22		SESW	0.1		SWNW	5.1						
				NESW	7.2		NWSW	38		SWSW	1.3			

Total Acres: 51.7

Conditions of Approval:

- C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

Remarks:

- Place of Use - Irrigation THIS RIGHT IS LIMITED TO THE IRRIGATION OF 45 ACRES WITHIN THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.
- Place of Use - Irrigation USE OF THIS RIGHT WITH RIGHT NO. 31-11312 IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 51.7 ACRES IN A SINGLE IRRIGATION SEASON.
- Quantity USE OF THIS RIGHT WITH RIGHT NO. 31-11312 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 1.03 CFS AND TO A TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 181 AF.

Comments:

<u>Author</u>	<u>Date</u>	<u>Subject</u>	<u>Comment</u>
bcontor	10/7/00	License deficiency	In 1998 claimant wrote notifying that original license was 4 acres deficient. Originally I had proposed an enlargement claim to pick up the additional acres but have since discussed with the claimant using the acres



State of Idaho DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 • (208) 525-7161 • Fax (208) 525-7177

bcontu	10/7/00	Permissible place of use	of 31-11312 beneficial use claim to co This right and 31-11312 are recommended on a permissible place of use basis per telephone conversation with claimant - see file.
bcontor	10/7/00	Combined limitations	~~Combined Q limitation based upon 0.03 cfs/acre pending Water~~ Measurement District measurement of current capacity.
bcontor	10/7/00	Recommendation	Except as noted here, recommended per license issued September 1986, as verified by GIS and Water Measurement District field inspection. eCVR
bcontor	10/11/00	Capacity	not completed as no further analysis is required. WMD measurement shows system has adequate capacity for recommended diversion rate.

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Dates:

Licensed Date: 09/18/1986
Claim Received Date: 09/13/1988
Decreed Date:
Date Filed with Court:
Objection Filed Date:
Response Filed Date:
SF5 Filed:
Special Master Recom Signed Date:

Other Information:

Receipt Number(s):
State or Federal: S
Water District:
Civil Case Number:
Old Case Number:
Decree Plaintiff:
Decree Defendant:
PresumptionFlag:
Notice of Error Flag:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Cary Act Number:
Mitigation Plan: False

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A31-07287

Date Received: 5/13/1988

Receipt No: E 002256

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: WADE YEARSLEY

Address: BOX 1930

HAMER, ID

83425

208-662-5236

2. Date of Priority: JAN 23, 1978

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot
07N	36E	22	NW	SW		

County
JEFFERS

5. Description of diverting works:
WELL, PUMP & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.900		

7. Total Quantity Appropriated is:
0.900 C.F.S. (and/or)

135.00 A.F.A.

8. Total consumptive use is

Acre Feet Per Annum.

9. Non-irrigation uses:
NONE.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07N	36E	22	SW	NW		IRR	5.0
			NE	SW		IRR	4.0
			NW	SW		IRR	36.0

Section Acres 45.0

A31-07287

Page

1

Date: 05/13/88

MICROFILMED

NOV 17 1992

A3107287

10. Place of Use: Continued

Total Acres 45.0

11. Place of use in counties: JEFFERSON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE.

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number:

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Wade Yearsley Date: Aug 24, 1988
XXXXXXXXXXXXXXXXXXXXXXXXXXXXX Date: XXXXXXXXXXXXXXXXX


State of ~~Kdaka~~ Alabama)
County of Madison) SS.

Subscribed and sworn (or affirmed) before me this 24 day
of August 19 88

Jean Clark
Notary Public

Residing at Huntsville, Alabama

My Commission Expires MY COMMISSION EXPIRES 11-10-91



A31-07287

Page

2

Date: 05/13/88

MICROFILMED

NOV 17 1992

Idaho Department of Water Resources


Water Right 31-7287, 31-11312

Township 7 North Range 36 East
Section 22



0 1320 Feet

- ⊙ Point of Diversion
- ⊙ Point of Diversion - Other Rights
- Place of Use
- Place of Use - Other Rights
- Quarter-quarter Sections
- Section Lines



GIS Illustration prepared from 1987/1988 NAPP photography by B. Contor 10/2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 13, 2000

Wade L. Yearsley
2354 E 1900 N
Hamer, ID 83425

Re: Adjudication Recommendations

Dear Mr. Yearsley:

Late this year or early next year you will receive copies of our preliminary recommendations for your water rights. The attached map shows the water rights I'm planning to recommend for you. It appears that water rights are recommended for all your irrigated acres, and all your licensed rights are recommended. In addition, beneficial use claim 31-11312 is recommended, which completes the acres needed for the pivot on the north.

I'm writing in advance because at one time I planned to recommend beneficial use claim 31-11313, which would have overlapped the licensed rights 31-7141A and 331-7141B. Upon further investigation, it appears that when you obtained licensed well rights for these parcels, the Hamer Canal rights (which were the basis for claim 31-11313) reverted to the canal company. The company conveyed these rights to other users, prior to being disbanded. These rights are now recommended to other users of the Hamer Canal company. An attached copy of an affidavit you apparently signed in behalf of Mr. Murdock supports this determination.

When you receive your preliminary recommendations, you will notice that right 31-11313 is proposed for disallowal. However, the other rights recommended appear to cover all your land and provide adequate diversion rate for all your systems.

Please call me at 525-7161 or 663-4583 if you have questions. After you receive our preliminary recommendation, you will have an opportunity to request a re-determination in the "Notice of Error" process. Following that process, the recommendations will go to the court. Then you will have an additional opportunity to file a formal Objection with the court, before the final outcome of your water rights is determined.

Sincerely,

Bryce A. Contor
Senior Water Resource Agent

PCC EXAM

NORTH WATER MEASUREMENT DISTRICT

EXAM DATE: 06/19/00

EXAMINER'S SIGNATURE: _____

NAME: SMALL PIVOT

SITE TAG #: A0008489

RECORD #: 300249

EXAM COMPLETE: YES

STANDARD CONFIDENCE: FAIR

LEGAL DESCRIPTION: 07N 36E 22 NWSW

PACORP
?
ABB
01 987 308
14.4
1

?	100
ONE SMALL PUMP, ONE SMALL PIVOT - END GUN ON	

Z	ZERO PUMPAGE
1	SIMPLE, NO TRACKING REQ.
2	COMPLEX, NO TRACKING REQ.
3	TRACKING REQ. & PROVIDED
4	TRACKING REQ., NOT PROVIDED
5	COMPLEX EXAM INCOMPLETE
6	KNOWN DATA PROBLEM
7	PCC MEASURED @ Q-MTR VERIF.
8	LOW PCC, Q-MTR REQ.-NOT INST.
9	CALCULATED OR EST PCC
N	NO PCC
Q	OTHER, SEE EXAM NOTES

KW-A		GPM		PCC		PSI		%	
DESCRIPTION, CONDITION #2									

KW-A		GPM		PCC		PSI		%	
DESCRIPTION, CONDITION #3									

CHANGES TO SYSTEM: NONE

NOTES:

KW = 28.87 X 1 = 28.87
 KWH = 68066 X 1 = 68066

MULTIPLIER NOT WRITTEN
 ON KWH MTR FACE.

23	43.51	44.15	44.09
KW = (3.6 x Kh X MULT X N) / T			
KW CONDITION #1: KW			
PCC = (KW X 5431) / GPM			
PCC CONDITION #1: KWh/ac.ft			

KILOWATTS OF ENERGY CONSUMED CONDITION #2							
N		TIME 1		TIME 2		TIME 3	AVE
KW = (3.6 x Kh X MULT X N) / T				KW CONDITION #2: KW			
PCC = (KW X 5431) / GPM				PCC CONDITION #2: KWh/ac.ft			

KILOWATTS OF ENERGY CONSUMED CONDITION #3							
N		TIME 1		TIME 2		TIME 3	AVE
KW = (3.6 x Kh X MULT X N) / T				KW CONDITION #3: KW			
PCC = (KW X 5431) / GPM				PCC CONDITION #3: KWh/ac.ft			

TOTALIZER END READING:		5,426
TOTALIZER INITIAL READING:		24
DENOMINATOR:		11
AVERAGE GPM:		~ 1.09 GPM



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

To: Wade Yearsley AJ Claims
Fr: Bryce Contor
Date: 10/6/2000 *Bryce*

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Re: Permissible Place of Use, Overlap, Beneficial Use Claims,
Shortage of acres on license 31-07287

In 1998 Mr. Yearsley sent a letter regarding his concern that license 31-07287 had been incorrectly licensed for 45 acres instead of 49. When I came across this letter in claims review, I sent a letter inviting Mr. Yearsley to file an enlargement claim, which would have authorized the additional acres but not have provided additional diversion rate. Mr. Yearsley called back recently and was planning to come in to review his claims and perhaps sign an enlargement claim.

Today, in reviewing an overlapping beneficial use claim of Mr. Yearsley's (31-11312), I realized that the additional acres could be asserted as an accomplished transfer of some of the acres originally developed by beneficial use (there is adequate documentation in the file).

I also realized that beneficial use claim 31-11313 overlaps licenses 31-07141A and 31-07141B.

Today I called Mr. Yearsley and suggested that I use beneficial use claim 31-11312 on a permissible place of use basis to pick up the shorted acres on license 31-07287, and that I recommend the other beneficial use claim on a permissible place of use basis with the other two rights. He approved this plan, so I will make the recommendations accordingly.



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

Date 7/11/2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Wade Yearstey
2354 E 1900 N
Hammer ID
83425

Re: Adjudication Claim(s) A31-07287

Dear Water User:

We are currently in the process of reviewing adjudication claims in Basin 31, in preparation for submitting recommendations to the Snake River Basin Adjudication Court.

In reviewing your claim(s) listed above, it appears the irrigated acreage exceeds what is authorized by the claim(s). To provide for irrigation of the additional acres, you need to file an "enlargement claim" or perhaps amend the claim(s) listed above.

Please contact me at (208) 525-7161 if you have further questions or would like to make an appointment to file or amend a claim. (or 663-4853 evenings)

Sincerely,

Duke G. Coutor
Senior Water Resource Agent

This will correct the acreage discrepancy you mentioned in your letter of 6/17/1998. Now that we are working in Basin 31 we can address this.

Your letter references Soil Conservation maps. If you could supply a copy, it would be helpful.

- Celebrating Our Centennial Year of Service to Idaho 1895-1995 -

RECEIVED

JUN 18 1998

Department of Water Resources
Eastern Region


June 17, 1998

Department of Water Resources
Mr. Ernest Carlsen,

I am writing this letter to confirm our earlier conversation concerning the total acres shown on Water Right No. 31-7287. As I indicated at that time water right no. 31-7287 indicates a total of 45 acres, however the actual property under irrigation is 49 acres. This property is irrigated by a circular pivot system and the number of acres (49) has been irrigated since the date of priority, Jan 23, 1978. No ground has been added. The reason for the discrepancy is that when this permit was being processed I was out of state and did not have access to the necessary maps and other information that would have allowed me to catch the error. It was only recently when I was looking over this license that I discovered the discrepancy.

I would like to request that the water right be changed to reflect the actual acres being irrigated by this system which is 49 as shown by Soil Conservation Maps. This property is in Township 7N, Range 36E, Section 22 including the following portions of Section 22: SWNW, NESE, and NWSW. Thank you for your help in this matter. Let me know if I can provide any other information to help you in this matter.

Sincerely Yours,



Wade Yearsley
2354 E. 1900 N.
Hamer, Idaho 83425

Wade Yearsley
2354 E 1900 N
HAMER, ID
83425



State of Idaho
Dept. of Water Resources
Eastern District Office
900 N. Skyline Dr.
Idaho Falls, Id
83402-1718

WATER RIGHT LICENS

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18th day of September, 19 86.

Acting for the Director Billy D. Fleener

MICROFILMED

Identification No. _____
Application No. 31 7287

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriation the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Wade Yearsley Phone: 662-5454
post office address Box 508, Hamer, ID 83425
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 7N
Range 36E B.M. Jefferson County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.10 for irrigation purpose from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.10 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 25,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	36E	22						5			10	40							55

Total number of acres to be irrigated 55

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Ray Yearsley

b. Who owns the land to be irrigated or place of use Ray Yearsley

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Contract to buy

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wade Yeasley
(Applicant)

01/23/78
Proposed Priority _____

Received by me Date 1-23-78 Time 3:10 P.
Preliminary check by LDJ Fee \$ 35.00
Receipted by me Date 1-23-78 # 9180
Publication prepared by me Date 1-24-78
Published in The Bigley Star
Publication dates Feb. 2 + Feb. 9, 1978
Publication approved me Date February 13, 1978
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 31-7287, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1983.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24TH day of April 1978.

Norman C. Young
Administrator

Wade L. Yeager T 7th R 36E A160

DTOW No 43-21

Date 5-22-70

15 14
22 23

10-9

A259

Old well without a water right

A159

A266

Home place

A160

A267

16-6

NWSW PD Well

7.5

2.7

7.3

15.9

22

24

3.9 E

UNRECORDED

140

A161

A268

6.6 G

13.1

16

2.3

7.5

2.39

11.1

4.8 K

4.5

7.4

3.9

A157

A264

5.1

A158

A265

6.9

8.7

8.6

7.0

5.9

11.2

5.1

7.5

19.6

8.3

2.7

26

23

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RESOURCES
RECEIVED

MAR 19 1984

31-7287

Permit No. _____

CONTACT WITH PERMIT HOLDER

Department of Water Resources

REMARKS

☐ Appointment letter mailed:

DATE _____

INITIALS

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 28 July 1953 Accompanied by N/A Total Q measured 1.03 cfs ✓

If source is surface water, estimate total flow of source

Methods of measurement *McGrometer 78-8-629* Meets Permit requirements?

Measurement calculations:

Measurement calculations:
 $0.01 \text{ af in } 7 \text{ min. } \frac{2^3/4 \text{ ac}}{422.75 \text{ sec}} = (43560 \text{ ft}^2/\text{ac}) (0.01 \text{ ac} \cdot \text{ft}) \div 422.75 \text{ sec} = 1.03 \text{ cfs capacity}$
 $Q \text{ at } 0.02 \text{ cfs/ac} = 45 \text{ ac} (0.02 \text{ cfs/ac}) = \underline{0.9 \text{ cfs}}$ ✓

$$Q \text{ at } 0.02 \text{ cfs/ac} = 45 \text{ ac} (0.02 \text{ cfs/ac}) = \underline{0.9 \text{ cfs}} \checkmark$$

Q LIMITED BY 0.02CF/AC

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	30	G.E.	MNJ1214301	Vertiline Quincy	V77-70915	McCrometer	Good	8/N 78-8-629

System Description well, pump, mainline to center pivot

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre

USE

IRRIGATION ✓

Q (cfs)

0.90cf ✓

V (afa)

135afe ✓

FROM

4/1 ✓

TQ

11/12

Total

0.90cf

135af

4/

" /

Remarks R16 (3.0) 21-2206 - Hammer Canal Camp right


P/D overlap per VAX: none
P/U overlap: 31-2248

31-0062G
31-0063G
31-2206
31-4002


Recommend R29
HARDER CHIVAL
CO G.W. RT.

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM



Point(s) of diversion: NW 1/4 Sec 22 T7N R36E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	36E	22							5		4	36							45

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None
☐ Other

UNRECORDED

Examiner's Signature

Keith C. Wilson

Date 8 Mar 1984

Checked by


James Walker

Date 3-14-84

Approved by

Ray Walker

Date 3/31/86



R36E

A257

A155

A242

Trans. to Clark Co.

22

23

22

A155

A242


PLACE OF USE

POINT OF DIVERSION

MICROFILMED

M-5

NOT TO SCALE



WADE YEARSLEY
2354 E 1900 N
HAMER ID 83425

©1998 USPS recycled

Your water right numbers 31-07141A, 31-07141B and 31-07287 have been modified to reflect the address on the front of this card.

Respectfully submitted,

Autumn Jones

Autumn Jones
Records Clerk
Idaho Dept. of Water Resources
Adjudication Bureau

RECEIVED

JUN 18 1998

CHANGE IN ADDRESS

Department of Water Resources
Eastern Region

This form is solely for purposes of notifying IDWR of a change in address of an adjudication claim.

change A records

[X] Water Right Number(s): 31-7141 A/B/C

31-7287

[X] Old Mailing Address: Box 508

Hammer, Idaho 83425

[X] New Mailing Address: 2354 E 1900 N

HAMMER, Idaho 83425

[X] Telephone Number: (208) 662-5223

[X] Signature of Claimant: Wade Zearley

[X] Date: 6-10-98

FOR IDWR USE ONLY:

Initial Review and Data-Entry

Date: By:

Further Action Needed:

Further Action Taken

Date: By:

Final Review and Data-Entry

Date: By:

Aug. 18, 1988

Dear Sirs,

Please find enclosed three claims for water rights. I have enclosed checks for 3 points of diversion and acreages of 45, 61, and 129 at \$1.00 per acre.

If any additional action is required on my part, please contact me at the address listed below.

Sincerely Yours,

Wade Yearley

ADDRESS: 5001 INWOOD LN. N.E.

Huntsville, AL 35811

Phn (205) 851-7233

1 Diversion = 50 ⁰⁰	2 nd 50 ⁰⁰	3 rd 50 ⁰⁰
45 acres = 45 ⁰⁰	129	61
Total = 95 ⁰⁰ ←	\$ 179 ⁰⁰ ←	\$ 111 ⁰⁰ ←

RECEIVED
MICROFILMED
SEP 13 1988
NOV 17 1992
Department of Water Resources
Eastern District Office

RECEIVED

APR 20 1998

Department of Water Resources
Eastern Region

State of Idaho

Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO FILE ADJUDICATION CLAIM(S)

RECEIVED

APR 10 1998

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request by the claimant for an additional period of time in which to file claim(s) beyond the 90 days allowed by Section 42-1409(10), Idaho Code.

Name of Claimant Wade L. Yearsley (208) 662-5223
Phone Number
Mailing Address 2354 E 1900 N HAMER ID 83425
City State Zip
County(s) where place of use is located Jefferson
Date claim originally due
Identify water right(s) for which extension is requested 31-7141A 31-7141B 31-7287

State why an extension of time is requested explaining how a diligent effort has been made to meet the deadline:

The original work on these rights was performed while I was living out of State. I hadn't realized until just recently that the date of priority didn't reflect the original date of beneficial use.

Claimant requests an extension to June 1, 19 98
Signature Wade L. Yearsley Apr 7, 19 98
Date of request
Title Owner

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

The above request for extension of time is hereby [☒ granted] [☐ denied] for the following reasons:

and if granted the filing deadline is extended to June 1, 1998, 19 98
Signed this 13th day of April, 19 98

[Signature]
Director or his designated agent

Mail to: Idaho Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706