

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 1-2050

MILNER IRRIGATION DISTRICT
5294 E 3610 N
MURTAUGH ID 83344

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Milner disagrees with the preliminary recommendation for this claim.

2. Describe the changes you wish to make in the proposed recommendation:

The number of irrigated acres should be recommended as depicted in the attached ArcView shapefile to accurately reflect the total number of irrigated acres within the project. The remaining elements should be recommended as claimed.

3. Give a brief explanation as to why you disagree with these portions:

The water right was previously licensed by IDWR and there is no basis to recommend it as disallowed. In addition, the preliminary recommendation incorrectly identifies 9,468 total acres within the place of use.

_____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5/26/05

SIGNATURE: [Signature]

Please print your name: Travis Thompson - attorney for

Milner

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED
JUN 01 2005
Department of Water Resources
Eastern Region

KMT
6/2