

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 1-17

MILNER IRRIGATION DISTRICT  
5294 E 3610 N  
MURTAUGH ID 83344

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Milner disagrees with the number of irrigated acres identified in the proposed recommendation.

2. Describe the changes you wish to make in the proposed recommendation:

The number of irrigated acres should be recommended as depicted in the attached ArcView shapefile to accurately reflect the total number of irrigated acres within the project.


3. Give a brief explanation as to why you disagree with these portions:

The preliminary recommendation incorrectly identifies 9,468 total acres within the place of use. The preliminary recommendation incorrectly limits the irrigation of 8,114.4 acres within the place of use.

\_\_\_\_ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5/26/05

SIGNATURE:



Please print your name:

Travis Thompson

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

JUN 01 2005

Department of Water Resources  
Eastern Region

ICMD  
6/2