

RECEIVED

04/12/2005

MAY 26 2005

Department of Water Resources
Southern Region

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: June 3, 2005

Water right number: 37-21221

LORETTA M STANDAL
609 RIVER RD
BLISS ID 83314
Telephone Number: (208)837-4970

N STANLEY STANDAL
609 RIVER RD
BLISS ID 83314
Telephone Number: (208)837-4970

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

How this right is used in combination with Right # 37-21222.

2. Describe the changes you wish to make in the proposed recommendation:

This Right should be added to Right # 37-21222 as additional water for The Fish Prop. Facility in S. 17, Lot 3 SE SW. Water Flow ^{Road} through this facility ranges from 7 to 9 CFS. Right # 37-7749 Diverts at the outflow of the Facility.

3. Give a brief explanation as to why you disagree with these portions:


Rights # 37-21221 and 37-21222 Total Flow should not be limited to 4.26 CFS.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5-26-05 SIGNATURE: N. Stanley Standal Jr.

Please print your name: _____

IDWR State Office, 322 E. Front St., P.O. Box 83720, Boise, ID 83720-0098



W. Stanley Standaal
S. 17 T. 6S R. 13E

BM 2842

5685
37-2122

37-7218
37-7219

Place of Use

Point of Diversion

2825

37-2121

2-4cfs Waste Water

Fish Pond

Fish Farm

3225

2821

2800

2800

2800