

01/27/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 27-7014A

Firth School District #59

P.O. Box 69

Firth, ID 83236

Telephone Number: (208) 346-6811

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

see Photo

2. Describe the changes you wish to make in the proposed recommendation:

include Marked Area on photo Map

3. Give a brief explanation as to why you disagree with these portions:

Existing area in No way agree with property lines in existence

_____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: May 25 SIGNATURE: Brett Malcom

Please print your name: Brett Malcom

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

RECEIVED

JUN 03 2005

Department of Water Resources
Eastern Region

*KWD
6/6*



STATE OF IDAHO

Department of Water Resources

Eastern Region



Water Right(s) 27-7014A



300 0 300 600 Feet

IRRIGATED ACRES 1.8

LEGEND

- Point of Diversion
- Place of Use
- Townships
- Sections
- Quarter-Quarters

Place of Use: T1S, R36E:
(part of) Sec. 25, NWNE, NENW.

Point(s) of Diversion: T1S, R36E:
Sec. 25, SWNE.



GIS Place of Use Illustration
1987/88 NAPP Photography
Prepared by: B. Payne
Date: December 2004