

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-12924

SALEM UNION CANAL CO LTD
C/O SHIRLEY RICE
241 N 2100 E
ST ANTHONY ID 83445
Telephone Number: (208) 624-7071

Shirley has retired!

*cb Terry Dalling
1419 N 7th W
Sugar City, Ida. 83448
(208) 356-7980*

**RECEIVED
JUN 08 2005**

Department of Water Resources
Eastern Region

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

We disagree with the quantity of (267. CFS)

2. Describe the changes you wish to make in the proposed recommendation:

We think the quantity for this right should be 300 CFS

3. Give a brief explanation as to why you disagree with these portions:

We believe the measurement records show we have used the 300 CFS many different years.

NO I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5-25-05

SIGNATURE: *Terry K. Dalling*

Please print your name: Terald K. Dalling

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

*4/15/05
6/19*