

03/30/2005

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: July 29, 2005

Water right number: 27-12028

Bryce J. Fielding
720 North 1100 East
Shelley, ID 83274
Telephone Number: (208) 357-3075

Mary W. Fielding
720 North 1100 East
Shelley, ID 83274
Telephone Number: (208) 357-3075

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: June 7 2005

SIGNATURE: Bryce J. Fielding

Please print your name: Bryce J. Fielding

IDWR Regional Office, 900 N Skyline Dr. Ste A, Idaho Falls, ID 83402, (208) 525-7161

RECEIVED

JUN 10 2005

Department of Water Resources
Eastern Region

6/13
KMS