

04/12/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 21-7025

SQUIRREL CEMETERY MAINTENANCE DIST

4475 E 1200 N

ASHTON ID 83420

Telephone Number:

2383 E

214 N

83445

(208) 652-3676

208-458-9805

St Anthony

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Address change

2. Describe the changes you wish to make in the proposed recommendation:

Squirrel Cemetery Maintenance Dist.

2383 E 214 N

~~St Anthony~~ St Anthony, Idaho 83445

3. Give a brief explanation as to why you disagree with these portions:

Incorrect address

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

6-6-05

SIGNATURE:

Eddie H. Lenz

Please print your name:

Eddie H. Lenz

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Address updated
KMT 6/6/05

RECEIVED
JUN 14 2005
Department of Water Resources
Eastern Region

KMT
6/1/05