

01/25/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-299F

BARBARA A KNIGHT
750 W 113 N
DRIGGS ID 83422
Telephone Number: (208)354-2976

RICHARD T KNIGHT
750 W 113 N
DRIGGS ID 83422
Telephone Number: (208)354-2976

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity is incorrect due to split

2. Describe the changes you wish to make in the proposed recommendation:

Actual irrigated acres are 10 Acres.

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 29 June 2005 SIGNATURE: *Richard T Knight*
Please print your name: RICHARD T. KNIGHT

IDWR Regional Office,

*Error of Q per split $\Rightarrow$ Correct to 0.20 cfs on 10Ac
Ac converted by GDS to 10Ac*

*Per 10Ac w/10Ac
Combined Use Limits
Q to 0.20 cfs*

*ABR
6/29/05*