

Craig
02/08/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-291A

LEONARD F BEITZ
3020 N RAPID CREEK RD
INKOM ID 83245
Telephone Number: (208)775-4956

NANCY BEITZ
3020 N RAPID CREEK RD
INKOM ID 83245
Telephone Number: (208)775-4956

RECEIVED

APR 21 2003

WATER RESOURCES
WESTERN REGION

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

✓ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

4-9-2003

SIGNATURE:

Pamela N. Clarke

Please print your name:

PAMELA N. CLARKE

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161