



AUG 10 1992

36

CALCULATION OF NEW PRIORITY DATE
LATE EXAM FEES or INFORMATION SHEET

PERMIT NO. 51-07091
BY: Glenda Chapman
DATE: 11-29-95

	DATE	JULIAN
A. Examination Fee Notice Sent	<u>April 3, 1987</u>	<u>93</u>
B. Exam Fee/ Info Sheet Received	<u>DEC 14, 1988</u>	<u>713</u>
C. Exam Fee / Info Sheet Due	<u>JUL 2, 1987</u>	<u>153</u>
D. Number of Days Late [B-C]		<u>560</u>
E. Original Priority Date	<u>Sept 18, 1974</u>	<u>2101</u>
- or -		
1st Advanced Priority Date		
F. To Following Year if Applicable [D + E - 365]		<u>91 (DATE + 2 yrs)</u>
G. New Priority Date [D+E or F]	<u>APRIL 1, 1976</u>	<u>91 (DATE + 2 yrs)</u>

Fee or information sheet received before the lapse date? NO
If not, the permit must also be reinstated.

76

IDAHO DEPARTMENT OF WATER RESOURCES

T07S, R04E, S14, S15 & S22



1987 NAPP PHOTO

SECTION LINES



POD



POU



1/4 1/4 LINES



6 ACRES

SECTION NUMBER


6

CLAIM(S) : 51-07003, 51-07029 & 51-07091

OWNER(S): HEGERHORST

Prepared by: Mel Schulte

Date: 7/6/1998



0 0.25 0.5 0.75 1 1.25 1.5 1.75 2 Miles

7c

IDAHO DEPARTMENT OF WATER RESOURCES T07S, R04E, S14, S15 & S22



1987 NAPP PHOTO

SECTION LINES

POD

POU

1/4 1/4 LINES

6 ACRES


6 SECTION NUMBER

CLAIM(S) : 51-07003, 51-07029 &
51-07091


OWNER(S): HEGERHORST

Prepared by: Mel Schulte


Date: 7/6/1998



~~107003~~
51-07091 Exhibit "C" (6)
Originals in A51-07003




First placement site of transducer. No reading obtained due to interference of flow / or lack of pipe length.



Second site where transducer was spaced
A reading was obtained here.

Photos taken by A. [unclear]

~~51-07003~~
51-07091
Exhibit "C" (7)




5-3-44

Nozzle where pressure reading was obtained.

Originals in A51-07003

Exhibit "C" (8)

~~451-07003~~ 451-07003
51-07091
Original in 451-07003



6.30.93

Place of use - Sec. 15, S $\frac{1}{2}$


2788
270-77
Exhibit "C" (11)

PERMIT 51-07091 INIT MTS

T. R. S. Q/Q
P/D 75 4E 22 SENWNW

SCALE

PHOTO ID. AA 61



~~51-07091~~

T 75 R 4E S 22 SENWNW

Exhibit "C" (12)
51-07091

2810

14

7009-36 7003-31 7003-38 7003-40

BM 2746

7003-40 7003-40 7003-40 7003-38 7003-40

POD 1

7003-38 7003-40 7003-40 7003-40

7029-38 7029-38

7029-38 7029-38


7029-38 7029-40
(38)

2843

26

Exhibit C" (17)

ST-07077
T7S
R4E



POB 1

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A51-07091
Date Received: 12/06/1988
Receipt No: MOO 2080
Received By: gpc

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: WILLAIM HEGERHORST FAMILY TRUST 208-845-2975
Address: HC 85 BOX 152
BRUNEAU, ID 83604

2. Date of Priority: SEP 18, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	04E	22	SE	NW	NW		OWYHEE

5. Description of diverting works:
20" WELL 800' DEEP 450 HP. VERT. TURBINE PUMP SPRINKLER IRR.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	10/31	0.920		

7. Total Quantity Appropriated is:
0.920 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 1920.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	04E	14	SW	SW		IRR	38.0
Section Acres							38.0

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	04E	15	NE	SW		IRR	38.0
			NW	SW		IRR	20.0
			SW	SW		IRR	32.0
			SE	SW		IRR	33.0
			NE	SE		IRR	25.0
			NW	SE		IRR	27.0
			SW	SE		IRR	30.0
			SE	SE		IRR	38.0
						Section Acres	243.0
		22	NE	NW		IRR	38.0
			NW	NW		IRR	38.0
			SW	NW		IRR	38.0
			SE	NW		IRR	38.0
			NE	SW		IRR	35.0
			NW	SW		IRR	38.0
			SW	SW		IRR	35.0
						Section Acres	260.0
						Total Acres	541.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
51-7003 & 51-7029.

14. Remarks:

15. Basis of Claim: PERMIT

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not ✓ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

AUG 10 1992





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1993

William Hegerhorst Family Trust
c/o Grant Hegerhorst
HC 85 Box 152
Bruneau, ID 83604

Re: Permit No. 52-07091

Dear Mr. Hegerhorst:

Enclosed is a copy of an order setting aside the Department's previous order to void this permit.

The Department will notify our Western Regional office that your rate of flow needs to be remeasured.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Senior Secretary

Enclosure

C: Linda Werner - Western Regional Office

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
51-07091 IN THE NAME OF)
CLARENCE A. & MILDRED RUSSELL)
_____)

ORDER

This matter having come before the Idaho Department of Water Resources (department), as a result of an exception filed to a Preliminary Order of the department, the department makes the following Findings of Fact, Conclusions of Law and Order:

FINDINGS OF FACT

1. On June 30, 1993, the department conducted a field examination to determine the extent of beneficial use under Permit No. 51-07091. The examination found that the rate of diversion when considering prior licenses 51-07003 and 51-07029 was not more than the rate diverted under the prior licenses. i.e. a combined total of 8.0 cfs. The department did not remeasure the rate of diversion, since the permit holder advised the examiner that the pump and motor had not been changed.

2. On September 28, 1993, the department issued a Preliminary Order Voiding Permit No. 51-07091.

3. On October 20, 1993, Grant Hegerhorst, filed an exception to the Preliminary Order stating that his diversion system has a larger capacity than that found during the field examination since he has changed the pump bowl assembly.


CONCLUSIONS OF LAW

1. The department should set aside the Preliminary Order issued on September 28, 1993, to provide for the measurement of the rate of ground water being simultaneously diverted under water rights 51-07003, 51-07029 and 51-07091.

ORDER

IT IS THEREFORE, HEREBY ORDERED that the Preliminary Order of the department issued on September 28, 1993, is **SET ASIDE** to allow the department to measure the capacity of the rate of flow under water right licenses 51-07003, 51-07029 and permit no. 51-7091.

Dated this 20th day of October, 1993.


L. GLEN SAXTON, Chief
Water Allocation Bureau

August 4, 1998

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: September 4, 1998

Water right number: 51-07091

WILLIAM HEGERHORST FAMILY TRUST
HC 85 BOX 152
BRUNEAU ID 83604

Daytime Telephone Number:

Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 8-21-98 SIGNATURE: Grant Hegerhorst
Please print your name: _____

IDWR Western Regional Office, 2735 Airport Way, Boise, ID 83705-5082, (208) 334-2190

ADJUDICATION CLAIM CHECKLIST

NOTICE OF CLAIM NO. A51-07091

VR ELEMENT	FIELD EXAM Y/N-IF NO, DO OFFICE VERIFICATION	FIELD EXAM OR IN-OFFICE VERIFICATION WHOM/DATE	CLAIM VERIFIED BY CODE (SEE BELOW)	CHANGE CLAIM Y/N	CLAIMANT CONTACT NEEDED - Y/N**	REVIEW COMPLETED WHOM/DATE	"R" RECORD
PRIORITY*		06-30-93 Indy Warner	Dep't Standards	Y		MTS 1-27-97	
PT. OF DIV.			1,5	N			
SOURCE			6	N			
PL. OF USE			6	N			
DIV. AMOUNT CFS/AF			6	N			
CONSUMPTIVE USE			—	—			
NATURE OF USE			6	N			
PERIOD OF USE			6	N			
BASIS OF CLAIM			6	N			
REMARKS			Dep't Standards	Y			

VERIFICATION CODES

TOPO MAP/ORTHO PHOTO = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 NAPP PHOTOS = 4
 FIELD EXAM = 5
 OTHER (SEE COMMENTS) = 6 = license

*IF REQUIRED HAS EVIDENCE OF PRIORITY BEEN
SUBMITTED - YES ___ NO ___

**IF CLAIMANT CONTACT IS NEEDED, COMPLETE
CLAIMANT CONTACT CHECKLIST AND ATTACH.

COMMENTS:

MAPS AND AERIAL PHOTOGRAPHS USED TO REVIEW THIS NOTICE OF CLAIM TO A WATER RIGHT

TYPE OF MAP OR PHOTOGRAPH (CHECK IF USED)	IF USED, SUPPLY APPROPRIATE DATE AND OTHER INFORMATION	COPY INCLUDED IN FILE?
☒ ORTHOPHOTOQUAD	DATE OF PHOTO <u>1974</u> IDWR ID NO. <u>AA61</u>	Y() N()
☐ TOPOGRAPHIC	DATE FIELD CHECKED _____ IDWR ID NO. _____	Y() N()
☒ NAAPP <u>GIS maps</u>	DATE OF PHOTO <u>7-6-98</u> IDWR ID NO. _____	Y() N()
☐ ASCS AERIAL PHOTO	DATE OF PHOTO _____	Y() N()
☐ ASCS COLOR SLIDE	DATE OF PHOTO _____	Y() N()
☐ BLM OR USFS AERIAL PHOTO	DATE OF PHOTO _____	Y() N()
☐ TOWNSHIP SURVEY (GOVERNMENT PLAT)	DATE OF SURVEY _____	Y() N()
☐ SCS SOIL SURVEY MAP	DATE ISSUED _____	Y() N()
☐ SUBDIVISION PLAT MAP	DATE OF MAP _____	Y() N()
☒ OTHER <u>New-Property dele</u>	DATE <u>11-29-95</u> <u>Page 36</u>	Y() N()
☐ OTHER <u>Calculation</u>	DATE _____	Y() N()
☒ OTHER <u>GIS table</u>	DATE <u>7-6-98</u>	Y() N()

LIST OF ATTACHMENTS (CHECK IF ATTACHED)	IF ATTACHED, SUPPLY APPROPRIATE INFORMATION	NO. OF PAGES	NOTES
☒ LICENSING FIELD EXAM	DATE OF FIELD EXAM <u>10-6-95</u>	<u>17</u>	<u>Exhibit "C"</u>
☒ WATER RIGHT LICENSE	DATE LICENSE SIGNED <u>1-11-96</u>	<u>2</u>	<u>Page 3a</u>
☐ IDWR APPROVED TRANSFER	DATE TRANSFER APPROVED _____	_____	_____
☐ SYSTEM DESCRIPTION	DATE DRAWN _____	_____	_____
☒ PHOTOGRAPHS	DATE(S) PHOTOS TAKEN <u>Photos in files A51-07003</u>	_____	_____
☐ SPLIT RIGHT REVIEW	DATE REVIEW COMPLETED _____	_____	_____
☐ HUBBLE ANALYSIS	DATE ANALYSIS COMPLETED _____	_____	_____
☐ CONVEYANCE LOSS ANALYSIS	DATE ANALYSIS COMPLETED _____	_____	_____
☐ FLOW MEASUREMENT CALCULATIONS	DATE SYSTEM MEASURED _____	_____	_____
☒ OTHER <u>Opp for Permit</u>	DATE <u>9-18-74</u>	<u>4</u>	<u>Exhibit "A"</u>
☐ OTHER <u>W. J. Conrad</u>	DATE <u>11-27-79</u>	<u>2</u>	<u>Exhibit "B"</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

13:29:01
11/27/95

PAGE: 17
QUICKLOOK INFORMATION

CLAIM NUMBER: A51-07091
17

WR ELEMENT	DATA DISCREPANCY Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	ELEMENT DOCUMENTED WHOM/DATE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y	J	6-30-93 LW			MTS 11-27-95		
POINT OF DIV								
SOURCE								
PLACE OF USE	Y							
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE								
PURPOSES OF USE								
PERIOD OF USE								
BASIS OF CLAIM								
REMARKS								

BARCODE UPDATED
WHOM/DATE

CLAIM NUMBER: A51-07091

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM HEGERHORST FAMILY TRUST	09/18/1974	IRRIGATION	04-01 10-31	0.92 CFS	
				TOTAL DIVERSION:	0.92 CFS	1920.00 AFA
				CONSUMPTIVE USE:		

Stage: PERMIT
OWYHEE County

Tributary to:

ANNOUNCE

T07S R04E S22

) of Divergence:

Point(s) of Diversion:

place of use Legal Description for: IRRIGATION

NE																NW								SW								SE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
NENE				NNNE				SWNE				SENE				NENW		NNNW		SWNW		SENW		NESH		NWSW		SWSW		SESW		NESH		NWSE		SWSE		SESE		SUM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac

POU County: Owyhee

Non-Irrigation Uses: NONE

Other Rights: 51-7003 & 51-7029.

Conditions of Approval:

Dates: **Exam Made Date:** **Verified Date:**

Misc:
Water District Number:
Field Inspection Flag:
Presumption Flag:

Permit P/U & Claim P/U don't match in total acres.
P/U above is P/U for 51-07003 & 51-07029 with this
Claim/permit.

13:29:01
11/27/95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A51-07091

LAST: RUSSELL

ADDRESS: RT B BOX 154A
CITY: BRUNEAU
PHONE NUMBER: 208-000-0000

OWNER CODE: 0

STATE: ID ZIP: 83604

FIRST: CLARENCE A

LAST: RUSSELL
ADDRESS: RT B BOX 154A
CITY: BRUNEAU
PHONE NUMBER: 208-000-0000

OWNER CODE: 0

STATE: ID ZIP: 83604

FIRST: MILDRED

LAST: HEGERHORST FAMILY TRUST
ADDRESS: MC 85 BOX 152
CITY: BRUNEAU
PHONE NUMBER: 208-845-2975

OWNER CODE: C

STATE: ID ZIP: 83604

FIRST: WILLIAM

FIELD EXAM REQUIRED?

yes -

FIELD
EXAMINER

DATABASE
N

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

CONTACT PERSON:

Grant T. Heggenhorst

PHONE NUMBER: () - -

DATE OF FIELD EXAM: 6/30/93

APPOINTMENT MADE: Y() N()

TIME: - : - A() P()

ACCOMPANIED BY:

PHONE NUMBER: () - -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY / NOTES:

See A51-07003 & A51-07029.

A. AJ CLAIM: # A51-07091	PRIORITY DATE: 09-18-1974	STAGE: P
B. WR RECORD: # 51-07091	PRIORITY DATE: 09-18-1974	STAGE: P
C. CAN THE PRIORITY DATE CLAIMED BE CONFIRMED BY A DECREE OR LICENSE?		Y() N(☒)
D. HAS THERE BEEN A LATER COURT DECREE OF THE WATER RIGHT(S) FROM THIS WATER SOURCE?		Y() N(☒)
E. IS THERE ANY INDICATION THAT THERE HAS BEEN A FIVE YEAR PERIOD OF CONTINUOUS NONUSE? (IF YES, DESCRIBE BELOW)		Y() N(☒)
F. IF THIS CLAIM IS BASED ON A PERMIT, WHERE IS THE PERMIT IN THE LICENSING PROCESS?		
PROOF OF BENEFICIAL USE SUBMITTED		
FIELD EXAM COMPLETED		
FIELD EXAM SENT TO STATE OFFICE		
LICENSE ISSUED		
* IF THE PERMIT WILL NOT BE LICENSED PRIOR TO THE DIRECTOR'S REPORT, USE CONDITION CODE A01 AND RECOMMEND AS PERMITTED.		
G. IF THIS CLAIM IS BASED ON BENEFICIAL USE, IS ADDITIONAL EVIDENCE OF THE PRIORITY DATE REQUIRED?		N/A(☒) Y() N()
* FOR CLAIMS BASED ON BENEFICIAL USE, DESCRIBE THE EVIDENCE OF PRIORITY SUBMITTED, INCLUDING THE ANALYSIS OF THE EVIDENCE.		
H. IS THE STAGE OF THE CLAIM CODED CORRECTLY?		Y(☒) N()

NOTES:
* Priority advanced in licensing process - see attached page 03b.

RECOMMENDED PRIORITY DATE: 4-1-1976 *
9-18-1974
REVIEWED BY Mel Schultz
DATE 11-27-95

3a

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07091

Priority: April 1, 1976

Maximum Diversion Rate:

0.92 CFS

This is to certify, that CLARENCE A RUSSELL
MILDRED RUSSELL

C/O WM HEGERHORST FAMILY TRUST
HC 35 BOX 952
BRUNEAU ID 83604

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 18, 1974; and has submitted Proof of Beneficial Use on October 22, 1979. An examination indicates that the works have a diversion capacity of 9.410 cfs of water from a GROUNDWATER source; and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.92 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 22, Township 07S, Range 04E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	04E	14	SWSW 38			38
		15	NESW 38	NWSW 36	SWSW 38	
			SESW 40	NESE 28	NWSE 38	
			SWSE 40	SESE 40		298
		22	NENW 40	NWNW 38	SWNW 38	
			SENW 38	NESW 38	NWSW 38	
			SWSW 38			268

Total number of acres irrigated: 604

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 51-07091

CONDITIONS OF APPROVAL AND REMARKS

4. Rights 51-07003 and 51-07029 are also diverted through the point of diversion described above.
5. Use of this right with the rights listed below is limited to a total combined diversion rate of 8.92 cfs, a total combined annual diversion volume of 2416.0 af, and to the irrigation of a combined total of 604 acres in a single irrigation season.
6. The combined rights include: 51-07003 and 51-07029.
7. This right when combined with Right 51-07003 and 51-07029 and all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 11TH day of JANUARY, 1996.

Acting for


KARL J. DREHER, Director

**CALCULATION OF NEW PRIORITY DATE
LATE EXAM FEES or INFORMATION SHEET**

PERMIT NO.

51-01091

BY:

Brando Chapman

DATE:

11-29-95

DATE

JULIAN

A. Examination Fee Notice Sent

April 3, 1987

93

B. Exam Fee/ Info Sheet Received

DEC 14, 1988

713

C. Exam Fee / Info Sheet Due

June 2, 1987

153

D. Number of Days Late (B-C)

560

E. Original Priority Date

Sept 18, 1974

2161

or
1st Advanced Priority Date

F. To Following Year if Applicable [D + E - 365]

91 (DATE + 2 yrs)

G. New Priority Date [D+E or F]

April 1, 1976

91 (DATE + 2 yrs)

Fee or information sheet received before the lapse date? NO

If not, the permit must also be reinstated.

A. ROOT WATER RIGHT NUMBERS: A51-07091

B. POU LISTING										LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES				
07S	04E	14	SW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07003 / 38.0		40.0		38
			SW	SW		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 38.0	51-07003 / 38.0					
07S	04E	15	NE	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07003 / 38.0		39.0		38
			NE	SW		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 38.0	51-07003 / 38.0					
			NE	SW		HEGERHORST FAMILY TRUST, WILLAR51-10085 /						
07S	04E	15	NW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 20.0	51-07091 / 40.0	51-07029 / 36.0		29.0		36
			NW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07029 / 20.0	51-07029 / 36.0					
07S	04E	15	SW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 32.0	51-07091 / 40.0	51-07029 / 38.0		39.0		38
			SW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07029 / 32.0	51-07029 / 38.0					
07S	04E	15	SE	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 33.0	51-07091 / 40.0	51-07003 / 40.0		40.0		40
			SE	SW		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 33.0	51-07003 / 40.0					
07S	04E	15	NE	SE		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 25.0	51-07091 / 40.0	51-07003 / 40.0		36.0		28
			NE	SE		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 25.0	51-07003 / 40.0					
07S	04E	15	NW	SE		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 27.0	51-07091 / 40.0	51-07003 / 38.0		40.0		38
			NW	SE		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 27.0	51-07003 / 38.0					
			NW	SE		HEGERHORST FAMILY TRUST, WILLAR51-10098 /						
07S	04E	15	SW	SE		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 30.0	51-07091 / 40.0	51-07003 / 40.0		40.0		40
			SW	SE		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 30.0	51-07003 / 40.0					
07S	04E	15	SE	SE		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07003 / 40.0		42.0		40
			SE	SE		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 38.0	51-07003 / 40.0					
07S	04E	22	NE	NW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07003 / 40.0		41.0		40
			NE	NW		HEGERHORST FAMILY TRUST, WILLIA51-07003 / 38.0	51-07003 / 40.0					
07S	04E	22	NW	NW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07029 / 38.0		43.0		
			NW	NW		HEGERHORST FAMILY TRUST, WILLAA51-07029 / 38.0	51-07029 / 38.0					
			NW	NW		HEGERHORST FAMILY TRUST, WILLIR51-12745 /						
			NW	NW		HEGERHORST FAMILY TRUST, WILLIR51-12746 /						
			NW	NW		HEGERHORST FAMILY TRUST, WILLIA51-12744 /						
			NW	NW		HEGERHORST FAMILY TRUST, WILLIA51-12745 /						
			NW	NW		HEGERHORST FAMILY TRUST, WILLIA51-12746 /						
			NW	NW		HEGERHORST FAMILY TRUST, WILLIR51-12744 /						
07S	04E	22	SW	NW		HEGERHORST FAMILY TRUST, WILLAA51-07091 / 38.0	51-07091 / 40.0	51-07029 / 38.0		40.0		38
			SW	NW		HEGERHORST FAMILY TRUST, WILLAA51-07029 / 38.0	51-07029 / 38.0					

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
07S	04E	22	SE	NW		HEGERHORST FAMILY TRUST, WILLAA51-07091	38.0	51-07091	40.0		38
			SE	NW		HEGERHORST FAMILY TRUST, WILLAA51-07029	38.0	51-07029	38.0		
07S	04E	22	NE	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091	35.0	51-07091	40.0		38
			NE	SW		HEGERHORST FAMILY TRUST, WILLAA51-07029	35.0	51-07029	38.0		
07S	04E	22	NW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091	38.0	51-07091	43.0		38
			NW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07029	38.0	51-07029	38.0		
07S	04E	22	SW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07091	35.0	51-07091	38.0		38
			SW	SW		HEGERHORST FAMILY TRUST, WILLAA51-07029	35.0	51-07029	38.0		
ADDITIONAL POU FOUND											

607.7
See GTS
Table 7a
Y() N()

TOTAL ACRES A51-07091 344.00 640.00 632.00

POU COUNTY: OUYHEE

C. IS WATER USAGE FOUND IN TRACTS OTHER THAN THOSE CLAIMED?

* IF YES, ARE THESE TRACTS LISTED ABOVE (), OR ARE THEY LISTED ON AN ATTACHED SHEET ()

LIST OF ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE

CLAIM NO.	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A51-07091	GROUNDWATER	HEGERHORST FAMILY TRUST, WILLA	0.920	0.001		
A51-07003	GROUNDWATER	HEGERHORST FAMILY TRUST, WILLI	6.280	0.023		
A51-07029	GROUNDWATER	HEGERHORST FAMILY TRUST, WILLA	6.040	0.022		

Part of 604 ac PPU.

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
R51-10085	DOMESTIC	HEGERHORST FAMILY TRUST, WILLA	FROM 01-12	TO 12-31	0.040 CFS
R51-10085	STOCKWATER	HEGERHORST FAMILY TRUST, WILLA	FROM 01-12	TO 12-31	0.050 CFS
R51-10098	DOMESTIC	HEGERHORST FAMILY TRUST, WILLA	FROM 01-12	TO 12-31	0.040 CFS

Doing right at same site

79

WESTERN REGION

CLAIM NUMBERS A51-07003 A51-07029 & A51-07091AGENT MS DATE 7-6-98TOTAL ACRES FROM RECOMMENDATION 607.7GEOGRAPHIC INFO SYSTEM ACRES 607.7READY FOR DECREE (YES)SENT FOR DECREE (YES)

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	75	4E	14											40					
GIS			15									35.7	37	40	40	25	33	40	40
			22					40	40	40	40	40	40	37					
RECOM																			
GIS																			

POLYGON CREATED ON ~~88~~ 330

POLYGON # () () () () _____ UPDATED BY

ATTRIBUTES OF B51-POU.SHP (153) () () () ()


ATTRIBUTES OF B51-POD.SHP (148) () () () ()

B51-DBPOU.DBF 7-30-98 UPDATED BY MSB51-DBPOD.DBF 7-30-98 UPDATED BY MS

76

IDAHO DEPARTMENT OF WATER RESOURCES

T07S, R04E, S14, S15 & S22



1987 NAPP PHOTO

SECTION LINES

POD

POU

1/4 1/4 LINES

6 ACRES


6 SECTION NUMBER

CLAIM(S) : 51-07003, 51-07029 & 51-07091

OWNER(S): HEGERHORST


Prepared by: Mel Schulte

Date: 7/6/1998



7c

IDAHO DEPARTMENT OF WATER RESOURCES T07S, R04E, S14, S15 & S22



1987 NAPP PHOTO

SECTION LINES

POD

POU

1/4 1/4 LINES

6 ACRES

6 SECTION NUMBER

CLAIM(S) : 51-07003, 51-07029 &
51-07091

OWNER(S): HEGERHORST

Prepared by: Mel Schulte

Date: 7/6/1998



CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
R51-10098	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-12 TO 12-31	0.050 CFS	
R51-12745	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	
R51-12746	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	
A51-12744	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	
A51-12745	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	
A51-12746	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	
R51-12744	STOCKWATER	HEGERHORST FAMILY TRUST, WILLI	FROM 01-01 TO 12-31	0.020 CFS	

D. ARE OTHER WATER RIGHTS USED FOR THE SAME PURPOSE?

Y() N()

* IF YES, COMPLETE OVERLAP REVIEW:

OTHER RIGHTS LISTED IN CLAIM: 51-7003 & 51-7029.

E. IS THE CLAIMED POU THE SAME AS DESCRIBED IN THE WATER RIGHT FILE?

N/A() Y() N()

* IF NO, AND IF THE CHANGE IS VERIFIED AS AN ACCOMPLISHED CHANGE IN POU, DESCRIBE THE INJURY ANALYSIS PERFORMED AND ENTER FLAG "C" WITH THE APPROPRIATE EXPLANATORY CODE.

F. CAN THE CLAIMED POU BE VERIFIED USING THE WATER RIGHT FILE AND AVAILABLE AERIAL PHOTOS?

N/A() Y() N()

G. SHOULD THE CLAIMED POU BE VERIFIED BY FIELD EXAM?

Y() N()

H. IS THERE ANY INDICATION THAT THERE HAS BEEN A FIVE YEAR PERIOD OF CONTINUOUS NONUSE OF THIS RIGHT, OR ANY PORTION OF THIS RIGHT?

Y() N()

→ The three irrigation rights are combined into a 607.7 acre POU under an accomplished change. The POU is actually 12 acres less than the POU originally licensed due to an error in the licensing of 51-07003.

CHECK DOCUMENTS USED TO VERIFY POU: (☒) ORTHOPHOTOQUAD, IDWR NO. AA61 1974; (☐) TOPOGRAPHIC QUAD, IDWR NO. _____;

(☐) NAPP, IDWR NO. _____; (☐) ASCS PHOTO; ☒ OTHER Field notes

NOTES:

RECOMMENDATIONS:

TOTAL ACRES: 604.0 N/A()

REVIEWED BY: Melinda

DATE: 11-21-93

PURPOSE OF USE, PERIOD OF USE, DIVERSION RATE AND DIVERSION VOLUME REVIEW SHEET

A. AJ CLAIMED USES:

PURPOSE OF USE	PERIOD OF USE (MONTH/DAY)	DIV. RATE FOR EACH USE	DIV. VOL. FOR EACH USE
A51-07091 IRRIGATION	FROM 04-01 TO 10-31	0.920 CFS	
TOTAL DIVERSION RATE/VOLUME		0.920 CFS	

B. WR RECORDED USES:

PURPOSE OF USE	PERIOD OF USE (MONTH/DAY)	DIV. RATE FOR EACH USE	DIV. VOL. FOR EACH USE
51-07091 IRRIGATION	FROM 04-01 TO 10-31	0.920 CFS	
TOTAL DIVERSION RATE/VOLUME		0.920 CFS	

C. DOES THE CLAIMED PURPOSE OF USE CORRECTLY DESCRIBE THE WATER USE? Y(☒) N(☐)D. IS THE CLAIMED PURPOSE OF USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A(☐) Y(☒) N(☐)

* IF NO, AND IF THE ACTUAL WATER USE IS VERIFIED AS AN ACCOMPLISHED CHANGE IN PURPOSE OF USE, DESCRIBE THE INJURY ANALYSIS PERFORMED AND ENTER FLAG "C" WITH THE APPROPRIATE EXPLANATORY CODE.

E. SHOULD THE CLAIMED PURPOSE OF USE BE VERIFIED BY FIELD EXAM? Y(☒) N(☐)F. DOES THE CLAIMED PERIOD OF USE CONFORM TO IDWR STANDARDS? Y(☒) N(☐)G. SHOULD THE PERIOD OF USE BE RECOMMENDED TO IDWR STANDARDS? Y(☒) N(☐)

* IF THE RECOMMENDED PERIOD OF USE IS DIFFERENT THAN IDWR STANDARDS, EXPLAIN IN NOTES BELOW.

H. IS THE CLAIMED DIVERSION RATE FOR EACH USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A(☐) Y(☒) N(☐)

* IF NO, DESCRIBE IN NOTES BELOW HOW THE RECOMMENDED DIVERSION RATE FOR EACH USE WAS DETERMINED.

I. SHOULD THE CLAIMED DIVERSION RATE FOR EACH USE BE VERIFIED BY FIELD EXAM? N/A(☐) Y(☒) N(☐)J. IS THE CLAIMED DIVERSION VOLUME FOR EACH USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A(☐) Y(☒) N(☐)

* IF NO, DESCRIBE IN NOTES BELOW HOW THE RECOMMENDED DIVERSION VOLUME FOR EACH USE WAS DETERMINED.

K. SHOULD THE CLAIMED DIVERSION VOLUME FOR EACH USE BE VERIFIED BY FIELD EXAM? N/A(☐) Y(☒) N(☐)

NOTES: *See BU field report for recommendations.*

AJ CLAIM TOTAL DIVERSION RATE: 0.920 CFS

WR ROOT RIGHT TOTAL DIVERSION RATE: 0.920 CFS

A. IS THE CLAIMED TOTAL DIVERSION RATE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A() Y() N()
B. CAN THE CLAIMED TOTAL DIVERSION RATE BE VERIFIED USING THE WATER RIGHT FILE? N/A() Y() N()

* ALL CLAIMS BASED ON BENEFICIAL USE (INCLUDING POSTED NOTICES AND STATUTORY CLAIMS) REQUIRE A FLOW MEASUREMENT.

C. IS THERE ANY INDICATION THAT THERE HAS BEEN A FIVE YEAR PERIOD OF CONTINUOUS NONUSE OF THIS RIGHT, OR ANY PORTION OF THE DIVERSION RATE? Y() N()

* IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS CLAIMED AND A FIELD EXAM IS NOT REQUIRED, EXPLAIN IN NOTES.

D. SHOULD THE CLAIMED DIVERSION RATE BE VERIFIED BY FIELD EXAM? Y() N()

FLOW MEASUREMENT

E. MEASUREMENT METHOD

See BU Field report attached. SEE ATTACHED CALCULATIONS.

F. RATE/VOLUME CALCULATIONS: (IRRIGATION)

* 1a. IRRIGATION RATE
ACRES 604 x 0.02 CFS/ACRE = 12.08 CFS
(Taken from pou review)

IS A DIVERSION RATE PER ACRE GREATER THAN 0.02 CFS/ACRE CLAIMED? Y() N()

IF YES, IS AN ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N()

* 2. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 604 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 2416 AF/A

* 3. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 1920.0 AF/A

ACRES 604 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 1812 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION: SEE BELOW (NA) SEE ATTACHMENT ()

1b. CALCULATIONS

NOTES: * Permit requests, 92 cfs - Volume is covered
in Recommendations for A51-07003 & A51-07029

WR RECORD CONDITIONS/REMARKS:

- 001 - A measuring device of a type approved by the Department shall
 - be permanently installed and maintained as part of the diverting
 - works.
- 016 - See remarks for additional conditions of approval.

RECOMMENDATIONS: CHECK HERE IF RECOMMENDED AS CLAIMED ()

REC. PURPOSE OF USE	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	04-01 10-31	DATABASE EXAMINER 0.920	DATABASE EXAMINER 1920.0	
TOTAL FOR THIS RIGHT		0.920	0	1920.0

NON-IRRIGATION USES CLAIMED: NONE

NON-IRRIGATION USES RECOMMENDED: CHECK HERE IF RECOMMENDED AS CLAIMED *NA*

REVIEWED BY: *Mel Schultz* DATE: *11-27-95*

FLAG:

STANDARD CONDITIONS (CODE):

EXP - Bob - water temp measured @ 110%

STANDARD REMARKS (CODE):

QNT - 247 - when ~~combined~~ combined with 51-07003 & 51-07029 limited to 8.92 cfs, 2416 gfa DV, (1820 gfa CU. - CON - E24)

EXPLANATORY CONDITIONS (CODE):

EXPLANATORY REMARKS (CODE):

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED ()
NEEDS REVIEW ()
()
()
()

B. SPLIT WATER RIGHT REVIEW

NA

ROOT WATER RIGHT NUMBER: 51-07091

TOTAL DIVERSION RATE OF WR SPLITS
DATABASE 0.920 EXAMINER _____ CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A51-07091	0.920	-	-	51-07091	0.920

TOTAL CFS 0.920

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW DESCRIBED BELOW () OR SEE ATTACHMENT ()?

FIELD EXAMINER Y () N ()
DATABASE Y

NOTES:

AUTHENTICATION:

SIGNATURE: Mel Schutte DATE: 11-27-95
NAME OF FIELD EXAMINER: Judy Warner TITLE: Sr. Water Right Agent

Exhibit "A" (1)

Identification No. _____

Application No. 51-7091

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Clarence Alfred &/or Mildred H. Russell Phone: 278-5440
post office address Route #2, New Plymouth, ID
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 7S
Range 4E B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.92 for Irrigation purpose from Apr. 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.92 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pump, & sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 800 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served: _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

Exhibit "A" (2)

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	4E	14											40						40
7S	4E	15									40	40	40	40	40	40	40	40	320
7S	4E	22					40	40	40	40	40	40	40						280

Total number of acres to be irrigated 640


c. Describe any other water rights used for the same purposes as described above. 51-7003 and 51-7029
use the same point of diversion

9. a. Who owns the property at the point of diversion Applicant
 b. Who owns the land to be irrigated or place of use Applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The entire acreage is included so that the capacity of the pump can be increased to deliver 4000 gallons per minute of water to the land at any time.

Exhibit "A" (3)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marion Alfred Rouse
(Applicant)

Received by WJ Date 9-11-74 Time 3:50pm
Preliminary check by JDF Fee \$ 25.00
Received by WJ Date 9-11-74 Rec'd #68
Publication prepared by Ch Date 9-19-74
Published in Owyhee Nugget
Publication dates Sept 26 & Oct 3
Publication approved Ch Date 10-7-74
Priority reduced to _____ Reason _____

Exhibit "A" (4)

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W JDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7091, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1979.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 5 day of November 19 74.

[Signature]
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Exhibit "B" (1)

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

RECEIVED

To change the point of diversion and/or the place of use. SEP 13 1980

Department of Water Resources
Western Regional OfficeComes now Clarence A. &/or Mildred Russellof (address) Star Rt. B, Box 154A, Bruneau, Idaho, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 51-7091, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 22, Township 7S, Range 4E, B.M.,
County of Owyhee. Other points of diversion: NESW, NWSW, SWSW,
SESW, Sec. 15, T. 7S, R. 4E.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.92 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:


TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	4E	14											40						40
7S	4E	15									40	40	40	40	40	40	40	40	320
7S	4E	22					40	40	40	40	40	40	40						280

Total number of acres to be irrigated = 640

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or the place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.

Exhibit "B" (2)



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Dallas, Texas, this 27th day of November, 19 79.

[Signature]

CONNECTICUT GENERAL LIFE INSURANCE COMPANY
[Signature]
(Signature)

William Williams, Investment Officer

FOR DEPARTMENT USE ONLY

Preliminary check by J.K.W. Fee = \$20.00

Received by J.B.H. Date 12/4/79 # 15259

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby

Approve the above referenced Amendment for Permit No. 51-7091 provided ok
the conditions as set forth on page 4 of above referenced permit are met. ok

Witness my hand this

12 th
day of

September

19 80

[Signature]
Chief, Operations Bureau

Exhibit "C" (1)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
Report #2

A. GENERAL INFORMATION

Permit No. 51-07091

1. Owner: William Hegerhorst Family Trust Phone No. 845-2085
C/O Grant Hegerhorst
Current Address: HC 85 Box 952 Bruneau ID 83604

2. Accompanied by: Grant Hegerhorst EXAM DATE: 6-30-93
Address: Same 5-3-94 =
Relationship to Permit Holder: Son Phone No. measurement date

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 51-07003 & 51-07029
2. Other water rights with the same point of diversion: 51-07003 & 51-07029

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	—	SE	NW	NW	22	7S	4E	Owyhee	Field exam, 1987 Napp

2. Place(s) of Use: Per 6-30-93 Field exam Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7S	4E	14											38						38
		15									38	36	38	40	28	38	40	40	298
		22					40	38	38	38	38	38	38						268
															Total				604

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Exhibit "C" (2)



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	450	DGT40721	Layne/Bowles	12"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic		TimeFlyte	TF-P	150231		
Pitot tube + pressure gage						

2. Measurements:

A polysonic measurement was taken at the well site (see photos attached) and pressure readings taken on 3/4" nozzles (see attached notes)

Exhibit "C" (3)

E. NARRATIVE/REMARKS/COMMENTS

This report is a rewrite of the BU Field Report dated 7-7-93. This report incorporates the system measurement completed 5-3-94 and an overlap analysis. A field exam on 6-30-93 found 604 acres irrigated by the current system from one well. The prior approved Amendment and transfer that adds 4 more P/D's was not developed.

The measured system capacity on 5-3-94 was 9.41 cfs compared to 8.0 cfs on 6-27-74. This permit was intended to license the system to 4000 gpm by adding an additional .92 cfs to the prior system capacity of 8.0 cfs covered by rights 51-07003 & 51-07029.

There are no additional acres nor additional volume to add with this right. The P/U described is a PPU of 604 acres for the three rights. This right when combined with 51-07003 & 51-07029 is limited to 8.92 cfs and 2416 afa.

Summary of Rights under the system:

	Acres	DR #	DV
L 51-07003	314	6.28	1570
L 51-07029	302	6.04	1570
P 51-07091	604 PPU	.92	0

* Limited to 8.92 cfs when all three rights are combined.

Measured system capacity = 9.41 cfs

$V_{dr} = 9.41 \times 1.9835 \times 214 = 3994.3 \text{ afa}$

$V_{ir} = 604 \times 4 \text{ afa} = 2416 \text{ afa}$

$DR \text{ per acre} = 8.92 \text{ cfs} / 604 = .0148 \text{ cfs}$

Have conditions of permit approval been met? ☐ yes ☐ no

OVER

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Polysonic measurement = 3953 gpm
Wheel & hand lines = 268.8 "
$$\frac{422.8}{448.8} = 9.41 \text{ cfs}$$

G. VOLUME CALCULATIONS1. Volume Calculations for Irrigation: *See Narrative* $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*NA***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use:	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>4-1</i>	<i>10-31</i>	<i>.92 cfs</i>	<i>0</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.92 cfs</i>	<i>0</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATION

This Report by Mel Schulte 10-6-95
Field Examiner's Name *Linda Werner* Date _____

Reviewer _____ Date _____

SEAL

5-3-94

Grant Hegurhorst ~~51-07003~~
Exhibit "C" (4) 51-07091

78 PSI - $\frac{9}{64}$ nozzle = 5.17 GPM

52 heads w/ $\frac{9}{64}$ nozzles @ 5.17 GPM =
268.8 gpm = 0.60 cfs

We have 1 line (32 hd) which wasn't
running plus an extra 20 hd.

Flow from well measured by polysonic
3953.0 gpm. Plus additional flow
from nozzles (above) = 0.60 cfs (268.8 gpm)

3953 gpm

+ 268.8 gpm

4221.8 gpm

$\frac{4221.8 \text{ gpm}}{448.9 \text{ gpm}} = 9.4 \text{ cfs}$

pipe circumference = 37.85"

pipe thickness 0.153"

steel pipe

diameter = 12.05

Well located in T7S, R4E, Sec. 22, NWNW

Original in A51-07003

5/3/94 g

Exhibit "C" (5)
Abrant Hegerhorst

51-07091

~~51-07003~~

67 psi

NOZZLE PRESS CLOSE TO PUMP

1/8"

(ONLY ONE BIRD ON LATERAL)

Flow: 3.8 gpm

78 psi

NOZZLE PRESS AWAY FROM PUMP

9/16"

NOZZLE #4 ON LINE

LEVEL FIELD


PICTURE #5

LINE PRESSURES ARE ADJUSTED AT
LATERAL VALVES


Dairy - milking - 300 lbs
750 - hd feeding
800 - ranging

Original in A51-07003

~~51-07003~~
51-07091 Exhibit "C" (6)
Originals in A51-07003




First placement site of transducer. No reading obtained due to interference of flow / or lack of pipe length.



Second site where transducer was spaced
A reading was obtained here.

Photos taken by [illegible]

~~51-07000~~
51-07091
Exhibit "C" (7)



5-3-94

Nozzle where pressure reading was obtained.

Originals in A51-07003

Exhibit "C" (8)

~~AS 07003~~
51-07091
Originals in 451-07003



Place of use. Sec. 15, S 1/2

6.30.93

Exhibit "C" (9)

(A) 51-07091, A51-07003, A51-0702

5-3-94

Originals in A51-07003

0427.6 MMSEC
097.46 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

05-03 11:4800 *R
+002.20 % AI2

ZERO MODE
ZERO OPR

MODE SELECT
T0 CHECK

0427.6 MMSEC
097.46 % T0

MODE SELECT
INPUT

OUTER DIAMETER
12.0476 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1531 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1520 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.681 IN U

05-03 11:5900 *R
+002.30 % AI2

MODE SELECT
T0 CHECK

0427.6 MMSEC
099.59 % T0

0429.9 MMSEC
100.13 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-03 12:0300 *R
+002.60 % AI2

MODE SELECT
T0 CHECK

0429.9 MMSEC
100.13 % T0

DAMPING SET
01 SEC

05-03 12:0600 *R
+ 3.953E 3GPM -

3.953 x 10³ = 3953.

"CHECK" SIG ABN

MM-DD HH:MM
05-03 11:00

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
1.0055 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1530 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? YES

CHANGE DATA
? PIPE

OUTER DIAMETER
12.0476 IN

CHANGE DATA
? END

SPACING
9.354 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

05-03 11:3700 *R
+001.80 % AI2

05-03 11:3900 *R
+ 3.813E 3GPM

MODE SELECT
T0 CHECK

0426.4 MMSEC
097.18 % T0

should
be
2.070
Redo

Exhibit "C" (10)

Overlap analysis for Permit 51-07091 vs.
L51-07003 and L51-07029

	NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SIST TOT.
					NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
Permit	51-07091	7S	4E	14										40							40	
				15									40	40	40	40	40	40	40	40	320	
				22					40	40	40	40	40	40	40						280	64
Bound at exam																						
		7S	4E	14										38							38	
				15									38	36	38	40	28	38	40	40	298	
				22					40	38	38	38	38	38	38						268	60
License	51-07003																					
		7S	4E	14										38							38	
				15									38			40	40	38	40	40	236	
				22					40												40	31
License	51-07029																					
		7S	4E	15									36	38							74	
				22					38	38	38	38	38	38	38						228	36
New areas 51-07091																						
		7S	4E	14										0							0	
				15									0	0	0	0	0	0	0	0	0	
				22					0	0	0	0	0	0	0						0	

T. R. S. Q/Q
P/D 75 4E 22 SENWNU
SCALE _____
PHOTO ID. AA 61

2870

7003-3

1003-2

706

2746



7003740

7C03-40

7003-40

7095-38

7041290

FOUO

44-38861-30

702935

7029-38

7029-38

38

Exhibit "C" (13)

TO: GLEN SAXTON
JULIE YARBROUGH
FROM: LINDA WERNER
DATE: MAY 9, 1994
SUBJECT: PERMIT NUMBER 51-07091
ORDER TO REMEASURE WELL CAPACITY

PLEASE BE ADVISED THAT ON 5/3/94 I REMEASURED THE ABOVE WELL PURSUANT TO THE DEPARTMENT'S ORDER DATED 10/20/93. THE MEASURED FLOW AMOUNTED TO 8.8 CFS COMPARED TO 8.0 CFS MEASURED ON 6/27/74. THE SYSTEM WAS OPERATING AT FULL CAPACITY WITH THE EXCEPTION OF TWO HANDLINES. THE METHOD OF MEASUREMENT WAS THE POLYSONIC.

I WILL CONTINUE WITH THE RECOMMENDATION OF THIS RIGHT, ALONG WITH OVERLAPPING RIGHTS 51-07003 AND 51-07029, AS SOON AS POSSIBLE. THANK YOU.

[illegible]

E. NARRATIVE/REMARKS/COMMENTS

Exhibit "C" (15)

Lands listed under place of use are covered under 51-7003 & 51-7029, from the same well. Each is licensed at 1"/acre. It is believed that the individual that applied for this permit did so because he changed irrigation system from pivot to wheelines. So he applied for this additional water to cover the corners which were missed by the pivots. The present owner is using a pivot system & has no plans to change. A51-7003 & A51-7029 will be recommended in SRBA as permissible place of use with their original acreage & flow amounts; therefore all lands irrigated are already covered at 1"/acre & this permit is unnecessary.

Have conditions of permit approval been met? ☐ yes ☐ no ☒ n/a

F. FLOW CALCULATIONS

Measured Method:

McCrometer - 8.0 cfs total capacity. Measured on 6-27-74.

Motor or pump have not been changed.

G. VOLUME CALCULATIONS

N/A

1. Volume Calculations for Irrigation:

$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

CANCELLED

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Linda Werner Date 7-7-93

Reviewer _____ Date _____

SEAL

Exhibit "C" (17)

51-01011
T7S
R4E



POD 1

MEMORANDUM

TO: Fiscal Section

FROM: M. Minicucci, Western *mm*

DATE: February 17, 1998

RE: Refund

On November 7, 1997, Mr. Grant Hegerhorst submitted four applications for transfer. After review of the applications and consultation between IDWR and the applicant, Mr. Hegerhorst decided to withdraw one of the applications for transfer (for water right nos. 51-07003, 51-07029, and 51-07091). His request is attached.

Please refund Mr. Hegerhorst for a \$100 application for transfer fee. The fee was paid under receipt no. W023224.

FEBRUARY 2, 1998

TO THE BEST OF OUR KNOWLEDGE THESE PERMITS "51-12743, 51-12744, 51-12745, 51-07055, 51-10099, 51-7003, 51-7029, 51-7091, 51-02162" HAVE BEEN IN USE."

LIST OF TRUSTEE OF WILLIAM HEGERHORST FAMILY TRUST
VALERE HEGERHORST
MARK HEGERHORST
GRANT HEGERHORST

WE THE OWNERS OF SAID PROPERTY IN TOWNSHIP 7 RANGE 4 SECTION 10
WISH TO TRANSFER WATER RIGHT FROM 51-07055 TO 51-02162.

MARK HEGERHORST Mark Hegerhorst
MARLA HEGERHORST Marla Hegerhorst
BILL HEGERHORST Bill Hegerhorst
VALERE HEGERHORST Valere Hegerhorst
GRANT HEGERHORST Grant Hegerhorst
CATHLEEN HEGERHORST Cathleen Hegerhorst

WE THE ABOVE WISH TO WITHDRAW TRANSFER APPLICATION 51-07003, 51-07029, 51-07091

Applicant will proceed w/ SRBA Transfer filed to match WR
to SRBA - NOT NECESSARY. DN
02/17/1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

07:49:44
07/01/93

PAGE: 13
QUICKLOOK INFORMATION

CLAIM NUMBER: A51-07091

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y		L. Werner					
SOURCE			6-30-93					
PLACE OF USE	Y							
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE								
PURPOSES								
PERIOD OF USE								
BASIS OF CLAIM								
REMARKS								

SEE CVR dated 11-27-95
FOR New Recommendation

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE-REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

Recommend for Disallowal
Status Code = I
S.R. = POG
Recommended as right nos. 51-7003 & 51-7029

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

☒ X

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐

Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

See A51-07003

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
POD 1	G.E.	450	DGT 40721	Hayne + Bowler	12"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

See narrative

E. NARRATIVE/REMARKS/COMMENTS

Lands listed under place of use are covered under 51-7003 & 51-7029, from the same well. Each is licensed at 1"/acre. It is believed that the individual that applied for this permit did so because he changed irrigation system from pivot to wheelines. So he applied for this additional water to cover the corners which were missed by the pivots. The present owner is using a pivot system & has no plans to change. A51-7003 & A51-7029 will be recommended in SRBA as permissible place of use with their original acreage & flow amounts; therefore all lands irrigated are already covered at 1"/acre & this permit is unnecessary.

Have conditions of permit approval been met? ☐ yes ☒ no n/A

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Macrometer - 8.0 cfs total capacity. Measured
on 6-27-74.Motor or pump have not been
changed.**G. VOLUME CALCULATIONS**

N/A

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

CANCELLED

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Linda Werner Date 7-7-93

Reviewer _____ Date _____

SEAL

51-67091

T7S

R4E

ROD 1

26