




**IDAHO DEPARTMENT
OF WATER RESOURCES**

T09S, R03W, S01 & S02

6 ACRES

 **Section Lines**

 **Place of use**

 **1/4 14 Lines**



 **POINT OF DIVERSION**

Claim(s): 55-04122

Owner(s): Bennett

Prepared by: Ron Howerton

Date: 2/5/1998




0 0.25 0.5 Miles



CLAIMS: 4122


OWNER: BENNETT

T9S R3W S1, S2



107
109

-  Ron2-pod.shp
-  Ron-pou.shp
- 09s03w.dxf
-  3
-  P09s03w.shp



**IDAHO DEPARTMENT
OF WATER RESOURCES**

T09S, R03W, S01 & S02

6 ACRES

 **Section Lines**

 **Place of use**

 **1/4 14 Lines**



 **POINT OF DIVERSION**

Claim(s): 55-04122

Owner(s): Bennett


Prepared by: Ron Howerton

Date: 2/5/1998



0 0.25 0.5 Miles





T8S

T9S

A55-04122
BENNETT


T9S
R3W
SEC 01 NWNW
SEC 02 NENE

LDWR MAP

BB-5
1979 DATE

ORTHO
PHOTO


W



09S03W


[illegible]

Photo # 1:



A55-04122 PID TO POW ON WESTSIDE
OF WICKUP CREEK. Ditch was
REAL FLAT AT PID.
DITCHES ARE ONLY A FEW FEET
APART LOCATED IN SECTION 2.

Photo # 2:



PID TO POW ON EASTSIDE OF WICKUP
CREEK. Ditch is also REAL FLAT AT PID.
MORE DEFINED DITCH WHERE MAPPING
MEASUREMENTS WERE MADE - SEE PHOTOS.

Photo's By
RDH

JUL 26 1993

Photo #3:
POLE ON WESTSIDE
OF CREEK



Photo #4:
UPSTREAM X-SEC
OF DITCH ON
WEST SIDE OF
CREEK.

Photo's By
RDH

JUL 26 1993



PHOTO #5:

DOWNSTREAM L-SEC
OF DITCH ON WEST
SIDE OF CREEK.

Photo's By
RDH

JUL 26 1993



PHOTO #6:
POW ON EASTSIDE
OF CREEK.

Photo #7:



SPRING LOCATION - NO LONGER USED FOR IRRIGATION.

Photo #8:



Stock use from spring.

Photo's By
RDH

JUL 26 1993

Photo # 9




DOMESTIC USE FROM SPRING. NEWER DOMESTIC & OLD HOME.

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A55-04122
Date Received: 12/09/1988
Receipt No: M002104
Received By: 

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GEORGE L. BENNETT 208-834-2398
Address: H C 85 BOX 271
GRAND VIEW, ID 83624

OR
Name: DONNA M. BENNETT 208-834-2398
Address: H C 85 BOX 271
GRAND VIEW, ID 83624

2. Date of Priority: MAR 15, 1918

3. Source: WICKIUP CREEK Trib. to: JOSEPHINE CREEK
SPRING WICKIUP CREEK

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
08S	03W	35	SE	SW	SE		OWYHEE
09S	03W	1			NW	5	OWYHEE

5. Description of diverting works:
DIVERSION DAM, DEVELOPED SPRING AND DITCHES

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	1.820		

7. Total Quantity Appropriated is:
1.820 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 297.5 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
08S	03W	35	SE	SE		IRR	10.0
						Section Acres	10.0
		36	SW	SW		IRR	6.0
						Section Acres	6.0
09S	03W	1	NW	NW	4	IRR	24.0
			NW	NW	5	IRR	20.0
						Section Acres	44.0
		2	NE	NE	1	IRR	15.0
			NE	NE	8	IRR	10.0
						Section Acres	25.0
						Total Acres	85.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): *George Bennett* Date: 12-9-88


Date: _____

State of Idaho)
County of Owyhee) SS.

Subscribed and sworn (or affirmed) before me this 9th day
of Dec 19 88
William Gene Gibson
Notary Public

Seal

Residing at Boise, Id
My Commission Expires 9-2-1994



Water Right Number - 55-04122

Prefix Translation: WATER RIGHT

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
BENNETT

GEORGE L.

1 - RT. B BOX 271
2 -
3 -

City- GRAND VIEW State- ID Zip- 83624
Phone -

BENNETT

DONNA M.

1 - RT. B BOX 271
2 -
3 -

City- GRAND VIEW State- ID Zip- 83624
Phone -

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - - +
03/15/1918 ✓ 14 WESTERN S - STATUTORY CLAIM ✓

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
WICKIUP CREEK ✓ JOSEPHINE CREEK ✓
SPRING ✓ WICKIUP CREEK ✓

Twn	Rng	Sec	Tract	Lot	RFlg	County	Point of Diversion	Stream Index (Blank if no Index Code)
08S	03W	35 ✓	SE SE			(73) OWYHEE		
09S	03W	1 ✓	NW NW	5		(73) OWYHEE		

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION ✓		03/15 ✓	11/15 ✓	1.820 ✓	

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
1.820 ✓

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
08S	03W	35	SE SE		10.0 ✓	01	IRRIGATION	(73) OWYHEE
08S	03W	36	SW SW		6.0 ✓	01	IRRIGATION	(73) OWYHEE
09S	03W	1	NW NW	4	24.0 ✓	01	IRRIGATION	(73) OWYHEE
09S	03W	1	NW NW	5	20.0 ✓	01	IRRIGATION	(73) OWYHEE
09S	03W	2	NE NE	1	15.0 ✓	01	IRRIGATION	(73) OWYHEE
09S	03W	2	NE NE	8	10.0 ✓	01	IRRIGATION	(73) OWYHEE

Total Acres: 85.0

+ D Diversion Means - DITCHES & FLOOD IRR.

+ N No Irrigation Use -

+ O Other Rights for Same Use -

MICROFILMED
SEP 21 1992

Water right number - 55-04122

Prefix Translation: WATER RIGHT

+ - - - - Remarks - - - - -
SOURCES ARE WICKIUP CK., TRIB JOSEPHINE CK.; SPRINGS(2) TRIB
WICKIUP CK.

+ - - - - Old Water Right Numbers - - - - -
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - -
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - -
No Comments Found

+ - - Audit Fields - 05/16/86 04/30/88 CONVERT

+ - - - - Water Rights Dates and Flags Area - - - - -

Proof Due Date - 00/00/0000	Field Exam Made - 00/00/0000	Field Exam Fee -
Approved/Denied - 00/00/0000	Protested Date - 00/00/0000	Swan Falls -
Proof Made Date - 00/00/0000	Hearing Date - 00/00/0000	Temporary Right - P
Start Work Date - 00/00/0000	Verified Date - 05/16/1986	DLE/Carey Act -
Order Show Cause - 00/00/0000	Receipt Number -	Water District -
Licensed Date - 00/00/0000	Appl Received - 00/00/0000	Transfer/Amended -
Decree Date - 00/00/0000	Microfilm Roll No -	Presumption Flag -

MICROFILMED
SEP 29 1992

RIGHT NUMBER	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	MAXIMUM DIVERSION	STAGE
A55-04122	GEORGE L. BENNETT DONNA M. BENNETT H C 85 BOX 271 GRAND VIEW ID 83624	03/15/1918	IRRIGATION	03-15 11-15	1.82 CFS	STATUTORY CLAIM

1.82 CFS TOTAL
0.00 AFA TOTAL

SOURCE: WICKIUP CREEK
SPRING
OTHER RIGHTS: NONE
CONDITIONS OF APPROVAL:

TRIBUTARY: JOSEPHINE CREEK
WICKIUP CREEK

REMARKS:

POINT OF DIVERSION:

T08S R03W S35 SESWSE
T09S S01 LOT 5 (NW)

PLACE OF USE: IRRIGATION

T08S R03W S35 SESE 10.0
S36 SWSW 6.0
T09S S01 Lot 4 (NWNW)24.0 Lot 5 (NWNW)20.0
S02 Lot 1 (NENE)15.0 Lot 8 (NENE)10.0
85.0 ACRES TOTAL

MICROFILMED
SEP 29 1992

**IDAHO DEPARTMENT
OF WATER RESOURCES**

T09S, R03W, S01 & S02

6 ACRES



☒ **Section Lines**

☐ **Place of use**

1/4 14 Lines



☐ **POINT OF DIVERSION**

Claim(s): 55-04122
Owner(s): Bennett
Prepared by: Ron Howerton
Date: 2/5/1998



CLAIMS: 4122
OWNER: BENNETT

T9S R3W S1, S2



○ Ron2-pod.shp
□ Ron-pou.shp
09s03w.dxf
3
P09s03w.shp

0 0.25 0.5 Miles

AJ0749NP
No. R55-04122

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 02/11/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE L BENNETT	04/15/1918	IRRIGATION	04-15 10-15	0.30 CFS	
C	DONNA M BENNETT					
	HC 85 BOX 271					
	GRAND VIEW ID 83624					
	(208) 834-2398					
				TOTAL DIVERSION:	0.30 CFS	

Water Source: WICKIUP CREEK

Tributary to: JOSEPHINE CREEK

Stage: BENEFICIAL USE

Point(s) of Diversion: T09S R03W S02 Lot08(NENE)

OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
09S	03W	1	:																	:	11.0
09S	03W	1	:																	:	
09S	03W	2	:	01-04																:	4.0
																				TOTAL ACRES	15.0

POU County: OWYHEE

Remarks: POD 2 POINTS OF DIVERSION LOCATED IN T09S, R03W, S02, LOT 8, NENE.

Dates: Exam Made Date: 07/26/1993 Verified Date: 02/11/1998 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 02/11/98 RHOWERTO

**IDAHO DEPARTMENT
OF WATER RESOURCES**

T09S, R03W, S01 & S02

6 ACRES

 **Section Lines**

 **Place of use**

 **1/4 14 Lines**


 **POINT OF DIVERSION**

Claim(s): 55-04122

Owner(s): Bennett

Prepared by: Ron Howerton

Date: 2/5/1998



0 0.25 0.5 Miles



IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 01/20/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE L BENNETT	04/15/1918	IRRIGATION	04-15 10-15	0.26 CFS	
C	DONNA M BENNETT					
	HC 85 BOX 271					
	GRAND VIEW ID 83624			TOTAL DIVERSION:	0.26 CFS	150
	(208) 834-2398					

Stage: BENEFICIAL USE

OWYHEE County

				NE				NW				SW				SE										
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
			:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
09S	03W	1	:					:					:					:						:	9.5	
09S	03W	1	:					:		04-02			:					:						:		
09S	03W	2	:					:		05-07			:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:					:					:						:		
			:					:																		

POU County: OWYHEE

Remarks: POD 2 POINTS OF DIVERSION LOCATED IN T09S, R03W, S02, LOT 8, NENE.

Dates: **Exam Made Date:** 07/26/1993 **Verified Date:** 01/20/1998 **Objection Filed Date:**

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 01/20/98 RHOWERTO

Pou
PER GIS
2/5/98

ADJUDICATION CLAIM CHECKLIST

NOTICE OF CLAIM NO. A55-04122

WR ELEMENT	FIELD EXAM Y/N-IF NO, DO OFFICE VERIFICATION	FIELD EXAM OR IN-OFFICE VERIFICATION WHOM/DATE	CLAIM VERIFIED BY CODE (SEE BELOW)	CHANGE CLAIM Y/N	CLAIMANT CONTACT NEEDED - Y/N**	REVIEW COMPLETED WHOM/DATE	"R" RECORD
PRIORITY*	<u>Y</u>	<u>Rdh-7-26-93</u>	<u>6</u>	<u>Y</u>	<u>N</u>		
PT. OF DIV.			<u>1,2,5</u>	<u>Y</u>	<u>1</u>		DATA ENTRY COMPLETED BY _____ DATE _____
SOURCE			<u>6</u>	<u>N</u>			
PL. OF USE			<u>1,2,5</u>	<u>Y</u>			FINAL RECOMMENDATION BY _____ DATE _____
DIV. AMOUNT CFS/AF			<u>5</u>	<u>Y</u>			
CONSUMPTIVE USE			<u>5</u>	<u>NA</u>			
NATURE OF USE			<u>6</u>	<u>N</u>			
PERIOD OF USE			<u>5</u>	<u>Y</u>			
BASIS OF CLAIM			<u>5,6</u>	<u>N</u>			
REMARKS							

*IF REQUIRED HAS EVIDENCE OF PRIORITY BEEN
SUBMITTED - YES _____ NO _____.

**IF CLAIMANT CONTACT IS NEEDED, COMPLETE
CLAIMANT CONTACT CHECKLIST AND ATTACH.

COMMENTS: 6 - SAME AS CLAIM

VERIFICATION CODES

TOPO MAP/ORTHOPHOTO = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER(SEE COMMENTS) = 6

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

14:19:22
05/22/91

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A55-04122

LAST: BENNETT
ADDRESS: H C 85 BOX 271
CITY: GRAND VIEW
PHONE NUMBER: 208-834-2398

FIRST: GEORGE L.
STATE: ID ZIP: 83624

OWNER CODE: C

LAST: BENNETT
ADDRESS: H C 85 BOX 271
CITY: GRAND VIEW
PHONE NUMBER: 208-834-2398

FIRST: DONNA M.
STATE: ID ZIP: 83624

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

CONTACT PERSON: GEORGE BENNETT

PHONE NUMBER: () 834-2398

DATE OF FIELD EXAM: 7/26/93

APPOINTMENT MADE: Y() N()

TIME: 9:00 A(X) P()

ACCOMPANIED BY: GEORGE BENNETT

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: OWNER

DIRECTIONS TO PROPERTY / REMARKS:

BOISE - GRAND VIEW - MUD FLAT ROAD

A. AJ CLAIM: # A55-04122 PRIORITY DATE: 03-15-1918 STAGE: S
B. WR RECORD: # 55-04122 PRIORITY DATE: 03-15-1918 STAGE: S

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N FIELD EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

REMARKS: SEE AFFIDAVIT, But ADVANCED PRIORITY DATE TO MATCH IRR SEASON

RECOMMENDED PRIORITY DATE:

~~03-15-1918~~
04/15

REVIEWED BY

Rch

DATE

7-28-93

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A55-04122	08S	03W	35	SE	SW	SE		OWYHEE
A55-04122	09S	03W	1			NW	5	OWYHEE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: WICKIUP CREEK
SPRING

TRIB: JOSEPHINE CREEK
WICKIUP CREEK

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
55-04122	09S	03W	1		NW	NW	5	OWYHEE
55-04122	08S	03W	35	SE	SE			OWYHEE

OTHER WR RECORDS WITH SAME WR POD
NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A55-10028 NONE

SOURCE: WICKIUP CREEK
SPRING

TRIB: JOSEPHINE CREEK
WICKIUP CREEK

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
TKH

REMARKS:

1) SPRING SOURCE IS NOT USED FOR IRRIGATION, NO-DITCHES FROM
SPRING TO POW, OVERFLOW INTO UNNAMED CHANNEL. SEE PHOTO
ALSO USED FOR DOMESTIC & STOCK.

2) PID OF FROM WICKIUP CREEK, EARTH DIVERSIONS FROM CREEK, ONLY
DIVERT IN ONE DITCH AT TIME, NOT ENOUGH WATER FOR BOTH
MEASURED WEST DITCH. DITCH DIVERSIONS ARE ABOUT 100 FEET FROM EACH
OTHER, SAME LEGAL DESCRIPTION (2-PID'S IN LOT 08, NENE SEC 2, T9S R3W)

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
<u>9S</u>	<u>3W</u>	<u>02</u>		<u>NE</u>	<u>NE</u>	<u>08</u>	<u>OWY</u>

SOURCE: WICKIUP CREEK

TRIB: JOSEPHINE CREEK


REVIEWED BY: Rch

DATE: 7-28-93


2-POINTS OF DIVERSION IN P/D.

WICKIUP CREEK SOURCE ONLY!


DAM - EARTH/ROCK IN WICKIUP CR, DITCHES, GRAVITY FLOWS



"SPRING" NO LONGER USED FOR IRRIG
CLAIMED D&S A55-10028



1.5" PIPE
80 Ft head
0.06 cfs found
per pipe flow
spread sheet
(ATTACHED)



T8S

T9S

A55-04122
BENNETT

T9S
R3W
SEC 01 NWNW
SEC 02 NENE

IDWR MAB

BB-5

1979 DATE

ORTW
PHOTO

ASCS 1988 MAP



09S03W

06 LT04	06 LT03	06 LT02	06 LT01	05 LT04	05 LT03	05 LT02	05 LT01	04 LT04	04 LT03	04 LT02	04 LT01	03 LT04	03 LT03	03 LT02	03 LT01	02 LT04	02 LT03	02 LT02	02 LT01	01 LT03	01 LT02	01 LT01
06 LT05	06 LT04	06 LT03	06 LT02	05 LT05	05 LT04	05 LT03	05 LT02	04 LT05	04 LT04	04 LT03	04 LT02	03 LT05	03 LT04	03 LT03	03 LT02	02 LT05	02 LT04	02 LT03	02 LT02	01 LT05	01 LT04	01 LT03
06 LT12	06 LT11	06 LT10	06 LT09	05 LT12	05 LT11	05 LT10	05 LT09	04 LT12	04 LT11	04 LT10	04 LT09	03 LT12	03 LT11	03 LT10	03 LT09	02 LT12	02 LT11	02 LT10	02 LT09	01 LT12	01 LT11	01 LT10
06 LT13	06 NESW	06 NWSE	06 NESE	05 NESW	05 NWSE	05 NESE	05 NESE	04 NESW	04 NWSE	04 NESE	04 NESE	03 NESW	03 NWSE	03 NESE	03 NESE	02 NESW	02 NWSE	02 NESE	02 NESE	01 NESW	01 NWSE	01 NESE
06 LT14	06 SESW	06 SWSE	06 SESE	05 SESW	05 SWSE	05 SESE	05 SESE	04 SESW	04 SWSE	04 SESE	04 SESE	03 SESW	03 SWSE	03 SESE	03 SESE	02 SESW	02 SWSE	02 SESE	02 SESE	01 SESW	01 SWSE	01 SESE
07 LT01	07 NEHW	07 NWNE	07 NEHE	06 NEHW	06 NWNE	06 NEHE	06 NEHE	05 NEHW	05 NWNE	05 NEHE	05 NEHE	04 NEHW	04 NWNE	04 NEHE	04 NEHE	03 NEHW	03 NWNE	03 NEHE	03 NEHE	02 NEHW	02 NWNE	02 NEHE
07 LT02	07 SEHW	07 SWNE	07 SEHE	06 SEHW	06 SWNE	06 SEHE	06 SEHE	05 SEHW	05 SWNE	05 SEHE	05 SEHE	04 SEHW	04 SWNE	04 SEHE	04 SEHE	03 SEHW	03 SWNE	03 SEHE	03 SEHE	02 SEHW	02 SWNE	02 SEHE
07 LT03	07 NESW	07 NWSE	07 NESE	06 NESW	06 NWSE	06 NESE	06 NESE	05 NESW	05 NWSE	05 NESE	05 NESE	04 NESW	04 NWSE	04 NESE	04 NESE	03 NESW	03 NWSE	03 NESE	03 NESE	02 NESW	02 NWSE	02 NESE
07 LT04	07 SESW	07 SWSE	07 SESE	06 SESW	06 SWSE	06 SESE	06 SESE	05 SESW	05 SWSE	05 SESE	05 SESE	04 SESW	04 SWSE	04 SESE	04 SESE	03 SESW	03 SWSE	03 SESE	03 SESE	02 SESW	02 SWSE	02 SESE
18 LT01	18 NEHW	18 NWNE	18 NEHE	17 NEHW	17 NWNE	17 NEHE	17 NEHE	16 NEHW	16 NWNE	16 NEHE	16 NEHE	15 NEHW	15 NWNE	15 NEHE	15 NEHE	14 NEHW	14 NWNE	14 NEHE	14 NEHE	13 NEHW	13 NWNE	13 NEHE
18 LT02	18 SEHW	18 SWNE	18 SEHE	17 SEHW	17 SWNE	17 SEHE	17 SEHE	16 SEHW	16 SWNE	16 SEHE	16 SEHE	15 SEHW	15 SWNE	15 SEHE	15 SEHE	14 SEHW	14 SWNE	14 SEHE	14 SEHE	13 SEHW	13 SWNE	13 SEHE
18 LT03	18 NESW	18 NWSE	18 NESE	17 NESW	17 NWSE	17 NESE	17 NESE	16 NESW	16 NWSE	16 NESE	16 NESE	15 NESW	15 NWSE	15 NESE	15 NESE	14 NESW	14 NWSE	14 NESE	14 NESE	13 NESW	13 NWSE	13 NESE
18 LT04	18 SESW	18 SWSE	18 SESE	17 SESW	17 SWSE	17 SESE	17 SESE	16 SESW	16 SWSE	16 SESE	16 SESE	15 SESW	15 SWSE	15 SESE	15 SESE	14 SESW	14 SWSE	14 SESE	14 SESE	13 SESW	13 SWSE	13 SESE
19 LT01	19 NEHW	19 NWNE	19 NEHE	20 NEHW	20 NWNE	20 NEHE	20 NEHE	21 NEHW	21 NWNE	21 NEHE	21 NEHE	22 NEHW	22 NWNE	22 NEHE	22 NEHE	23 NEHW	23 NWNE	23 NEHE	23 NEHE	24 NEHW	24 NWNE	24 NEHE
19 LT02	19 SEHW	19 SWNE	19 SEHE	20 SEHW	20 SWNE	20 SEHE	20 SEHE	21 SEHW	21 SWNE	21 SEHE	21 SEHE	22 SEHW	22 SWNE	22 SEHE	22 SEHE	23 SEHW	23 SWNE	23 SEHE	23 SEHE	24 SEHW	24 SWNE	24 SEHE
19 LT03	19 NESW	19 NWSE	19 NESE	20 NESW	20 NWSE	20 NESE	20 NESE	21 NESW	21 NWSE	21 NESE	21 NESE	22 NESW	22 NWSE	22 NESE	22 NESE	23 NESW	23 NWSE	23 NESE	23 NESE	24 NESW	24 NWSE	24 NESE
19 LT04	19 SESW	19 SWSE	19 SESE	20 SESW	20 SWSE	20 SESE	20 SESE	21 SESW	21 SWSE	21 SESE	21 SESE	22 SESW	22 SWSE	22 SESE	22 SESE	23 SESW	23 SWSE	23 SESE	23 SESE	24 SESW	24 SWSE	24 SESE
20 LT01	20 NEHW	20 NWNE	20 NEHE	21 NEHW	21 NWNE	21 NEHE	21 NEHE	22 NEHW	22 NWNE	22 NEHE	22 NEHE	23 NEHW	23 NWNE	23 NEHE	23 NEHE	24 NEHW	24 NWNE	24 NEHE	24 NEHE	25 NEHW	25 NWNE	25 NEHE
20 LT02	20 SEHW	20 SWNE	20 SEHE	21 SEHW	21 SWNE	21 SEHE	21 SEHE	22 SEHW	22 SWNE	22 SEHE	22 SEHE	23 SEHW	23 SWNE	23 SEHE	23 SEHE	24 SEHW	24 SWNE	24 SEHE	24 SEHE	25 SEHW	25 SWNE	25 SEHE
20 LT03	20 NESW	20 NWSE	20 NESE	21 NESW	21 NWSE	21 NESE	21 NESE	22 NESW	22 NWSE	22 NESE	22 NESE	23 NESW	23 NWSE	23 NESE	23 NESE	24 NESW	24 NWSE	24 NESE	24 NESE	25 NESW	25 NWSE	25 NESE
20 LT04	20 SESW	20 SWSE	20 SESE	21 SESW	21 SWSE	21 SESE	21 SESE	22 SESW	22 SWSE	22 SESE	22 SESE	23 SESW	23 SWSE	23 SESE	23 SESE	24 SESW	24 SWSE	24 SESE	24 SESE	25 SESW	25 SWSE	25 SESE
21 LT01	21 NEHW	21 NWNE	21 NEHE	22 NEHW	22 NWNE	22 NEHE	22 NEHE	23 NEHW	23 NWNE	23 NEHE	23 NEHE	24 NEHW	24 NWNE	24 NEHE	24 NEHE	25 NEHW	25 NWNE	25 NEHE	25 NEHE	26 NEHW	26 NWNE	26 NEHE
21 LT02	21 SEHW	21 SWNE	21 SEHE	22 SEHW	22 SWNE	22 SEHE	22 SEHE	23 SEHW	23 SWNE	23 SEHE	23 SEHE	24 SEHW	24 SWNE	24 SEHE	24 SEHE	25 SEHW	25 SWNE	25 SEHE	25 SEHE	26 SEHW	26 SWNE	26 SEHE
21 LT03	21 NESW	21 NWSE	21 NESE	22 NESW	22 NWSE	22 NESE	22 NESE	23 NESW	23 NWSE	23 NESE	23 NESE	24 NESW	24 NWSE	24 NESE	24 NESE	25 NESW	25 NWSE	25 NESE	25 NESE	26 NESW	26 NWSE	26 NESE
21 LT04	21 SESW	21 SWSE	21 SESE	22 SESW	22 SWSE	22 SESE	22 SESE	23 SESW	23 SWSE	23 SESE	23 SESE	24 SESW	24 SWSE	24 SESE	24 SESE	25 SESW	25 SWSE	25 SESE	25 SESE	26 SESW	26 SWSE	26 SESE

A. ROOT WATER RIGHT NUMBERS: A55-04122

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
08S	03W	35	SE	SE		BENNETT , GEORGE L.	A55-04122 /10.0	55-04122 /10.0	~~12.0~~		
			SE	SE		BENNETT , GEORGE L.	A55-10028 /	- /			
08S	03W	36	SW	SW		BENNETT , GEORGE L.	A55-04122 / 6.0	55-04122 / 6.0	~~8.0~~		
09S	03W	1	NW	NW	4	BENNETT , GEORGE L.	A55-04122 /24.0	55-04122 /24.0	~~26.0~~	2.5	
09S	03W	1	NW	NW	5	BENNETT , GEORGE L.	A55-04122 /20.0	55-04122 /20.0	~~25.0~~		
09S	03W	2	NE	NE	1	BENNETT , GEORGE L.	A55-04122 /15.0	55-04122 /15.0	~~1.0~~		
09S	03W	2	NE	NE	8	BENNETT , GEORGE L.	A55-04122 /10.0	55-04122 /10.0	~~1.0~~		
TOTAL ACRES							A55-04122	85.00	85.00	73.00	

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(X)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
Rch

PRESUMPTION FLAG:

REMARKS:

RECOMMENDATIONS:

TOTAL ACRES: 15

REVIEWED BY: Ron Havelton

DATE: 7-28-93

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A55-04122 IRRIGATION	FROM 03-15 TO 11-15	1.820 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		1.820 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
55-04122 IRRIGATION	FROM 03-15 TO 11-15	1.820 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		1.820 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	_____
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	_____
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	_____

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N(X)

RECOMMEND TO WR STANDARDS OR OTHER?

04/15 - 10/15

Y(X) N() Explain in remarks, below.

REMARKS:

NEW STANDARDS

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(X) N()

AJ TOTAL CLAIMED DIVERSION RATE: 1.820 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 1.820 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***

** If an amount smaller than the original diversion rate is **

** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y BLH

B.

FLOW MEASUREMENT

MEASUREMENT METHOD MANNING, SEE ATTACHED CALCULATIONS.

ALSO CAL ATTACHED FOR B/L CLAIM 55-10028 DES

C. ARE OTHER WATER RIGHTS USED? Y() N(X) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A55-10028	DOMESTIC	BENNETT , GEORGE L.	FROM 01-01 TO 12-31	.040 CFS	
A55-10028	STOCKWATER	BENNETT , GEORGE L.	FROM 01-01 TO 12-31	.090 CFS	

This was the Spring CLAIMED... BUT NOT USED FOR IRRIGATION.

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

(FK DATE)
Data Entered By: RON HOWERTON 07/26/1993

Project: Flow Computation for A55-10028 Domestic/Stk for George Bennett

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute the Rate of Flow

Data Table

Total Head: 80.00 feet

Pressure Req'd: 0.00 psi

Available Head: 80.00 feet

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length
30' = 130, joint length 40' = 132, joint length
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95,
old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
1.50	1400.00	80.12	
1.00	0.00	0.00	
1.00	0.00	0.00	
			80.12

Rate of Flow: 0.058 CFS

Claim No(s): A55-04122Name of Claimant: GEORGE BENNETTName of Ditch, Canal, or Stream Name: WICKIUP CREEK DITCHDate of Measurement: 07-26-93 Data Collected By: RON HOWERTONMeasurement Location: NW 1/4 NW 1/4 Section 01 T 9S R 3W

General Description and Comments

WEST DITCH (ONLY ENOUGH WATER CLAIMANTS SAY TO
DIVERT 1 DITCH AT A TIME)

Cross-section Data

Basis: High water mark (☒) Maximum capacity ()

Note: A minimum of five readings is necessary; first and last rod reading must be equal or zero.

Depth or Rod Reading	<u>UP</u>	Dist. from Initial Point	Depth or Rod Reading	<u>DOWN</u>	Dist. from Initial Point
1.	<u>0</u>	<u>0</u>	11.	<u>0</u>	<u>0</u>
2.	<u>.3</u>	<u>.5</u>	12.	<u>.25</u>	<u>.5</u>
3.	<u>.4</u>	<u>1.0</u>	13.	<u>.3</u>	<u>1.0</u>
4.	<u>.3</u>	<u>1.5</u>	14.	<u>.3</u>	<u>1.5</u>
	<u>.2</u>	<u>2.0</u>	15.	<u>.25</u>	<u>2.0</u>
6.	<u>0</u>	<u>2.5</u>	16.	<u>0</u>	<u>2.5</u>
7.			17.		
8.			18.		
9.			19.		
10.			20.		

Slope Data

Basis: High water mark (☒) Channel bottom () Land surface ()Channel length from cross section: Upstream 63 Downstream 56Total channel length used for slope measurement: 119Rod reading at engineers level: NAUpstream rod reading 4.66 - High Water Mark(if taken from channel bottom) _____ = _____Downstream rod reading 5.44 - High Water Mark(if taken from channel bottom) _____ = _____

Note: The downstream rod reading must be higher than the upstream rod reading.

Are maps and/or photos attached? Yes (☒)

MANNING'S "n" (roughness coefficient)

BASIC "n" CHANNEL MATERIAL				CHANNEL OBSTRUCTIONS			
earth	.020	X	(1)	negligible	.000	X	(1)
rock	.025		(2)	minor	.010		(2)
fine gravel	.024		(3)		.015		(3)
coarse gravel	.028		(4)	appreciable	.020		(4)
					.030		(5)
				severe	.040		(6)
					.050		(7)
					.060		(8)
SURFACE IRREGULARITY				VEGETATION			
smooth	.000	X	(1)	low	.005	X	(1)
minor	.005		(2)		.010		(2)
moderate	.010		(3)	medium	.015		(3)
severe	.020		(4)		.020		(4)
					.025		(5)
				high	.030		(6)
					.040		(7)
					.050		(8)
				very high	.060		(9)
					.075		(10)
					.100		(11)
VARIATIONS IN SIZE AND SHAPE OF CROSS-SECTION				DEGREE OF MEANDERING			
gradual	.000	Y	(1)	minor	1.00	X	(1)
occasional	.005		(2)	appreciable	1.15		(2)
frequent	.010		(3)	severe	1.30		(3)
	.015		(4)				

MANNING EQUATION CHANNEL CAPACITY RESULTS

07-27-1993

File Number: A55-04122

Claimant: GEORGE BENNETT

Channel measured: WICKIUP CREEK DITCH

Date of measurement: 07-26-93

Measurement location:

NWNW SEC 01 T9S R3W WEST DITCH

Calculation prepared by: RON HOWERTON

Comments about the measurement:

The results of the calculation are:

The length of the channel measured is 119 feet.

The upstream and downstream rod readings are 4.66 and 5.44 feet.

The channel cross section is 0.58 ft-sq.

The wetted perimeter is 2.64 feet.

The hydraulic radius is 0.22 feet.

The slope is 0.0066

The roughness coefficient is 0.0250

The flow velocity is 1.748 ft/sec.

The rate of flow is 1.01 cfs.

CROSS SECTION NUMBER 1

For File Number A55-04122 for the WICKIUP CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.30	0.30	0.50
3	0.40	0.40	1.00
4	0.30	0.30	1.50
5	0.20	0.20	2.00
6	0.00	0.00	2.50

The area for this cross section is 0.60 square feet
and the wetted perimeter is 2.65 feet.

CROSS SECTION NUMBER 2

For File Number A55-04122 for the WICKIUP CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.25	0.25	0.50
3	0.30	0.30	1.00
4	0.30	0.30	1.50
5	0.25	0.25	2.00
6	0.00	0.00	2.50

The area for this cross section is 0.55 square feet
and the wetted perimeter is 2.62 feet.

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES 15 x 0.02 CFS/ACRE = 0.3 CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

1b. CALCULATIONS

MANNING SHOWS 1.01 CFS

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 297.5 AF/A
ACRES 13 x CONSUMPTIVE VOL. AF/A FOR AREA 2.5 =
TOTAL CONSUMPTIVE USE 32.5 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A
ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =
TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	~~03-15~~ ~~11-15~~ 04/15 - 10/15	DATABASE EXAMINER ~~1.820~~ <u>.26</u>	DATABASE EXAMINER _____	DATABASE EXAMINER 297.5 <u>32.5</u>
TOTAL FOR THIS RIGHT		~~1.820~~		297.5

REVIEWED BY:

Rth

DATE:

7-28-93

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	(X)	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 55-04122

	DATABASE	EXAMINER	CFS
TOTAL DIVERSION RATE OF WR SPLITS	1.820		

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A55-04122	1.820	-		55-04122	1.820
TOTAL CFS		1.820				1.820

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE: _____

Ron Howerton

DATE: _____

7-28-93

NAME OF FIELD EXAMINER: _____

Ron Howerton

TITLE: _____

Sr WA Agent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

14:19:22
05/22/91

PAGE: 12
QUICKLOOK INFORMATION

CLAIM NUMBER: A55-04122

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE								
POINT OF DIV	Y							
SOURCE								
PLACE OF USE	Y							
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE	-							
PURPOSES								
PERIOD OF USE								
BASIS OF CLAIM								
REMARKS								

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

FIELD EXAM PHOTO INDEX NOTES

AGENT: RON HOWERTON

PHOTO DATE: 7-26-93



PHOTO #

SUBJECT


- 1 ASS-04122 P/D TO WESTSIDE OF CREEKS POW
- 2 P/D DITCH TO EASTSIDE POW
- 3 POW TO WESTSIDE OF CR
- 4 UPSTREAM X-SEC ON WESTSIDE DITCH (MANNING MEAS)
- 5 DOWNSTREAM X-SEC
- 6 POW ON EASTSIDE OF CR,
- 7 SPRING - VALVE IN CEMENT TILE 650 GAL TANK UNDERGROUND - PER OWNER
- 8 STOCK TANKS - 500 G TANK
- 9 DOMESTIC HOME
- 10 NOTES:
- 11 SPRING IS NOT USED FOR IRRIGATION
- 12 AS CLAIMED. ONLY USE IS FOR DOMESTIC
- 13 9 STE. CLAIMED BY ASS-10028
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24

MAPS AND AERIAL PHOTOGRAPHS USED TO REVIEW THIS NOTICE OF CLAIM TO A WATER RIGHT

TYPE OF MAP OR PHOTOGRAPH (CHECK IF USED)	IF USED, SUPPLY APPROPRIATE DATE AND OTHER INFORMATION	COPY INCLUDED IN FILE?
☒ ORTHOPHOTOQUAD	DATE OF PHOTO <u>1979</u> IDWR ID NO. <u>BB-5</u>	Y(☒) N(☐)
☐ TOPOGRAPHIC	DATE FIELD CHECKED _____ IDWR ID NO. _____	Y(☐) N(☐)
☐ NAPP	DATE OF PHOTO _____ IDWR ID NO. _____	Y(☐) N(☐)
☒ ASCS AERIAL PHOTO	DATE OF PHOTO <u>1988</u>	Y(☒) N(☐)
☐ ASCS COLOR SLIDE	DATE OF PHOTO _____	Y(☐) N(☐)
☐ BLM OR USFS AERIAL PHOTO	DATE OF PHOTO _____	Y(☐) N(☐)
☐ TOWNSHIP SURVEY (GOVERNMENT PLAT)	DATE OF SURVEY _____	Y(☐) N(☐)
☐ SCS SOIL SURVEY MAP	DATE ISSUED _____	Y(☐) N(☐)
☐ SUBDIVISION PLAT MAP	DATE OF MAP _____	Y(☐) N(☐)
☐ OTHER _____	DATE _____	Y(☐) N(☐)
☐ OTHER _____	DATE _____	Y(☐) N(☐)
☐ OTHER _____	DATE _____	Y(☐) N(☐)


LIST OF ATTACHMENTS (CHECK IF ATTACHED)	IF ATTACHED, SUPPLY APPROPRIATE INFORMATION	NO. OF PAGES	NOTES
☐ LICENSING FIELD EXAM	DATE OF FIELD EXAM _____	_____	_____
☐ WATER RIGHT LICENSE	DATE LICENSE SIGNED _____	_____	_____
☐ IDWR APPROVED TRANSFER	DATE TRANSFER APPROVED _____	_____	_____
☐ SYSTEM DESCRIPTION	DATE DRAWN _____	_____	_____
☒ PHOTOGRAPHS	DATE(S) PHOTOS TAKEN <u>7/26/93</u>	_____	_____
☐ SPLIT RIGHT REVIEW	DATE REVIEW COMPLETED _____	_____	_____
☐ HUBBLE ANALYSIS	DATE ANALYSIS COMPLETED _____	_____	_____
☐ CONVEYANCE LOSS ANALYSIS	DATE ANALYSIS COMPLETED _____	_____	_____
☒ FLOW MEASUREMENT CALCULATIONS	DATE SYSTEM MEASURED <u>7/26/93</u>	_____	_____
☐ OTHER _____	DATE _____	_____	_____
☐ OTHER _____	DATE _____	_____	_____

Photo # 1:



A55-04122 P/D TO POW ON WESTSIDE
OF WICKUP CREEK. DITCH WAS
REAL FLAT AT P/D.
DITCHES ARE ONLY A FEW FEET
APART LOCATED IN SECTION 2.

Photo # 2:



P/D TO POW ON EASTSIDE OF WICKUP
CREEK. DITCH IS ALSO REAL FLAT AT P/D.
MORE DEFINED DITCH WERE MAINTAINING
MEASUREMENTS WERE MADE - SEE PHOTOS.

Photo's By

RDH

JUL 26 1993




Photo #3:
POLW ON WESTSIDE
OF CREEK

Photo #4:
UPSTREAM X-SEC
OF DITCH ON
WEST SIDE OF
CREEK.

Photo's By
RDH

JUL 26 1993




PHOTO #5:

DOWNSTREAM L-SEC
OF DITCH ON WEST
SIDE OF CREEK.

Photo's By
RDH

JUL 26 1993





PHOTO #6:
POW ON EASTSIDE
OF CREEK.


JUL 26 1993

Photo #7:



SPRING LOCATION - NO LONGER USED FOR IRRIGATION.

Photo #8:



Stock USE FROM SPRING.

Photo's By
RDH

JUL 26 1993

Photo # 9



DOMESTIC USE FROM SPRING. NEWER DOMESTIC & OLD HOME.

IN THE MATTER OF)
NOTICE OF CLAIM TO)
A WATER RIGHT NO. (S))

A55-04122)
)
)
)

State of Idaho)
County of Owyhee)

AFFIDAVIT

George L. Bennett

being first duly sworn,

deposes and says: I have made a detailed search for records and people
which would reflect somelight as to the water use and dates of this water right.

All of the original people who owned or operated this property are deceased.
making it impossible to receive any affidavits from them.


My family has owned this property that has this water right on it.

At the time my family aquired this property, this water was used to irrigate
this land. I was at that time nine years old.

Since that time we have irrigated off and on, according to available
water. In the last 7 or 8 years, we have had a severe drought and have not had
any water to irrigate with.

Records at the county level are sparse but do indicate some of this ground
was taxed for irrigation as far back as 1921.

To the best of my knowledge this water right priority date and use are accurate
and should remain as they were originally filed.


(Signature)

Subscribed and sworn to before me this
day 31 of July, 1991.



(Notary Public)

SEAL

Residing at Ron Hoverton.

My Commission Expires

Residing at Boise, Idaho

My Commission Expires December 1, 1991

MICROFILMED

SEP 29 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

07-21-1993

George L Bennett
HC 85 Box 271
Grand View Id 83624

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Re: Claims A55-02116, A55-04121, A55-04122, A55-04124 & A55-04138.

Dear Mr. Bennett,

This letter follows up our telephone conversation of July 21, 1993.

STATUTORY CLAIM A55-04124: This is a surface water storage claim that requires evidence of irrigation storage and stockwater storage prior to May 20, 1971.

Therefore, before the Department can make a recommendation to the court for decree for this claim, evidence of the priority date claimed must be submitted. If we do not receive this requested information, this claim will surely be recommended for disallow due to lack of evidence supporting any priority date. I'm enclosing a brochure outlining types of evidence you may submit, and some affidavit examples of what should be on each form. Using this type format for this claim, will give the Department a clearer idea of your claimed priority date for us to consider recommending that date of priority to the court. In addition, if you write about any documents referring to your priority date in your affidavit, attach a copy of that document. This supporting evidence makes an affidavit more creditable.

Please submit the required evidence supporting the priority date by August 31, 1993, referencing all documents with the corresponding claim number.

The Field Exam to verify other items of this claim along with the rest of your claims is still scheduled for 9:00 AM July 26th, 1993 to meet at your home near Grand View. If you have any questions not covered by this letter, please contact myself or this office **ASAP**.

Sincerely,

Ron Howerton
Senior Water Agent
Adjudication Section

Enclosures: Affidavit examples, affidavit form, evidence of priority guide.

FIELD EXAM
TELEPHONE CONVERSATION MEMO

I.D. NUMBER A55-02116-4121-4122-4124-4138

NAME OF CONTACT GEORGE OR DONNA BENNETT

PHONE NO. 834-2398 ADJ. AGENT RON HOWERTON

DATE SET FOR EXAM July 26 900 AM

LOCATION MEET AT HOME, DIRECTIONS - BOISE TO INTN
HOME, THEN ROAD PAST SIMPLOTS TO GRAND VIEW,
WHERE ROAD TURNS TOWARD GRAND VIEW, TURN RIGHT
INSTEAD, GO ABOUT 1/2 MILE UP ROAD TO 2ND
BROOK HOME.

Diverting at full rates? NO

Type of measuring devices? -

Places to make measurements? -

Type of system? (pipeline, ditches) DITCHES

How many laterals are used? -

Length and size of mainline? -

Size of Motor used for each P/D? -

Estimate of depth to water? -

Pressure at well? -

Pressure at sprinkler head? -

COMMENTS DITCHES ARE EMPTY, DAM IS BROKEN DUE
TO DROUGHT.



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

May 22, 1992

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

GEORGE BENNETT
DONNA M BENNETT
HC 85 BOX 271
GRANDVIEW ID 83624

RE: Claims filed in the Snake River Basin Adjudication

CLAIM NO. A55-04122

Dear Claimants:

The Department of Water Resources will be conducting beneficial use and water right claim verification examinations in your area beginning in June. An examination is needed to verify your water use in order to issue a water right license and/or decree.

Information on your permit or claim which may need to be verified includes source of water, type of usage, amount of water used, number of acres irrigated, and legal descriptions of the point of diversion and/or place of use.

In order to expedite these field examinations, which need to be completed this summer in your area, we request that you contact our office at (208)334-2190 within two weeks to make an appointment at a time convenient for you. The amount of time required to conduct these exams depends on the number of water rights you have filed. An approximate time can be given when you call for an appointment.

Although it is not mandatory that you accompany the field examiner, it does insure that an accurate description of your system will be made. If either yourself, or someone familiar with the system, could accompany the examiner it would be appreciated.

In some cases, the date of priority claimed also needs to be verified. Letters were sent to some claimants notifying them that evidence of the date of first use of their water right(s) was required. If you received one of these letters and have questions, we can address those during our examination.

To make an appointment, or if you have any questions or problems with scheduling the exam, please contact one of the following water resource agents:

LINDA WERNER

KAY WALKER

RON HOWERTON

ROXANNE MCCARTHY

MICROFILMED
SEP 29 1992