

Idaho Department of Water Resources

Claim Number: 57-00089

Legal: T04S, R01E, S34, 35
T05S, R01E, S03

Reviewed By:


● Point of Diversion
(Located outside of view)

Place of Use

Section Lines

Quarter Quarter Lines


Township/Range Lines




1987 Napp Photo

A57. 00089 etc.

2



OCT 07 1992



1000 FEET

STEINER, SAMUEL **AST-00089** -00095-00104-00116-00120-00127-00132-00133-10749-10750

SCALE 1:24,000

MICROFILMED

OCT 07 1992

1 MILE

OLD HOMESTEAD SITE = S.3 Lot 1 NW1/4 NE1/4 NO DOMESTIC H2O USED THERE BUT IS REFERENCE POINT

TSS RIE

53

2.152

6211

58 04 02 39.66 58 07 53.02 58 08 38.94 58 09 33.03

0.05
0.215

01 635.70

80.00

MICROFILMED
OCT 07 1992

DATE OF PHOTOS 10/17/90

OWNER Samuel Steiner

CLAIM NUMBER(S) A57-00089 et al



① P/O #1

CASTLE CREEK,

View is east -
Rock & plastic checkdam
for earth ditch to
deliver water to
east side ditch.



② P/O #2

CASTLE CREEK,

view is N/NW -
headgate & earth
ditch to deliver
water to west
side ditch.

NOTE Water in
Creek is mostly
from return flows
due to wells farther
upstream.

MICROFILMED

OCT 7 1992

DATE OF PHOTOS 10/17/90 OWNER S. Steiner

CLAIM NUMBER(S) A57-00089 et al



(3) P/O Arterial
Well, A57-10749.
Well flows into ditch
in foreground that
is east side ditch
from Carthage Cr.
p/d #1.



(4) View north
of southeast end
of irrigation p/d
This is on east
side of creek.

DATE OF PHOTOS 10/17/90 OWNER S. Steiner

CLAIM NUMBER(S) A57-00089 et al




(5) Looking NE at Plu between slough & creek. This is on west side of creek.



(6) Looking NW at site of new flume that can carry water from creek pld #1 (east side ditch) to west side ditch. Water in creek is from return flows & wells upstream plus a beaver pond in this vicinity.

MICROFILMED
OCT 07 1992

PHOTO PAGE 4 OF 4
DATE OF PHOTOS 10/17/90 OWNER J. Steiner
CLAIM NUMBER(S) A57-00089 et al



⑦ Looking south
at northern
end of plot on
west side of
Creek. View is
from the "north
Road" separating
Steiner land from
King land.

MICROFILMED
OCT 07 1992

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-00089
Date Received: 2/16/1989
Receipt No: W002215
Received By: EJR

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: SAMUEL V.C. STEINER 208-834-2623
Address: HC 79 BOX 2235
OREANA, ID 83650-0000

2. Date of Priority: JUN 01, 1874

3. Source: CASTLE CREEK Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04S	01E	34	SW	SE			OWYHEE
05S	01E	3	SE	SW			OWYHEE

5. Description of diverting works:
HEADGATES TO PIPELINE TO DITCH TO FLOOD IRRIGATION

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.240		
STOCKWATER	01/01	12/31	0.070		

7. Total Quantity Appropriated is:
0.240 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/300 HEAD CATTLE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04S	01E	34	SE	NE		IRR	30.0

A57-00089

Page 1

Date: 02/16/89

MICROFILMED
OCT 07 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04S	01E	34	NE	SE		IRR	35.0
			SE	SE		IRR	30.0
						Section Acres	95.0
		35	SW	NW		IRR	30.0
			NW	SW		IRR	8.0
						Section Acres	38.0
05S	01E	3	NE	NE	1	IRR	12.0
						Section Acres	12.0
						Total Acres	145.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

57-00089, 95, 116, 120, 127, 149, 2104, 2251, 2323, AND 57-00104.

14. Remarks:

 DECREE LISTS P.O.U. AS LANDS WITHIN E1/2 SE1/4, AND SE1/4 NE1/4
 OF SECTION 34 T04S R01E; SW1/4 NW1/4, NW1/4 SW1/4, SW1/4 SW1/4 OF
 SECTION 35 T04S R01E; NE1/4 NE1/4 SECTION 3 T05S R01E; AND NW1/4
 NW1/4 SECTION 2 T05S R01E.

TRANSFER 3308 WAS USED TO ESTABLISH TWO P.O.D. ONLY AND NO CHANGE
 IN P.O.U.. P.O.U. OF TRANSFER (ITEM 8) WAS INCLUDED BY DEPARTMENT
 AS REQUIREMENT OF APPLICATION FOR TRANSFER ONLY AND WAS NOT
 INTENDED TO RESTRICT IRRIGATED ACRES TO LISTED 1/4 1/4'S.

TRANSFER 3308 SHOULD HAVE LISTED ALL DECREEED RIGHT #'S AS FOLLOWS

57-00089

57-00095

57-00104

57-00116

57-00120

57-00127

57-00149

THESE DECREES ALL USE THE P.O.D.'S LISTED IN TRANSFER.
 FINDINGS OF FACT AND CONCLUSIONS OF LAW NOT AVAILABLE. ELR.

15. Basis of Claim: DECREED

A57-00089

Page

2

Date: 02/16/89

MICROFILMED

OCT 07 1992

Case Number:
Court :
Decree date: 5/15/1923

JAMES L. DAVEY
Decree Plaintiff

vs GEORGE F. BROWN ET. AL.
Decree Defendant

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not x wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s). [Signature] Date: 2-16-89
_____ Date: _____

State of Idaho)

County of Ada)

SS.


Subscribed and sworn (or affirmed) before me this 16 day

of Feb 19 89

[Signature]
Notary Public

Residing at Box 80

My Commission Expires 07/08/1997



IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 57-00089

Date: 4-16-03

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	45	1E	34				30									35			30	95
GIS							31.9									35.9			25.9	93.7
Claim			35							30			8							38
GIS										33.7			8.7							42
Claim	55	1E	3	12																12
GIS				8.9																8.9
Claim																				
GIS																				

Number of POD's 2

Total Claimed Acres: 145

Total GIS Acres: 145

Overlapping FOU Claim #'s:

57-00104, 57-00149, 57-00095, 57-00116, 57-00120
57-00127, 57-02104

COMMENTS:

See comments in overlap 57-00104.

The POD in NWSF is different than all the other
overlapping claims and there is no creek in that
g.g. I mapped it per claim legal.

Idaho Department of Water Resources

Claim Number: 57-00089

Legal: T04S, R01E, S34, 35

T05S, R01E, S03

Reviewed By:


⊙ Point of Diversion
(Located outside of view)

☐ Place of Use


☐ Section Lines

☐ Quarter Quarter Lines

☐ Township/Range Lines



4/03



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 57-00089

1997 DEC 15 AM 10:46

DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: SAMUEL V C STEINER
HC 79 BOX 2235
OREANA ID 83650

SOURCE: CASTLE CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.24 CFS

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 04/01/1874

POINT OF DIVERSION: T05S R01E S03 SESESW Within Owyhee County
LOT 2 (SESWSE)

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	Irrigation Season	0.24 CFS
	STOCKWATER	Irrigation Season	0.07 CFS

PLACE OF USE: IRRIGATION Within Owyhee County
T04S R01E S34 SENE 30 NESE 35 SESE 30
S35 SWNW 30 NWSW 8
T05S R01E S03 Lot 1 (NENE)12
145 ACRES TOTAL

Place of use for STOCKWATER is same as IRRIGATION


USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO
THE IRRIGATION OF A COMBINED TOTAL OF 145 ACRES IN A SINGLE
IRRIGATION SEASON. COMBINED RIGHT NOS.: 57-00095, 57-00104,
57-00116, 57-00120, 57-00127, 57-00149 & 57-02104.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

AJ0749NP
No. R57-00089

OWNER CODE: C
NAME & ADDRESS: SAMUEL V C STEINER
HC 79 BOX 2235
OREANA ID 836500000
(208) 834-2623
PRIORITY DATE: 04/01/1874
WATER USE: IRRIGATION
STOCKWATER
USE PERIOD FROM TO: 04-01 10-15
DIVERSION RATE: 0.24 CFS
DIVERSION VOLUME: 0.07 CFS
TOTAL DIVERSION: 0.24 CFS

Water Source: CASTLE CREEK Tributary to: SNAKE RIVER Stage: DECREED

Point(s) of Diversion: T05S R01E S03 SESES Lot02(SENWSE) OMWHEE County

Place of use Legal Description for: IRRIGATION									
NE									
T	R	S	NE	ENE	NENE	SENE	SENE	SENE	SUM
Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
04S	01E	34	:	:	:	:	:	:	:
04S	01E	35	:	:	:	:	:	:	:
05S	01E	3	:	:	:	:	:	:	:
TOTAL ACRES									145.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

POU County: OMWHEE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
57-00089 57-00104 57-00116 57-00120 57-00127 57-00149
A57-00104 A57-00116 A57-00120 A57-00127 A57-00149 A57-02104 A57-02323

Other Water Rights Listing Overlapping Place(s) of Use:
57-00089 57-00104 57-00116 57-00120 57-00127 57-00149
A57-00089 A57-00104 A57-00116 A57-00120 A57-00127 A57-02104 A57-02323

Conditions of Approval:

- N05 - THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE SHALL NOT EXCEED 13,000 GALLONS PER DAY.
- N08 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL USE.

Remarks: POU

USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 145 ACRES IN A SINGLE IRRIGATION SEASON. COMBINED RIGHT NOS.: 57-00095, 57-00104, 57-00116, 57-00120, 57-00127, 57-00149 & 57-02104.

EXP

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION DESCRIBED ABOVE: 57-00095, 57-00104, 57-00116, 57-00120, 57-00127, 57-00149 AND 57-02104.
STOCKWATER, 300 RANGE CATTLE

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

AJ0749NP
No. R57-00089

Dates: Exam Made Date: 11/12/1997 Verified Date: 11/12/1997 Objection Filed Date:

Misc: Water District Number: 57C Field Inspection Flag:
Presumption Flag:

Comments: Date: 11/12/1997 User-ID: MSCHULTE Subject: COPIED FROM REMARKS
0.18 CFS OF RIGHT NO. 57-02104 IS LIMITED TO USE FOR
CONVEYANCE LOSSES IN DELIVERY OF RIGHT NOS. 57-00089, 57-00095,
57-00104, 57-00116, 57-00120, 57-00127, 57-00149 AND 57-02104.

Audit: 11/12/97 MSCHULTE

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-12-1997
PAGE: A-1

RIGHTS FROM: SOURCE: CASTLE CREEK TRIBUTARY: SNAKE RIVER

RIGHT NUMBER: 57-00089

NAME AND ADDRESS: SAMUEL V C STEINER
HC 79 BOX 2235
OREANA ID 83650

SOURCE: CASTLE CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.24 CFS

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIARILY
USED FOR STOCKWATER, 300 HEAD CATTLE

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 04/01/1874

POINT OF DIVERSION: T05S R01E S03 SESESW Within Owyhee County
LOT 2 (SESW)

PURPOSE AND

PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	<u>Irrigation Season</u>	0.24 CFS
		04/01 10/15	
	<u>STOCKWATER</u>	<u>Irrigation Season</u>	0.07 CFS
	<u>STOCKWATER</u>	04/01 10/15	0.07 CFS

PLACE OF USE: IRRIGATION Within Owyhee County
T04S R01E S34 SENE 30 NESE 35 SESE 30
S35 SWNW 30 NWSW 8
T05S R01E S03 Lot 1 (NENE)12
145 ACRES TOTAL

Place of use for STOCKWATER is same as IRRIGATION

Place of use for STOCKWATER is same as IRRIGATION

USE OF THIS RIGHT WITH THE RIGHTS LISTED BELOW IS LIMITED TO
THE IRRIGATION OF A COMBINED TOTAL OF 145 ACRES IN A SINGLE
IRRIGATION SEASON. COMBINED RIGHT NOS.: 57-00095, 57-00104,
57-00116, 57-00120, 57-00127, 57-00149 & 57-02104.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

NECESSARY CONTROLLING WORKS OF A TYPE ACCEPTABLE TO IDWR SHALL

57-00089 (CONT.)

BE PERMANENTLY INSTALLED AND MAINTAINED AS PART OF THE DIVERTING
WORKS.

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

0.18 CFS OF RIGHT NO. 57-02104 IS LIMITED TO USE FOR
CONVEYANCE LOSSES IN DELIVERY OF RIGHT NOS. 57-00089, 57-00095,
57-00104, 57-00116, 57-00120, 57-00127, 57-00149 AND 57-02104.
USE OF THIS RIGHT WITH RIGHT NOS. 57-00095, 57-00104, 57-00116,
57-00120, 57-00127, 57-00149 AND 57-02104 IS LIMITED TO A TOTAL
COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 307.5 AF, AND TO THE
IRRIGATION OF A COMBINED TOTAL OF 14310 ACRES IN A SINGLE
IRRIGATION SEASON.

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE: 57-00095, 57-00104, 57-00116, 57-00120,
57-00127, 57-00149 AND 57-02104.

EXPLANATORY MATERIAL: BASIS OF CLAIM - DECREE

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE: 57-00095, 57-00104, 57-00116, 57-00120
57-00127, 57-00149 AND 57-02104.

STOCKWATER, 300 RANGE CATTLE

AJ0749NP
No. R57-00089

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/12/97
PAGE: 1

OWNER CODE NAME & ADDRESS
C SAMUEL V C STEINER
HC 79 BOX 2235
OREANA ID 836500000
(208) 834-2623
PRIORITY DATE 04/01/1874
WATER USE IRRIGATION
STOCKWATER Code 70
DIVERSION RATE 0.24 CFS
DIVERSION VOLUME 0.07 CFS
TOTAL DIVERSION: 0.24 CFS

Water Source: CASTLE CREEK Tributary to: SNAKE RIVER Stage: DECREEED

Point(s) of Diversion: T05S R01E S03 SESESW Lot02(SENWSE) OMYHEE County

Place of use Legal Description for: IRRIGATION									
NE NW SW									
T	R	S	NE	NE	NE	NE	NE	NE	SUM
04S	01E	34	30	30	30	30	30	30	95.0
04S	01E	35							38.0
05S	01E	3	01-12						12.0
TOTAL ACRES									145.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

POU County: OMYHEE
Non-Irrigation Uses: STOCKWATER, 300 HEAD CATTLE
Other Rights: SEE REMARKS

Other Water Rights With Same Point(s) of Diversion with Stage (Includes All Sources):
57-00089 57-00104 57-00116 57-00120 57-00127 57-00149 57-02104 A57-00089 A57-00095
A57-00104 A57-00116 A57-00120 A57-00127 A57-00149 A57-02104 A57-02323

Other Water Rights Listing Overlapping Place(s) of Use:
57-00089 57-00095 57-00104 57-00116 57-00120 57-00127 57-00149 57-02104 57-02251 57-02323
A57-00089 A57-00095 A57-00104 A57-00116 A57-00120 A57-00127 A57-00149 A57-02104 A57-02251 A57-02323

Conditions of Approval:
Delete 002. LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO IDWR SHALL
- BE PERMANENTLY INSTALLED AND MAINTAINED AS PART OF THE DIVERTING
- WORKS.

Remarks: 0.18 CFS OF RIGHT NO. 57-02104 IS LIMITED TO USE FOR
CONVEYANCE LOSSES IN DELIVERY OF RIGHT NOS. 57-00089, 57-00095,
57-00104, 57-00116, 57-00120, 57-00127, 57-00149 AND 57-02104.
USE OF THIS RIGHT WITH RIGHT NOS. 57-00095, 57-00104, 57-00116,
57-00120, 57-00127, 57-00149 AND 57-02104 IS LIMITED TO A TOTAL
COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 507.5 AF, AND TO THE
IRRIGATION OF A COMBINED TOTAL OF 145.0 ACRES IN A SINGLE
Delete NOS + NOS
Delete
POU E14.

AJ0749NP
No. R57-00089

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/12/97
PAGE: 2

Remarks:

IRRIGATION SEASON.

THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE: 57-00095, 57-00104, 57-00116, 57-00120,
57-00127, 57-00149 AND 57-02104.

EXP

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: 57C Field Inspection Flag:
Presumption Flag:

Audit: 11/12/97 MSCHULTE

AJ5809NP
No. 57-00089

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 02/05/93
PAGE: 5

OWNER
CODE

NAME & ADDRESS

PRIORITY
DATE

WATER USE

USE PERIOD
FROM TO

DIVERSION
RATE

DIVERSION
VOLUME

C SAMUEL V C STEINER
HC 79 BOX 2235
OREANA ID 836500000
(208) 834-2623

04/01/1874

IRRIGATION
STOCKWATER

04-01 10-15
04-01 10-15

0.24 CFS
0.07 CFS
0.24 CFS

TOTAL DIVERSION:

Water Source: CASTLE CREEK

Tributary to: SNAKE RIVER

Stage: DECREED

Point(s) of Diversion:

T05S R01E S03

SESESW Lot02(SENWSE)

OWYHEE County

Place of use Legal Description for: IRRIGATION

NE

SW

T	R	S	Ac	Lt	Ac	Lt	Ac	NESE	SWSE	SESE	SESE	SESE	SUM
04S	01E	34	:	:	:	30	:	:	:	:	35	:	95.0
04S	01E	35	:	:	:	:	:	:	:	:	:	:	38.0
05S	01E	3	:	:	:	01-12	:	:	:	:	:	:	12.0
TOTAL ACRES													145.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

POU County: OWYHEE

Non-Irrigation Uses: STOCKWATER, 300 HEAD CATTLE

Other Rights: SEE REMARKS

Conditions of Approval:

- M02 - LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO IDWR SHALL
- BE PERMANENTLY INSTALLED AND MAINTAINED AS PART OF THE DIVERTING
- WORKS.

Remarks:

0.18 CFS OF RIGHT NO. 57-02104 IS LIMITED TO USE FOR
CONVEYANCE LOSSES IN DELIVERY OF RIGHT NOS. 57-00089, 57-00095,
57-00104, 57-00116, 57-00120, 57-00127, 57-00149 AND 57-02104.
USE OF THIS RIGHT WITH RIGHT NOS. 57-00095, 57-00104, 57-00116,
57-00120, 57-00127, 57-00149 AND 57-02104 IS LIMITED TO A TOTAL
COMBINED ANNUAL CONSUMPTIVE USE VOLUME OF 507.5 AF, AND TO THE
IRRIGATION OF A COMBINED TOTAL OF 145.0 ACRES IN A SINGLE
IRRIGATION SEASON.
THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE: 57-00095, 57-00104, 57-00116, 57-00120,
57-00127, 57-00149 AND 57-02104.

Dates:

Exam Made Date: 10/17/1990

Verified Date: 07/17/1992

Misc:

Water District Number: 57C

Field Inspection Flag:
Presumption Flag:

MICROFILMED
JUL 20 1994

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

AJ5809NP
No. 57-00089

Audit:	01/02/92 SHURTE	01/29/92 MCCARTHY	07/07/92 MCCARTHY	07/17/92 MCCARTHY
	07/29/92 PR-PRODM	10/13/92 CP SHAW	12/05/92 ADT-SHAW	

MICROFILMED
JUL 20 1994

AJ0749NP
No. R57-00089

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 07/17/92
PAGE: 2

Audit: 07/17/92 MCCARTHY

MICROFILMED
OCT 07 1992

13:15:35
09/02/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

CLAIM NUMBER: A57-00089

PAGE: 1
GENERAL INFORMATION

LAST: EVANS
ADDRESS: HC 79 BOX 2235
CITY: XXXXXXXXXX
PHONE NUMBER: 208-000-0000
OWNER CODE: O

FIRST: JOHN J.
STATE: ID ID ZIP: 0000000

LAST: STEINER
ADDRESS: HC 79 BOX 2235
CITY: OREANA
PHONE NUMBER: 208-834-2623

FIRST: SAMUEL V.C.
STATE: ID ID ZIP: 836500000

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE Y
FIELD EXAMINER Y

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: *****
DECREE LISTS P.O.U. AS LANDS WITHIN E1/2 SE1/4, AND SE1/4 NE1/4
OF SECTION 34 T04S R01E; SW1/4 NW1/4, NW1/4 SW1/4, SW1/4 SW1/4 OF
SECTION 35 T04S R01E; NE1/4 NE1/4 SECTION 3 T05S R01E; AND NW1/4
NW1/4 SECTION 2 T05S R01E.
TRANSFER 3308 WAS USED TO ESTABLISH TWO P.O.D. ONLY AND NO CHANGE
IN P.O.U. P.O.U. OF TRANSFER (ITEM 8) WAS INCLUDED BY DEPARTMENT
AS REQUIREMENT OF APPLICATION FOR TRANSFER ONLY AND WAS NOT
INTENDED TO RESTRICT IRRIGATED ACRES TO LISTED 1/4 1/4'S.
TRANSFER 3308 SHOULD HAVE LISTED ALL DECREEED RIGHT #'S AS FOLLOWS
57-00089
57-00095
57-00104
57-00116
57-00120
57-00127
57-00149

THESE DECREES ALL USE THE P.O.D.'S LISTED IN TRANSFER.
FINDINGS OF FACT AND CONCLUSIONS OF LAW NOT AVAILABLE. ELR.

MICROFILMED
OCT 07 1992

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: ____/____/____

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

See conversation memo attached.

MICROFILMED
OCT 07 1992

FIELD EXAM
TELEPHONE CONVERSATION MEMO

I.D. NUMBER A57-00089 etc
NAME OF CONTACT Sam Steiner
PHONE NO. 834-2623 ADJ. AGENT 82
DATE SET FOR EXAM 10/17/90 0900/0930 Wed
LOCATION Castle 4k Rd
Will see house & mailbox as go S. from Hwy 78

Diverting at full rates? _____

Type of measuring devices? _____

Places to make measurements? _____

Type of system? (pipeline, ditches) _____

How many laterals are used? _____

Length and size of mainline? _____

Size of Motor used for each P/D? _____

Estimate of depth to water? _____

Pressure at well? _____

Pressure at sprinkler head? _____

COMMENTS _____

MICROFILMED

OCT 07 1992

DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet For

SRBA Claim Verification Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Claim Verification Report(CVR)
☒ Copy of Adjudication Claim
☒ Copies of pertinent files(prev. rts., exams, etc.)
☒ Well Inspection Form (If Needed)
☒ Copy of U.S.G.S. Quad map, orthophotoquad, or NAPP photography
☒ Check P.D. & P.U. desc. for Govt. Lots(if a lot is found, a copy of the Govt. plat is needed to add the lot onto the R claim file later.)
 Check CVR for P.D. overlap(see page titled Pt. of Div. Review Sheet)
 Check AJ & WR P/D indexes(to ck. accuracy of CVR overlap ckd. above)
 Overlap ___yes ___no If yes: ___copy of claims & water rights incl?
 Type of Overlap? ___ Add acres or uses to existing system
 ___ Increase rate of flow or volume
 ___ Other: _____
 Check CVR for P.U. overlaps(see page titled Pl. of Use Review Sheet)
 Check AJ & WR P/U indexes(to ck. accuracy of CVR overlap ckd. above)
 Overlap ___yes ___no If yes: ___copy of claims & water rights incl?
 Type of Overlap? ___ Increase rate of flow or volume
 ___ Add P/D's
 ___ Increase number of acres within tracts
 ___ Different source for same acres
 ___ Other: _____
- Relinquished 5/18/87*
ABANDONED, SEE withdrawn claim

- ✓ Appointment Letter Sent? By RH 7/20/90 (initial & date)
✓ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- Fully Completed and Signed CVR Form
✓ Photographs of Point(s) of Diversion and Place of Use
✓ Completed map outlining Point(s) of Diversion and Place of Use.

C. Review and Processing:

Claim No. submitted for weekly exam completed prog. report? ☒ Yes ☐ No
Exam completed date data entered on claim _____ (initial & date)
Claim Verification Report completed _____ (initial & date)
Was CVR spot-checked by Supervisor? ☐ Yes ☐ No _____ (initial & date)
R claim file created _____ (initial & date)
Recommendations entered on R claim file _____ (initial & date)

MICROFILMED

OCT 07 1992

PRIORITY DATE REVIEW PAGE

A. AJ CLAIM: # A57-00089 PRIORITY DATE: 06-01-1874 STAGE: D
B. WR RECORD: # 57-00089 PRIORITY DATE: 06-01-1874 STAGE: D

C. FIELD EXAM REQUIRED? FIELD EXAMINER
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE EXAMINER
N N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(☒)
IF YES EXPLAIN.

REMARKS: *Priority date changed to match first day of
irrigation season.*

RECOMMENDED PRIORITY DATE:

06-01-1874

REVIEWED BY *RLP*

DATE

1-27-92

MICROFILMED

OCT 07 1992

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A57-00089	04S	01E	34		SW	SE		OWYHEE
A57-00089	05S	01E	3		SE	SW		OWYHEE

WR RECORDS IN SAME 40 ACRE TRACT

OTHER AJ CLAIMS WITH SAME AJ POD

A PREFIX R PREFIX
 A57-00149 NONE
 A57-00095
 A57-00104
 A57-00116
 A57-00120
 A57-00127
 A57-02104
 A57-02323
 57-00095
 57-00104
 57-02104
 57-02129
 57-02323

SOURCE: CASTLE CREEK

TRIB: SNAKE RIVER

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
57-00089	04S	01E	34		SW	SE		OWYHEE
57-00089	05S	01E	3		SE	SW		OWYHEE

OTHER WR RECORDS WITH SAME WR POD

A PREFIX R PREFIX
 A57-00149 NONE
 A57-00095
 A57-00104
 A57-00116
 A57-00120
 A57-00127
 A57-02104
 A57-02323
 AJ CLAIMS IN SAME 40 ACRE TRACT

SOURCE: CASTLE CREEK

TRIB: SNAKE RIVER

C. FIELD EXAM REQUIRED?

FIELD EXAMINER	DATABASE	DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)
W	Y		
W	N		

MICROFILMED
OCT 07 1992

REMARKS:

POD was not found as recorded on Transfer No. 3308.
Two POD in Section 3 as mapped (see attached map).

POD shared w/ 57-00095/00104/00116/00120/00127/00149/002104

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:		1/4	LOT	COUNTY
TWP.	RGE.	SEC.		
055	01E	3	SE	NE
			SE	SW

SOURCE: CASTLE CREEK

TRIB: SNAKE RIVER

REVIEWED BY: KMPDATE: 1-29-92

F06

MICROFILMED

OCT 07 1992

Exam 10/17/90 with Samuel Steiner. *JS*

NOTE
See AS7-02323
for additional
info for that claim

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. AS7-00089 etc. for Castle Creek gravity irrigation

Two points of diversion were found from Castle Creek.

P/D no. 1 (upstream) includes a rock & plastic checkdam for an earth ditch that runs NE on East side of creek. The ditch eventually returns to Castle Creek just North of the main house & just South of well #1 in AS7-10750.

EAST
Ditch →

South of the old homestead site in S.B NENE, a lateral from the east side ditch branches N. & crosses Castle Cr. via a new flume (pipe) & then back into a ditch running NORTH to the slough & then NE just before the slough.

P/D no. 1 can irrigate all the land on east side of creek & the land between the slough & creek on the west side of creek.

Common
West
Ditch For
King & Steiner

P/D no. 2 consists of a metal headgate & earth ditch that is shared by Gordon King (see photo # 2). The ditch runs NNE & parallels the "p/d no. 1" ditch* between creek & slough. Just past (N) the slough, the common ditch branches. Steiner's branch runs N & then NE near the N. end of field but south of road.

* the ditch that
receives flow from
east side ditch
via flume

P/D no. 2 irrigates land on the west side of the creek & NORTH of the slough.

Each P/D serves separate land.

NO storage was found (re: AS7-02323).

NO Domestic use of creek flow.

Structure = same plan irrig.

MICROFILMED

OCT 07 1992


57-02251 - ABANDONED - See withdrawn claim
AS7-00089 file.

Steiner, S.

SYSTEM DIAGRAM

AS7-00089 etc

NOT TO SCALE



MICROFILMED

OCT 07 1992

A. ROOT WATER RIGHT NUMBERS: A57-00089

B. POU LISTING

TWP RRG SEC 1/4 1/4 LOT NAME

		AJ #/ACRES		WR #/ACRES		LANDSAT DATA		FIELD EXAM.		RECOMM. ACRES	
045	01E 34	SE	NE	STEINER, SAMUEL V.C.	A57-00089 /30.0	/	40.0	30.0	30.0	30.0	
				STEINER, SAMUEL V.C.	A57-00095 /30.0	/18.0					
				STEINER, SAMUEL V.C.	A57-00104 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00116 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00120 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00127 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00149 /30.0	/					
				STEINER, SAMUEL V.C.	A57-02104 /30.0	/30.0					
				STEINER, SAMUEL V.C.	A57-02323 /30.0	/33.0					
				STEINER, CHARLES W.	A57-02251 /33.0	/					
045	01E 34	NE	SE	STEINER, SAMUEL V.C.	A57-00089 /35.0	/	37.0	35.0	35.0	35.0	
				STEINER, SAMUEL V.C.	A57-00095 /35.0	/					
				STEINER, SAMUEL V.C.	A57-00104 /35.0	/					
				STEINER, SAMUEL V.C.	A57-00116 /35.0	/					
				STEINER, SAMUEL V.C.	A57-00120 /35.0	/					
				STEINER, SAMUEL V.C.	A57-00127 /35.0	/					
				STEINER, SAMUEL V.C.	A57-00149 /35.0	/					
				STEINER, SAMUEL V.C.	A57-02104 /30.0	/30.0					
				STEINER, SAMUEL V.C.	A57-02323 /35.0	/40.0					
				STEINER, CHARLES W.	A57-02251 /40.0	/					
045	01E 34	SE	SE	STEINER, SAMUEL V.C.	A57-00089 /30.0	/	21.0	30.0	30.0	30.0	
				STEINER, SAMUEL V.C.	A57-00095 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00104 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00116 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00120 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00127 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00149 /30.0	/					
				STEINER, SAMUEL V.C.	A57-02323 /30.0	/36.0					
				STEINER, SAMUEL V.C.	A57-10750 /	/					
				STEINER, CHARLES W.	A57-02251 /36.0	/					
045	01E 35	SW	NW	STEINER, SAMUEL V.C.	A57-00089 /30.0	/	35.0	30.0	30.0	30.0	
				STEINER, SAMUEL V.C.	A57-00120 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00095 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00104 /30.0	/10.0					
				STEINER, SAMUEL V.C.	A57-00116 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00127 /30.0	/					
				STEINER, SAMUEL V.C.	A57-00149 /30.0	/					
				STEINER, SAMUEL V.C.	A57-02104 /20.0	/20.0					
				STEINER, SAMUEL V.C.	A57-02323 /30.0	/40.0					
				STEINER, CHARLES W.	A57-02251 /39.0	/					
045	01E 35	NW	SW	STEINER, SAMUEL V.C.	A57-00089 /8.0	/	5.0	8.0	8.0	8.0	
				STEINER, SAMUEL V.C.	A57-00095 /8.0	/					
				STEINER, SAMUEL V.C.	A57-00104 /8.0	/					
				STEINER, SAMUEL V.C.	A57-00116 /8.0	/					
				STEINER, SAMUEL V.C.	A57-00120 /8.0	/					

MICROFILMED
OCT 07 1992

055 01E	3	NE	NE	1	STEINER, SAMUEL V.C.	A57-00127 / 8.0	57-00127 /	12.0	12.0	12.0
					STEINER, SAMUEL V.C.	A57-00149 / 8.0	57-00149 /			
					STEINER, SAMUEL V.C.	A57-02104 / 16.0	57-02104 /	16.0		
					STEINER, SAMUEL V.C.	A57-02323 / 8.0	57-02323 /	40.0		
					STEINER, CHARLES W.		57-02251 /	20.0		
					STEINER, SAMUEL V.C.	A57-00089 / 12.0	- /			
					STEINER, SAMUEL V.C.	A57-00095 / 12.0	- /			
					STEINER, SAMUEL V.C.	A57-00104 / 12.0	- /			
					STEINER, SAMUEL V.C.	A57-00116 / 12.0	57-00116 /			
					STEINER, SAMUEL V.C.	A57-00120 / 12.0	57-00120 /			
					STEINER, SAMUEL V.C.	A57-00127 / 12.0	57-00127 /			
					STEINER, SAMUEL V.C.	A57-00149 / 12.0	57-00149 /			
					STEINER, SAMUEL V.C.	A57-02104 / 10.0	57-02104 /	10.0		
					STEINER, SAMUEL V.C.	A57-02323 / 10.0	57-02323 /	10.0		
					STEINER, SAMUEL V.C.	A57-10749 /	- /			
TOTAL ACRES					A57-00089	145.00		143.00	145.0	145.0

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()

IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

PRESUMPTION FLAG:

REMARKS:

POU found as claimed. Surface rights total 15.4"; use of POU. See attached map.

RECOMMENDATIONS:

TOTAL ACRES: 145.0

REVIEWED BY: RME

DATE: 1-27-92

TSS R1E

53

2.152

SPAL

0000 00.04 00.30

0000.00

1000000

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY		DIVERSION QUANTITY
	FROM	TO	
A57-00089 IRRIGATION	03-15	11-15	.240 CFS
A57-00089 STOCKWATER	01-01	12-31	.070 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.240 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY		DIVERSION QUANTITY
	FROM	TO	
57-00089 IRRIGATION	04-01	10-15	.240 CFS
57-00089 DOMESTIC			.240 CFS
57-00089 STOCKWATER			.240 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED			.240 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	Y	N
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	Y	N
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	Y	N

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N(☒)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N() Explain in remarks, below.

REMARKS:

Recommend SW as previously decreed.

No domestic use found from cattle track.

Stockwatering incidental to irrigation.

MICROFILMED

OCT 07 1992

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y(✓) N()

AJ TOTAL CLAIMED DIVERSION RATE: 0.240 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.240 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) N
FIELD DATABASE EXAMINER N

B. FLOW MEASUREMENT

MEASUREMENT METHOD n/a, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: 57-00089, 95, 116, 120, 127, 149, 2104, 2251, 2323, AND 57-00104.

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A57-00089	CASTLE CREEK	STEINER, SAMUEL V.C.	0.240	0.001		
A57-00095	CASTLE CREEK	STEINER, SAMUEL V.C.	0.360	0.002		
A57-00120	CASTLE CREEK	STEINER, SAMUEL V.C.	0.300	0.002		
A57-00127	CASTLE CREEK	STEINER, SAMUEL V.C.	0.400	0.002		
A57-00149	CASTLE CREEK	STEINER, SAMUEL V.C.	0.200	0.001		
A57-02104	CASTLE CREEK	STEINER, SAMUEL V.C.	1.280	0.012		
A57-02323	CASTLE CREEK	STEINER, SAMUEL V.C.	7.000	0.048		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A57-00089	STOCKWATER	STEINER, SAMUEL V.C.	FROM 01-01 TO 12-31	.070 CFS	
A57-10750	STOCKWATER	STEINER, SAMUEL V.C.	FROM 01-01 TO 12-31	.020 CFS	
A57-10750	DOMESTIC	STEINER, SAMUEL V.C.	FROM 01-01 TO 12-31	.040 CFS	
A57-10749	STOCKWATER	STEINER, SAMUEL V.C.	FROM 01-01 TO 12-31	.030 CFS	

MICROFILMED
OCT 07 1992

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1b. CALCULATIONS

1a. IRRIGATION RATE
ACRES 145.0 x 0.02 CFS/ACRE = 2.90 CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(☒)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = AF/A

ACRES 145.0 x CONSUMPTIVE VOL. AF/A FOR AREA 3.5 =

TOTAL CONSUMPTIVE USE 507.5 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(☒) N() ditch loss

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

E09

only 0.18 cfs is available from A57-02104 for conveyance loss.

DD4

MICROFILMED

OCT 07 1992

2.90
+ 0.18 conveyance
3.08 total cfs

ESTIMATING CONVEYANCE LOSS

Formula: $S = (W)(i)(0.0667)$ where: S is loss in cfs per mile
 W is the top width of the high water mark in feet
 i is the loss rate in feet per day (see Table)
 0.0667 is a factor used to convert to cfs per mile

Type of soil	Loss rate i (ft/day)
medium clay loam	0.5 to 1.5
impervious clay	0.5
medium soils	1.0
somewhat pervious soils	1.5 to 2.0
gravel	2.5 to 5.0

Worksheet: $S = (2 \text{ ft})(1.5 \text{ ft/day})(0.0667)$ assume 2 ft.

$$S = 0.20 \text{ cfs/mi}$$

Conveyance loss = $(S)(\text{length of ditch in miles})$

$$\text{Conveyance loss} = (0.20 \text{ cfs/mi})(2.25 \text{ mi})$$

$$\text{Conveyance loss} = 0.45 \text{ cfs}$$

"east" ditch 1.25 mi.
 "west" ditch 1.00 mi.
 2.25

DIVERSION AMOUNT REVIEW SHEET CONTINUED

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV RATE CFS		REC. DIV VOL. AF/A		REC. CONS. USE	
	FROM	TO	DATABASE	EXAMINER	DATABASE	EXAMINER	DATABASE	EXAMINER
<i>irrigation</i>	<i>4/1</i>	<i>10/15</i>		<i>0.24</i>				
<i>stockwater</i>	<i>4/1</i>	<i>10/15</i>		<i>0.07</i>				
TOTAL FOR THIS RIGHT				<i>0.31</i>				

REVIEWED BY: *RMC*DATE: *1-27-87*

MICROFILMED

OCT 07 1992

A. CHECK ONLY THE FOLLOWING THAT APPLY:

ACCEPTED AS CLAIMED	NEEDS REVIEW
()	()
()	()
()	()

OWNERSHIP
FORFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 57-00089

TOTAL DIVERSION RATE OF WR SPLITS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A57-00089	0.240	-	57-00089	0.240

TOTAL CFS

0.240

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

REMARKS:

No splits.

AUTHENTICATION:

SIGNATURE:

Dwayne McElroy

DATE:

7-7-92

NAME OF FIELD EXAMINER:

Steve Foster

TITLE:

Dr. J. R. McCant

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

13:15:35
09/02/90

PAGE: 13
QUICKLOOK INFORMATION

CLAIM NUMBER: A57-00089 *

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y		10/17/90	Y	4, 5, 6	RMF 10/17/90	RMF 10/17/90	RMF 10-17-90
POINT OF DIV				Y				
SOURCE				N				
PLACE OF USE				N				
DIV. AMOUNT CFS/VOLUME				N				
CONSUMPTIVE USE				Y				
PURPOSES				N				
PERIOD OF USE				Y				
BASIS OF CLAIM				N				
REMARKS				Y				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED

OCT 07 1992

*same system for 57-00095, 57-00104, 57-00116, 57-00120,
57-00124, 57-00149 and 57-02104. See file 57-00089.

DATE OF PHOTOS 10/17/90 OWNER Samuel Steiner

CLAIM NUMBER(S) A57-00089 et al



① P/O #1

CASTLE CREEK,

View is east -
Rock & plastic checkdam
for earth ditch to
deliver water to
east side ditch.



② P/O #2

CASTLE CREEK,

view is N/NW -
headgate & earth
ditch to deliver
water to west
side ditch.

NOTE Water in
creek is mostly


MICROFILMED
due to well's factor
up OCT 7 1992

DATE OF PHOTOS 10/17/90 OWNER S. Steiner

CLAIM NUMBER(S) A57-00089 et al



(3) P/O Antenna
Well, A57-10749.
Well flows into ditch
in foreground that
is east side ditch
from Carle Cr.
p/d #1.




(4) View north
of southeast end
of irrigation p/w
This is on east
side of creek.


PHOTO PAGE 3 OF 4

DATE OF PHOTOS 10/17/90 OWNER S. Steiner

CLAIM NUMBER(S) A57-00089 et al



⑤ Looking NE
at Plu between
slough & creek.
This is on west
side of creek.




⑥ Looking NW at site of
new flume that can
carry water from creek
pld #1 (east side ditch)
to west side ditch.

Water in creek is from
return flows & wells
upstream plus a beaver
pond in this vicinity.

MICROFILMED

OCT 07 1992

PHOTO PAGE 4 OF 4
DATE OF PHOTOS 10/17/90 OWNER S. Steiner
CLAIM NUMBER(S) A57-00089 et al



⑦ Looking south
at northern
end of p/u on
west side of
Creek. View is
from the "North
Road" separating
Steiner land from
King land.

MICROFILMED
OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

SAMUEL V.C. STEINER
HC 79 Box 2235
OREANA, ID 83650

Date: JUL 20 1990

RE: Permit and/or Adjudication Claim No.s A57-00089-00095-00104

-00116-00120-00127-00149-02104-02323

Dear Claimant(s):

The Department of Water Resources will be conducting beneficial use examinations and water right adjudication claim verification examinations for Owyhee County from July thru November 1990. Once the beneficial use examination or claim verification is made, your water rights will be recommended for licencing by the department or decree by Judge Hurlbutt in the Fifth District Court. The recommendations will be based on our findings in the field.

Information on your permit or claim that may need to be verified, includes source(s) of water, uses and amounts, legal descriptions of point(s) of diversion, place of use and in some cases documentation verifying the date of priority as claimed in the Snake River Basin Adjudication. Some of your claims may only need a small amount of verification if there are no changes in the manner in which they were previously documented and examined in accordance with the State's permitting, licencing and/or decree process.

Although it is not mandatory that you accompany the field examiner, should questions arise during the exam, it would be most helpful for yourself or a knowledgeable representative to be available for a short time during the field exam. This would help speed up our findings and help collect information for your rights to be recommended to the court.

A field examiner will be calling or writing you for the scheduling of this (these) field exam(s). We can either meet you at the place of use or a place of your convenience. This may be determined at the time we contact you.

If you have questions regarding this letter or prior to scheduling, please call 334-2190 and ask for either Steve Lester or Ron Howerton.

Sincerely,

Ron Howerton
Senior Water Resource Agent

cc:RH:file

MICROFILMED
OCT 07 1992