




Idaho Department of Water Resources


1987 Napp Photo

Claim Number: 57-04046
Legal: T02N, R04W, S08, 17
Reviewed By:

-  Point of Diversion
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines
-  Township/Range Lines



0 0.25 0.5 Miles



Marsing
(BM 2249)

Edson
School

Pershall Rd.

Howard Rd.

P/O #2
A57-04046 &
A57-04047

P/O #1
A57-04046 AM
(2 Pumps) A57-04047

A57-10060 P/O & P/L

A57-10061

Salmer
A57-04046
-04047
-10060
-10061

MICROFILMED

OCT 07 1992 GIVENS HOFER
MURPHY 30 MI


Salmeron

A57-04046

§ A57-04047

Diagram

not to scale



MICROFILMED
OCT 07 1992

P/O #1 can pump to 2 places.

P/O #2 can pump to cement ditch.

Buried line connects 2 cement ditches
if pumped water can go either way
from either plu.


Thus, any water can reach any area.

Ditch profiles
North ditch



Depth = 1.1'
Base = 1.0'
Side = 1.9'
Top = 3.6'

South ditch



Depth = 1.1'
Base = 1.0'
Side = 1.6'
Top = 3.25'

High water line



BERKELEY PUMPS

TYPE "B" RATING CURVES

MOTOR DRIVE


CURVE	4075
DATE	1-2-85
PAGE	1 of 1
SUPERSEDES	
All previously listed	
4075 Curves	

Case: Material C.I. Part No. H00689
Impeller: Material C.I. Part No. M03380

Mach. No. H00689
Mach. No. See Below Dia. 9" (Full)

Nominal R.P.M. 3600
Based on Fresh Water @ 80° F.
Maximum Working Pressure: 215 PSI


IMPELLER MACH. NO.		
HP	7/8" Dia.	1 1/2" Dia.
20	---	M07706
25	---	M07706
30	---	M07706
40	---	M07706
50	---	M03380



Case: Material C.I. Part No. H00689
Impeller: Material C.I. Part No. M04822

Mach. No. H03517
Mach. No. M07714 (30 HP)
M07715 (40 HP)
M07716 (50 HP)
M07717 (60 HP)

Dia. 9" (Full) Nominal R.P.M. 3600
Based on Fresh Water @ 80° F.
Maximum Working Pressure: 215 PSI



MICROFILMED
OCT 07 1992


MODEL 2-1/2W

SPEED 3600 & 1800 RPM

VARIOUS IMPELLER

60 HERTZ

CORNELL Pump
open discharge
operation



7' head →
ASSUME: Very
low head,
efficiency
decreases slightly,
pumps no more
than 490
gpm


MODEL: 2W	SINGLE VOLUME
15 HP	
20 HP	
25 HP	

MODEL: 2W	SINGLE VOLUME
15 HP	
20 HP	
25 HP	

MICROFILMED

07 1992

DATE OF PHOTOS 11/1/90 OWNER Salmeier, Glenn & Katherine
 CLAIM NUMBER(S) A57-04046 -04047 -10060 -10061



- ① P/O #1
 A57-04046 &
 04047
 with 2 pumps
 #1 = 25 hp.
 #2 = 15 hp.



- ② Looking east
 at P/O #1 &
 collection pond.
 Homestead seen in
 background
 (A57-10060)



③

P/O #2

A57-04046 &
04047

Diesel tractor used
to power this
pump.



④

Looking west
at pld #2 &
collection pond.

Pipeline is to ditch
at south end of
field (out of view).

MICROFILMED

OCT 07 1992



(5) Looking north
at Plu in
W 1/2 NG 4 S. 17.

Cement ditch is
west border of
this Plu.



(6) Looking NW
at Plu in
S. 8.

Appendix culvert in
foreground is where
water from pld #1
emerges from buried
line.

OWNER Salmeier, G. & K.

PAGE 4 OF 4



⑦ Looking SW.
at Plu in
Nwww S. 17.

A57-10061 site
is to viewer's right
but not seen in
photo.

MICROFILME
OCT 07 1992

RECEIVED

NOV 20 1990

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

Department of Water Resources
Western Regional Office

DISTRICT Caldwell RATE SCHEDULE No. 24 ACCT. No. 1331-3930-1

Connected Load: 25
20 H.P. 220 Volts 3 Phase 4 Wire
H.P. Volts Phase Wire
K.W. Volts Phase Wire

Glenn A. Salmeier Rt. #1, Marsing, Idaho
(Name) (Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 15 KW, in the form of Three phase alternating current at approximately 60 cycles per second and 220 volts, for Customer's Pumping operations, at or near Marsing, in Owyhee County, State of Idaho for a term of 10 years(s) from and after May 1, 1966, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near NE 1/4-NE 1/4 of Section 17 T. 2 N R. 4 W M. B

All payments shall be made at Company's office at Caldwell, Idaho. The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$319.00 to the Company during the term of this contract, such annual minimum to run with the land and pumping power service hereinabove referred to and to be payable by the Customer's successors or assigns as a condition of service during the term of this agreement.

Customer will advance in cash to the Company the excess cost of the extension and facilities required to supply service to the Customer, which at this time, based upon the guaranteed minimum annual payment agreed to in the above paragraph, is in the amount of \$104.00. Such cash payment is subject to adjustment or refund as provided in sections E and F of the Company's Line Extension Schedule No. 71.

Dated February 24, 1966

Attest Witness [Signature]

Attest Witness [Signature]

W.O. No. 42-372, 223

1010-2M-9-65
ACREAGE 35 Supplemental

108' New grant

Glenn A. Salmeier

Customer.

IDAHO POWER COMPANY,

By [Signature]
Division Manager

MICROFILMED
OCT 07 1992

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-04046
Date Received: 11/18/1988
Receipt No: C003459
Received By: Raf

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GLENN A. SALMEIER
Address: RT. 1
MARSING, ID 83639

Name: KATHERINE M. SALMEIER
Address: RT. 1
MARSING, ID 83639

2. Date of Priority: MAR 15, 1967

3. Source: WASTE WATER Trib. to: SINKS

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	04W	8	SE	SW			OWYHEE
		17	NE	NE			OWYHEE

5. Description of diverting works:
PUMP AND GRAVITY FLOW SYSTEM.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	1.280		
STOCKWATER	01/01	12/31	0.050		

7. Total Quantity Appropriated is:
1.330 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/200 RANGE.

A57-04046

Page 1

Date: 11/18/88

MICROFILMED
OCT 07 1992

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
02N	04W	8	SW		SW		STOCK	
			SW		SW		IRR	5.0
			SE		SW		STOCK	
			SE		SW		IRR	21.0
			SW		SE		STOCK	
			SW		SE		IRR	6.0
							Section Acres	32.0
		17	NE		NE		STOCK	
			NW		NE		STOCK	
			NW		NE		IRR	9.0
			SW		NE		STOCK	
			SW		NE		IRR	23.0
							Section Acres	32.0
							Total Acres	64.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Glenn A. Salmeris Date: 11/18/88

Date: _____

State of Idaho)
County of AOA) SS.

Subscribed and sworn (or affirmed) before me this 18th day
of NOVEMBER 19 1988
Shirley E. Lundy
Notary Public

Seal

Residing at BOISE, ID.
My Commission Expires 11/8/1994

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 57-04046

Date: 2-11-03

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	2N	4W	8											5	21			6		32
GIS														5.5	22			5.2		32.7
Claim			17		9	23														32
GIS					9.3	23														32.3
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 2

Total Claimed Acres: 64

Overlapping EOU Claim #'s:

Total GIS Acres: 65

COMMENTS:

County data indicates claimant doesn't own all of these parcels. Per claim map.

Idaho Department of Water Resources


Claim Number: 57-04046

Legal: T02N, R04W, S08, 17

Reviewed By:

1987 Napp Photo

- Point of Diversion
- Place of Use
- Section Lines
- Quarter Quarter Lines
- Township/Range Lines



0 0.25 0.5 Miles



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 57-04046

1998 FEB -9 PM 1:08

DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: GLENN A SALMEIER
KATHERINE M SALMEIER
RT 1
MARSING ID 83639

SOURCE: WASTE WATER TRIBUTARY: SINKS

QUANTITY: 1.33 CFS

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 03/15/1967

POINT OF DIVERSION: T02N R04W S08 NWSEW Within Owyhee County
S17 NWNENE

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	Irrigation Season	1.28 CFS
	STOCKWATER	01-01 12-31	0.05 CFS


PLACE OF USE:	IRRIGATION	Within Owyhee County		
	T02N R04W S08	SWSW 5	SESW 21	SWSE 6
	S17	NWNE 9	SWNE 23	
64 ACRES TOTAL				
STOCKWATER	Within Owyhee County			
	T02N R04W S08	SWSW	SESW	SWSE
	S17	NENE	NWNE	SWNE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

AJ0749NP
No. R57-04046

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/08/97
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GLENN A SALMEIER	03/15/1967	IRRIGATION	03-15 11-15	1.28 CFS	
C	KATHERINE M SALMEIER		STOCKWATER	01-01 12-31	0.05 CFS	
	RT 1					
	MARSING ID 83639			TOTAL DIVERSION:	1.33 CFS	

Water Source: WASTE WATER

Tributary to: SINKS

Stage: BENEFICIAL USE

Point(s) of Diversion:

T02N R04W S08
S17

NWSESW
NWNENE

OWYHEE County
OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	04W	8	:											05	21				06	:	32.0
02N	04W	17	:			09	23													:	32.0
																				TOTAL ACRES	64.0

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
02N	04W	8	:											S	S			S		:	
02N	04W	17	:	S		S		S												:	

POU County: OWYHEE

Other Rights: NONE

Conditions of Approval:

- G01 - THIS RIGHT REMAINS SUBJECT TO THE RIGHT OF THE ORIGINAL APPROPRIATOR, IN GOOD FAITH AND IN COMPLIANCE WITH STATE LAWS
- GOVERNING CHANGES IN USE AND/OR EXPANSION OF WATER RIGHTS, TO
- CEASE WASTING WATER, TO CHANGE THE PLACE OR MANNER OF WASTING IT,
- OR TO RECAPTURE IT.
- N05 - THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
- SHALL NOT EXCEED 13,000 GALLONS PER DAY.
- N08 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
- STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
- USE.

Remarks: EXP RIGHT NO. 57-04047 IS ALSO DIVERTED THROUGH POINTS OF
DIVERSION DESCRIBED ABOVE.
STOCKWATER, 200 RANGE CATTLE.

AJ0749NP
No. R57-04046

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 12/08/97
PAGE: 2

=====

Dates:	Exam Made Date:	Verified Date:	12/08/1997	Objection Filed Date:
--------	-----------------	----------------	------------	-----------------------

Misc:	Water District Number:	Field Inspection Flag:
		Presumption Flag:

Comments: Date: 10/15/1991 User-ID: MCCARTHY Subject: COPIED FROM REMARKS

Date: 07/14/1992 User-ID: WHITE Subject: DATA ENTRY
CHANGE MADE TO BASIS OF CLAIM AND ADDED CONDITION G01, PER LKH.

Date: 07/16/1992 User-ID: WHITE Subject: DATA ENTRY 7/16/92
DELETED REMARKS CONCERNING THE SOURCE OF THE WATER RIGHT AS WASTE
WATER DIVERTED FROM THE GEM IRRIGATION DIST.

Audit: 12/08/97 KWALKER

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: DEC-08-1997

PAGE: A-1

RIGHTS FROM: SOURCE: WASTE WATER TRIBUTARY: SINKS

RIGHT NUMBER: 57-04046

NAME AND ADDRESS: GLENN A SALMEIER
KATHERINE M SALMEIER
RT 1
MARSING ID 83639

SOURCE: WASTE WATER TRIBUTARY: SINKS

QUANTITY: 1.33 CFS

~~THE QUANTITY FOR NON/IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIARILY
USED FOR STOCKWATER, 200 HEAD~~

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 03/15/1967

POINT OF DIVERSION: T02N R04W S08 NWSEW Within Owyhee County
S17 NWNENE

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION		<u>Irrigation Season</u>	1.28 CFS
		~~03/17 11/17~~	
STOCKWATER		01-01 12-31	0.05 CFS

PLACE OF USE:	IRRIGATION	Within Owyhee County	
	T02N R04W S08	SWSW 5	SESW 21
	S17	NWNE 9	SWNE 23
	64 ACRES TOTAL		SWSE 6

STOCKWATER	Within Owyhee County	
T02N R04W S08	SWSW	SESW
S17	NENE	NWNE
		SWSE
		SWNE

CONSUMPTIVE USE: 22410 AFY

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR

57-04046 (CONT.)

STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL USE.

RIGHT NO. 57-04047 IS ALSO DIVERTED THROUGH POINTS OF DIVERSION DESCRIBED ABOVE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - BENEFICIAL USE

THIS RIGHT REMAINS SUBJECT TO THE RIGHT OF THE ORIGINAL APPROPRIATOR, IN GOOD FAITH AND IN COMPLIANCE WITH STATE LAWS GOVERNING CHANGES IN USE AND/OR EXPANSION OF WATER RIGHTS, TO CEASE WASTING WATER, TO CHANGE THE PLACE OR MANNER OF WASTING IT, OR TO RECAPTURE IT.

RIGHT NO. 57-04047 IS ALSO DIVERTED THROUGH POINTS OF DIVERSION DESCRIBED ABOVE.

STOCKWATER, 200 RANGE CATTLE.

Water Right Number - R57-04046

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - - + + - - - - Address - - - - - +

*** C - CURRENT OWNER ***
SALMEIER

GLENN A

1 - RT 1

2 -

3 -

City- MARSING

State- ID Zip- 83639

Phone - 208-000-0000

1 - RT 1

2 -

3 -

City- MARSING

State- ID Zip- 83639

Phone - 208-000-0000

VERIFIED BY *RMP 11-7-91*

SALMEIER

KATHERINE M

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
03/15/1967 14 WESTERN S - STATUTORY CLAIM+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
WASTE WATER SINKS+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)

02N 04W 8 NW SE SW (73) OWYHEE

02N 04W 17 NW NE NE (73) OWYHEE

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION

03/15

11/15

1.280

04 - STOCKWATER

01/01

12/31

0.050

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
1.330 224.0+ - - - - Place of Use - - - - - +
TwN Rng Sec Tract Lot Acres Code Description County

02N 04W 8 SW SW 5.0 01 IRRIGATION (73) OWYHEE

02N 04W 8 SE SW 21.0 01 IRRIGATION (73) OWYHEE

02N 04W 8 SW SE 6.0 01 IRRIGATION (73) OWYHEE

02N 04W 17 NW NE 9.0 01 IRRIGATION (73) OWYHEE

02N 04W 17 SW NE 23.0 01 IRRIGATION (73) OWYHEE

02N 04W 8 SW SW 04 STOCKWATER (73) OWYHEE

02N 04W 8 SE SW 04 STOCKWATER (73) OWYHEE

02N 04W 8 SW SE 04 STOCKWATER (73) OWYHEE

02N 04W 17 NE NE 04 STOCKWATER (73) OWYHEE

02N 04W 17 NW NE 04 STOCKWATER (73) OWYHEE

02N 04W 17 SW NE 04 STOCKWATER (73) OWYHEE

Total Acres: 64.0

+ - - Diversion Means - PUMP AND GRAVITY FLOW SYSTEM.

MICROFILMED
OCT 07 1992

Water right number - R57-04046

Prefix Translation: RESEARCH

+ - - Non-Irrigation Use - STOCKWATER, 200 HEAD

+ - - Other Rights for Same Use - NONE

+ - - - - - Remarks - - - - - +
THE SOURCE OF THIS RIGHT IS WASTE WATER ORIGINALLY DIVERTED BY
GEM IRRIGATION DISTRICT.
RIGHT NO. 57-04047 IS ALSO DIVERTED THROUGH POINTS OF
DIVERSION DESCRIBED ABOVE.

+ - - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - Audit Fields - 10/15/91 MCCARTHY

+ - - - - - Comments - - - - - +
Date: 10/15/1991 User Id: MCCARTHY Subject: COPIED FROM REMARKS

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing - 00/00/0000	Field Inspection Made - 11/01/1990 ✓	Civil Case Number - 39576
Objection Filed Date - 00/00/0000	Field Inspection Flag -	Old Case Number -
Response Filed Date - 00/00/0000	Verified Date - 00/00/0000	Old Judicial District -
Claim Received Date - 11/18/1988	Last Amended Date - 00/00/0000	Temporary Right - P
Proof Due Date - 00/00/0000	Proof Made Date - 00/00/0000	Water District -
Licensed Date - 00/00/0000	Receipt Number - C003459	Federal/State Indicator - S
Claims Tape Error Flg -	POU Ownership Flag - Y	Presumption Flag -
Fee Exempt Flag -	Name Connector -	Notice of Error Flag -

MICROFILMED
OCT 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

11:59:31
10/11/91

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A57-04046

LAST: SALMEIER
ADDRESS: RT. 1
CITY: MARSING
PHONE NUMBER:

FIRST: GLENN A.
STATE: ID ZIP: 83639

OWNER CODE: C

LAST: SALMEIER
ADDRESS: RT. 1
CITY: MARSING
PHONE NUMBER:

FIRST: KATHERINE M.
STATE: ID ZIP: 83639

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER
N

MICROFILMED
OCT 07 1992

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: ____/____/____

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

See attached Memo.

MICROFILMED
OCT 07 1992

FIELD EXAM
TELEPHONE CONVERSATION MEMO

I.D. NUMBER A57-04046, 04047, 10060, 10061

NAME OF CONTACT Ruthenri Salmeri

PHONE NO. 896-4267 ADJ. AGENT Steve Lester

DATE SET FOR EXAM Thurs 1:00 11/1/90

LOCATION S. of Marsing

then Marsing, go South (Hwy 55) to Edison Rd
(C 1 mi. from town), then L. on "
to gray log house (≈ 2 miles)

Diverting at full rates? _____

Type of measuring devices? _____

Places to make measurements? _____

Type of system? (pipeline, ditches) _____

How many laterals are used? _____

Length and size of mainline? _____

Size of Motor used for each P/D? _____

Estimate of depth to water? _____

Pressure at well? _____

Pressure at sprinkler head? _____

COMMENTS _____

MICROFILMED

OCT 07 1992

A. AJ CLAIM: # A57-04046 PRIORITY DATE: 03-15-1967 STAGE: S

B. WR RECORD: # 57-04046 PRIORITY DATE: 03-15-1967 STAGE: S

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(✓) N()
IF YES EXPLAIN.

REMARKS: Evidence supports this date.

RECOMMENDED PRIORITY DATE:
03-15-1967

REVIEWED BY

KMF

DATE

10-15-91

MICROFILMED
OCT 07 1992

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A57-04046	02N	04W	17		NE	NE		OWYHEE
A57-04046	02N	04W	8		SE	SW		OWYHEE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A57-04047 NONE

WR RECORDS IN SAME 40 ACRE TRACT
57-04047

SOURCE: WASTE WATER

TRIB: SINKS

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
57-04046	02N	04W	17		NE	NE		OWYHEE
57-04046	02N	04W	8		SE	SW		OWYHEE

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A57-10060 R57-10060
A57-04047

SOURCE: WASTE WATER

TRIB: SINKS

C. FIELD EXAM REQUIRED?

	DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
	Y	N	Y	
	N		N	

REMARKS:

Points of diversion on the same as 57-04047. (F05)
See maps for location of POD.

MICROFILMED

OCT 07 1992

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
<u>2N</u>	<u>4W</u>	<u>8</u>	<u>NW</u>	<u>SE</u>	<u>SW</u>	<u>---</u>	<u>Osage</u>
<u>---</u>	<u>---</u>	<u>17</u>	<u>NW</u>	<u>NE</u>	<u>NE</u>	<u>---</u>	<u>---</u>

SOURCE: WASTE WATER

TRIB: SINKS

REVIEWED BY: RTF DATE: 10-15-91

MICROFILMED
OCT 07 1992

A. ROOT WATER RIGHT NUMBERS: A57-04046

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES	
02N	04W	8	SW	SW		SALMEIER , GLENN A.	A57-04046 / 5.0	57-04046 / 5.0	39.0			
			SW	SW		SALMEIER , GLENN A.	A57-04047 / 1.0	57-04047 / 1.0				
			SW	SW		SALMEIER , GLENN A.	A57-10061 /	- /				
			SW	SW		SALMEIER , GLENN A	R57-10061 /	- /				
02N	04W	8	SE	SW		SALMEIER , GLENN A.	A57-04046 /21.0	57-04046 /21.0	34.0			
02N	04W	8	SW	SE		SALMEIER , GLENN A.	A57-04046 / 6.0	57-04046 / 6.0	42.0			
			SW	SE		GEM IRRIGATION DISTRICT	A02-00065 / 0.9	- /				
			SW	SE		GEM IRRIGATION DISTRICT	A02-00064 / 0.9	- /				
02N	04W	17	NE	NE		SALMEIER , GLENN A.	A57-04046 /	57-04046 /	39.0			
			NE	NE		SALMEIER , GLENN A.	A57-10060 /	- /				
			NE	NE		SALMEIER , GLENN A	R57-10060 /	- /				
02N	04W	17	NW	NE		SALMEIER , GLENN A.	A57-04046 / 9.0	57-04046 / 9.0	37.0			
02N	04W	17	SW	NE		SALMEIER , GLENN A.	A57-04046 /23.0	57-04046 /23.0	39.0			
02N	04W	8	SW	SW		SALMEIER , GLENN A.	A57-04046 / 5.0	57-04046 / 5.0	39.0	8.0	5.0	
			SW	SW		SALMEIER , GLENN A.	A57-04047 / 1.0	57-04047 / 1.0				
			SW	SW		SALMEIER , GLENN A.	A57-10061 /	- /				
			SW	SW		SALMEIER , GLENN A	R57-10061 /	- /				
02N	04W	8	SE	SW		SALMEIER , GLENN A.	A57-04046 /21.0	57-04046 /21.0	34.0	21.0	21.0	
02N	04W	8	SW	SE		SALMEIER , GLENN A.	A57-04046 / 6.0	57-04046 / 6.0	42.0	6.0	6.0	
			SW	SE		GEM IRRIGATION DISTRICT	A02-00065 / 0.9	- /				
			SW	SE		GEM IRRIGATION DISTRICT	A02-00064 / 0.9	- /				
02N	04W	17	NW	NE		SALMEIER , GLENN A.	A57-04046 / 9.0	57-04046 / 9.0	37.0	9.0	9.0	
02N	04W	17	SW	NE		SALMEIER , GLENN A.	A57-04046 /23.0	57-04046 /23.0	39.0	23.0	23.0	
TOTAL ACRES							A57-04046	64.00	128.00	421.00	67.0	64.0

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y(✓) N()

IF YES SEE ATTACHED SHEET:

see below

FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
Y

* 3.0 acres appear to have been put into production sometime after 1971, in violation of the mandatory permit statute. Claimant will be told of his options.

OCT 07 1992

MICROFILMED

PRESUMPTION FLAG:

REMARKS:

Acres found & mapped correspond to lands originally claimed.

These lands have no other source of water.

RECOMMENDATIONS:


TOTAL ACRES: 64.0

REVIEWED BY: RNF

DATE: 10-15-91

MICROFILMED

OCT 07 1992



Marsing
BM 2249

BM 2323

12N
R4W
S. 8
S. 17

Pershall Rd

Plot #2
A57-04046
A57-04047

collecting pond

Burned 8" pipe

Humid Rd

Burned pipe w/ valves to flood

Cement ditch

A57-10061

ROAD BM 2394

JA 10061

A57-04046
04047
10060
10061

irrig. line in yellow outline

MICROFILMED

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A57-04046 IRRIGATION	FROM 03-15 TO 11-15	1.280 CFS
A57-04046 STOCKWATER	FROM 01-01 TO 12-31	.050 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		1.330 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
57-04046 IRRIGATION	FROM 03-15 TO 11-15	1.280 CFS
57-04046 STOCKWATER	FROM 01-01 TO 12-31	.050 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		1.330 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u>N</u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u>N</u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	<u>N</u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(☒) N(☐)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N(☐) Explain in remarks, below.

REMARKS:

MICROFILMED

OCT 07 1992

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 1.330 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 1.330 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y Y

B.

FLOW MEASUREMENT

MEASUREMENT METHOD see pump curves, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(☐) N(☐) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM:

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A57-04046	WASTE WATER	SALMEIER , GLENN A.	1.330	0.020		
A57-04047	WASTE WATER	SALMEIER , GLENN A.	0.480	0.020		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A57-04046	STOCKWATER	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.050 CFS	
A57-10061	DOMESTIC	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
A57-10061	STOCKWATER	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
R57-10061	DOMESTIC	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
R57-10061	STOCKWATER	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
A57-10060	DOMESTIC	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
A57-10060	STOCKWATER	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
R57-10060	DOMESTIC	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	
R57-10060	STOCKWATER	SALMEIER , GLENN A.	FROM 01-01 TO 12-31	.040 CFS	

MICROFILMED

OCT 07 1992

Salmeia, g. i. k.

11/1/90 Exam *jl*

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. A57-04046 & A57-04047

This system consists of 2 diversion pumping plants to utilize wastewater. Since ditches are connected by buried pipe, either pld can pump to any land.

Therefore, recommend both pld's for each right. Each claim specified separate acres & should be recommended for separate acres (v. combining all acres for pld for each claim).

P/O #1 - 2 pumps & 1 collection pond
pond = 500' x 15' x 3' = .5 a.f.

Pump #1: pumps water west to ditch that begins in SWSWSE S.8.
6" intake, 8" main, pump is 8.5' from pond (equals 1 ft).

Pump: Berkeley B32PL 25 - Bm no. 3112, Ser. no. 1100V, SEE Pump curve.

max. capacity under existing system = 760 gpm.

Motor: Century Elect. model SC-2864CZ-KCZ-1A0, 3 phase, Ser. no. 7E, SPEC. no. 80064, 25 h.p.

Pump #2: pumps water SW to ditch along West side of field in W 1/2 NE 1/4 S.17.

6" intake, 6" main, pump is 7' from pond (equals 1 ft).

Pump: Cornell model 2 1/2 W15-2, Serial no. 15421; 6 9/16" see pump curve.

max. capacity under existing system = 490 gpm.

Motor: GE Elect. model SK215JN19A, No. F5, 3 phase, 3520 RPM, 15 h.p.

Combined capacity = 760 + 490 gpm = 1250 gpm = 2.785 cfs

NOTE

Combined pond volume at 2 pld's = 1.0 a.f.

.50 cfs yields 1.0 af/24 hrs.

If total rate is 04046 + 04047 = .50 cfs,

then pond volume is detail of system &

was not require storage as beneficial use.

Continued next pg.

MICROFILMED

OCT 07 1992

Salmeron, cont. p52

SYSTEM DESCRIPTION ATTACHMENT TO CLAIM VERIFICATION REPORT

CLAIM NO. 057-04046 & 04047

P/O #2

1 pump & 1 collection pond

pond = 450' x 15' x 3' = .5 a.f.

Pump - Berkeley Ser. no. 7571143, Bm no. 52188, impeller 13 1/2.

no model # or rating (gpm) tag found.

motor - powered by diesel tractor, unknown size.

no pump curve obtained, insufficient info.

8" intake & 8" mainline to cement ditch.

However - claimant: 04046 1.28 inq

.05 stake

1.33

04047 .48 inq

TOTAL 1.81 cfs

P/O #1 pump curves show up to 2.785 cfs; this is

sufficient info to recommend .02 cfs/ac for

each right utilizing either pld per right.

Stockwater Plm = irrig p/w.

Stock claimant is 04046 but not in 04047 although is an
incidental use in either right. 5/200 for each right,
total = 5/200.

Evidence of Priority - Enough info?

started 1963-4; 1966 25 hp. pump (#1 at P/O #1) operational;

1967 15 hp. pump (#2 at P/O #1) operational; 1970

total system completed.


1967 date on 04046 looks good

1970 " " 04047 looks good

MICROFILMED


061 07 1992

not to scale



P/O #1 can pump to 2 places.
 P/O #2 can pump to cement ditch.
 Burial line connects 2 cement ditches
 & pumped water can go either way
 from either plu.
 Thus, any water can reach any area

MICROFILMED
 OCT 07 1992






BERKELEY PUMPS TYPE "B" RATING CURVES MOTOR DRIVE

CURVE	0072
DATE	1-2-85
PAGE	1.01
SUPERSEDES	
All previous values	
4075 Curves	

Case: Material C.I. Part No. H00689 Mach. No. H00689
Impeller: Material C.I. Part No. M03380 Mach. No. See Below Dia. 9" (Full)


Nominal R.P.M. 3600
Based on Fresh Water @ 80° F.
Maximum Working Pressure: 215 PSI

IMPELLER MACH. NO.		
HP	2 1/8" Dia.	1 1/2" Dia.
20	---	M07706
25	---	M07706
30	---	M07707
40	---	M07706
50	---	M03380




C-5006 Based on T-3184 SUBSTITUTES C-5006 Date 5-19-71 Date 8-15-85 MODEL 83ZPL

Case: Material C.I. Part No. H00689 Mach. No. H03517 Nominal R.P.M. 3600
Impeller: Material C.I. Part No. M04822 Mach. No. M07714 (50 HP) Dia. 9" (Full)
M07715 (40 HP) Based on Fresh Water @ 80° F.
M07716 (30 HP) Maximum Working Pressure: 215 PSI
M07717 (20 HP)




C-8512 Based on T-3747 SUBSTITUTES C-8512 Date 7-25-79 Date 8-16-85 MODEL B3ZPBH

CORNELL Pump
OPEN discharge
operation



MICROFILMED



Performances shown are for close coupled electric configuration with packing. Other styles may require horsepower and/or performance adjustments.

ments.

$\approx 490 \text{ gpm}$

FT. x .305 = METERS
GPM x .227 = CUBIC METERS
PER HOUR

7' head $\rightarrow$
Assume: VGay
low head,
efficiency
decreases sharply
pumps no more
than 490
gpm

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES 64.0 x 0.02 CFS/ACRE = 1.28 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(☒)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = AF/A

ACRES 64.0 x CONSUMPTIVE VOL. AF/A FOR AREA 3.5 =

TOTAL CONSUMPTIVE USE 224.0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES _____ x DIVERSION VOL. AF/A FOR AREA _____ =

TOTAL DIVERSION VOLUME _____ AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(☒)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

Use IOWR standard for stockwater use, as claimed.

MICROFILMED
OCT 07 1992

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	03-15 11-15	DATABASE EXAMINER 1.280 <u>1.28</u>	DATABASE EXAMINER _____	DATABASE EXAMINER 0.0 <u>224.0</u>
STOCKWATER	01-01 12-31	0.050 <u>0.05</u>	_____	<u>0</u>
TOTAL FOR THIS RIGHT		1.330		

REVIEWED BY:

RMF

DATE:

10-15-91

MICROFILMED
OCT 07 1992

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	(☒)	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 57-04046

	DATABASE	EXAMINER	CFS
TOTAL DIVERSION RATE OF WR SPLITS	1.330	<u>N</u>	

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A57-04046	1.330	-		57-04046	1.330
TOTAL CFS		1.330				1.330

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE	FIELD EXAMINER
Y	<u>N/A</u>

REMARKS:

No splits.

AUTHENTICATION:

SIGNATURE: Ayanne McCarty
NAME OF FIELD EXAMINER: Steve Foster

DATE: 10-15-91
TITLE: Sr. Water Agent

OCT 07 1992

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

11:59:31
10/11/91

PAGE: 13
QUICKLOOK INFORMATION

CLAIM NUMBER: A57-04046

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y		5.L. 11-1-90		5,6	RMF 10-15-91	RMF 10-15-91	
POINT OF DIV	Y			N				
SOURCE				N				
PLACE OF USE				N				
DIV. AMOUNT CFS/VOLUME				N				
CONSUMPTIVE USE				Y				
PURPOSES				N				
PERIOD OF USE				N				
BASIS OF CLAIM				N				
REMARKS				Y				

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAEP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
OCT 07 1992

DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet For

SRBA Claim Verification Field Report

P/D - 2N 4W S. 8 SE SW
S. 17 NENE

A. Prior to Conducting the Exam, the File Contains:

- ☒ Claim Verification Report(CVR)
- ☒ Copy of Adjudication Claim
- ☒ Copies of pertinent files(prev. rts., exams, etc.)
- N/A Well Inspection Form (If Needed)
- ☒ Copy of U.S.G.S. Quad map, orthophotoquad, or NAPP photography
- ☒ Check P.D. & P.U. desc. for Govt. Lots(if a lot is found, a copy of the Govt. plat is needed to add the lot onto the R claim file later)
- ___ Check CVR for P.D. overlap(see page titled Pt. of Div. Review Sheet)
- ___ Check AJ & WR P/D indexes(to ck. accuracy of CVR overlap ckd. above)
- Overlap ___yes ___no If yes: ___copy of claims & water rights incl?
- Type of Overlap? ___ Add acres or uses to existing system
___ Increase rate of flow or volume
___ Other: _____
- ___ Check CVR for P.U. overlaps(see page titled Pl. of Use Review Sheet)
- ___ Check AJ & WR P/U indexes(to ck. accuracy of CVR overlap ckd. above)
- Overlap ___yes ___no If yes: ___copy of claims & water rights incl?
- Type of Overlap? ___ Increase rate of flow or volume
___ Add P/D's
___ Increase number of acres within tracts
___ Different source for same acres
___ Other: _____

P/D - " S. 8 S 1/2 SW
SW SES. 17 N 1/2 NE
SW NE

64 pc.

- ☒ Appointment Letter Sent? N/A (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ___ Fully Completed and Signed CVR Form
- ☒ Photographs of Point(s) of Diversion and Place of Use
- ☒ Completed map outlining Point(s) of Diversion and Place of Use

C. Review and Processing:

- Claim No. submitted for weekly exam completed prog. report? ☒ Yes ___ No
- Exam completed date data entered on claim _____ (initial & date)
- Claim Verification Report completed _____ (initial & date)
- Was CVR spot-checked by Supervisor? ___ Yes ___ No _____ (initial & date)
- R claim file created _____ (initial & date)
- Recommendations entered on R claim file _____ (initial & date)

USE MAPS, ID
PHOTOS ETC. IN
A57-04046 for
all salm. in
claims

MICROFILMED

OCT 07 1992

No other
uses this
P/D except
-04047
offer water
on p/u from
gen Irig DIST.




PHOTO PAGE 1 OF 4

DATE OF PHOTOS 11/1/90 OWNER Salmeier, Glenn & Katherine

CLAIM NUMBER(S) A57-04046 -04047 -10060 -10061



① P/O #1
A57-04046 &
04047

with 2 pumps

#1 = 25 hp.

#2 = 15 hp.



② Looking east
at P/O #1 &
collective pond.
Homerite seen in
background
(A57-10060)

MICROFILMED

OCT 07 1992

OWNER Salmeier, G. & K.

PAGE 2 OF 4



③

P/O #2

AS7-04046 &
04047

Diesel tractor used
to power this
pump.



④ Looking west
at pld #2 &
collected pond.

Pipeline is to ditch
at south end of
field (out of view).

MICROFILMED

OCT 07 1992



(5) Looking North
at Plu in
w/length 5.17.

Cement ditch is
west border of
this Plu.



(6) Looking NW
at Plu in
5.8.

upended culvert in
foreground is where
water from pld #1
emerges from buried
line.



① Looking SW.
at Plu in
NWNW S. 17.

A57-10061 site
is to viewer's right
but not seen in
photo.

MICROFILME

OCT 07 1992

Glen Schneider 1963 Depreciation

	Date	Cost	Prev. Dep	Rate	1963 Dep
Beet thinner	1956	168.00	134.40	10	16.80 ✓
1953 B M Hoise	1956	512.00	409.60	10	51.20 ✓
1953 Intl mower	1956	255.60	204.48	10	25.56 ✓
Used Intl plow	1956	165.00	132.00	10	16.50 ✓
Grainery	1955	345.00	184.00	15	23.00 ✓
Disk	1955	143.00	114.40	10	14.30 ✓
Farmhand wagon	1955	1058.50	845.80	10	105.85 ✓
~~Beet harvester~~	~~1955~~	~~1250.00~~	~~1560.00~~	~~10~~	~~125.00~~
Tank hd gates & fences	1956	191.40	133.98	10	19.14 ✓
1 Used "M" tractor	1957	1025.00	768.74	8	128.13 ✓
Pump water system	1958	176.20	88.10	10	17.62 ✓
Corrigator	1958	90.00	45.00	10	9.00 ✓
Terracer	1958	61.50	30.75	10	6.15 ✓
Harrow	1958	65.00	32.50	10	6.50 ✓
Cultimulcher	1958	405.00	202.50	10	40.50 ✓
56 Intl truck	1958	1800.00	1500.00	6	300.00 ✓
Sprayer	1958	180.00	90.00	10	18.00 ✓
Shelter pen	1958	138.10	69.05	10	13.81 ✓
Corn crib	1958	103.40	51.70	10	10.34 ✓
Hay barn	1959	453.75	121.00	15	30.25 ✓
46-Baler	1960	1675.00	628.14	8	209.38 ✓
Scraper blade	1960	175.00	52.50	10	17.50 ✓
Kovar harrow	1960	400.00	120.00	10	40.00 ✓
Used farm hand loader	1960	135.00	81.00	5	27.00 ✓
" J D combine	1960	3100.00	930.00	20	310.00 ✓
" " tractor	1960	957.50	574.50	5	191.50 ✓
" Planter, cultipacker, mower, Wagon & blower, seed, Separator					
Hayrack, siphon tubes, disk prong & cultivator	1961	3218.00	1494.05	20	574.64 ✓
1962 Ford car 3502.78 2/3 bus	1962	3502.78	563.80	6	583.80 ✓
Used E-14 Diesel tractor	1962	3420.00	1140.00	5	912.00 ✓
Hay shed	1962	1250.65	83.37	15 yr	83.37 ✓
Used pick up	1962	659.00	164.75	4	164.75 ✓
Old truck bed	1962	115.00	38.34	3	38.34 ✓
Farmhand accumulator	1962	1480.00	370.00	Digit 7 yr	312.14 ✓
Windrower "201	1962	3600.00	990.00	" " " 6/28	771.43 ✓
Old chev truck	1962	260.00	65.00	4 yr	65.00 ✓
Ditches & Headgates	1963	982.95	98.30	10 yr	98.30 ✓
1963 Diesel tractor		5144.85			
" 4 Wheel P U		2790.00			
" Pump & Pipe Line		3283.52			
" Land Leveler		825.00			
		12043.37	-7% -or 843.04	SL 10 Yr	879.17 ✓
Additional 20% 1st Year					2408.67 ✓
1963 Farm Hand Used		345.00			
" Bale Wagon "		75.00			
" Tanks "		108.00			
" Harrow "		63.50			
" Pump "		259.50			
		850.00			
Used Value 662/3%		566.66	-7% or 39.67	Adj 810.33 ✓	101.29 ✓
				SL 8 Yr	

Less 1/3 of personal Car

8645.93
-194.60

MICROFILMED

OCT 07 1992

RECEIVED

NOV 20 1990

RECEIVED

NOV 20 1990

IDAHO POWER COMPANY
ELECTRIC SERVICE AGREEMENT

Department of Water Resources
Western Regional Office

DISTRICT Caldwell RATE SCHEDULE No. 24 ACCT. No. 1331-3930-1

Connected Load:

25
20 H.P. 220 Volts 3 Phase 4 Wire
H.P. Volts Phase Wire
K.W. Volts Phase Wire

Glenn A. Salmeier
(Name)

Rt. #1, Marsing, Idaho
(Mailing Address)

herein called Customer, agrees to receive and pay for, and IDAHO POWER COMPANY, herein called Company, agrees to supply electric service to the amount of 15 KW, in the form of Three phase alternating current at approximately 60 cycles per second and 220 volts, for Customer's Pumping operations, at or near Marsing, in Owyhee County, State of Idaho for a term of 10 years(s) from and after May 1, 1966, in accordance with and subject to the Company's rules and regulations and Schedule No. 24, as now or hereafter in effect at the time of delivery of service. The point of delivery of power shall be where the Company's wires or apparatus are connected with those of the Customer at or near NE 1/4-NE 1/4 of Section 17 T. 2 N R. 4 W M. B

All payments shall be made at Company's office at Caldwell, Idaho. The Customer agrees to pay, regardless of the amount of power actually consumed, the minimum charges as provided in the rate schedule, rules and regulations applicable to service hereunder. A copy of the rate schedule and the rules and regulations as now in effect are attached hereto as part of this agreement.

In consideration of the special investment to be made by the Company in extending its lines and facilities to supply the Customer's pumping power service requirements, Customer guarantees a minimum annual payment in the amount of \$319.00 to the Company during the term of this contract, such annual minimum to run with the land and pumping power service hereinabove referred to and to be payable by the Customer's successors or assigns as a condition of service during the term of this agreement.

Customer will advance in cash to the Company the excess cost of the extension and facilities required to supply service to the Customer, which at this time, based upon the guaranteed minimum annual payment agreed to in the above paragraph, is in the amount of \$104.00. Such cash payment is subject to adjustment or refund as provided in sections E and F of the Company's Line Extension Schedule No. 71.

Dated February 24, 1966

Attest
Witness

Attest
Witness

W.O. No.

1010-2M-9-65

ACREAGE 35 Supplemental

New

108' grant

Glenn A. Salmeier

Customer.

IDAHO POWER COMPANY,

By

Division Manager

Its

MICROFILMED

OCT 07 1992

TREASURE VALLEY PIPE SUPPLY

311 Albany, P. O. Box 417, Phone 459-7531

CALDWELL, IDAHO 83605

DATE INVOICE NO. BUYERS ORDER VIA F.O.B. SHIPPED

3/10/67 1559 *any truck JB*

SOLD TO *Mr. Allen Salmer*
Warsing
Idaho

SHIP TO *as quoted for use job*

Larry Brigg - No tax

UNITS	DIA.	LENGTH	DESCRIPTION	QUANTITY	PRICE	AMOUNT
26	10"	3'	Conc R.G. Pipe including			
			with holes cut in for risers	1365		
26	8"		Conc stubby pipe	26		
16	8x5		Snow gates			
10	10x6 1/2		Snow gates			
2	10"	45°	Conc R.G. El			
1	10"		Snow gate			
2	10"		Waterman Sure Seal gates			
1	24"	4'	Corrug Pipe Box			
1	10x10		Conc R.G. Tee			
<i>all above per quotation</i>						<i>\$ 1600.00</i>

THIS IS YOUR INVOICE—PLEASE PAY TO ABOVE ADDRESS
TERMS: Net due 10th of month following purchase.
8% per annum on overdue accounts.

See page 2

Paid 1000.00 6/6/67

RECEIVED
NOV 20 1990

THANK YOU

Department of Water Resources
Western Regional Office
CORRUGATED STEEL PIPE

CONCRETE IRRIGATION — DRAIN — SEWER — CULVERT PIPE
CONCRETE RUBBER GASKET PIPE

IRRIGATION FILMED
MICROFILMED
OCT 07 1992

TREASURE VALLEY PIPE SUPPLY

311 Albany, P. O. Box 417, Phone 459-7531

CALDWELL, IDAHO 83605

DATE INVOICE NO. BUYERS ORDER VIA F.O.B. SHIPPED

~~8559~~ 8559-Page 2

SOLD TO

SHIP TO

UNITS	DIA.	LENGTH	DESCRIPTION	QUANTITY	PRICE	AMOUNT
<i>Following items added to job:</i>						
	10"		Conc R. G. Pipe ^{3 per} _{of holes}	30'	1.06	31.80
3			10 x 6 1/2" Square gates	3	6.07	18.21
3	8"		Conc B&S Stub Pipe	3	—	—
3			Sap Cement	3	1.60	4.80
			Total This Page			54.81
			Total Page #1			1600.00
			Total Job			1654.81
			Customer Paid in advance			1000.00
			Net Balance			654.81

THIS IS YOUR INVOICE—PLEASE PAY TO ABOVE ADDRESS

TERMS: Net due 10th of month following purchase.

8% per annum on overdue accounts.

RECEIVED

NOV 20 1990

THANK YOU

*Paid 54.81 Glen
6/3-20-67*

Department of Water Resources
Western Regional Office

CONCRETE IRRIGATION — DRAIN — SEWER — CULVERT PIPE

CORRUGATED STEEL PIPE CONCRETE RUBBER GASKET PIPE

MICROFILMED
KALAMATION GATES

OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

October 12, 1990
A57-04046
GLENN A. SALMEIER
RT. 1

RE: Claim No(s): A57-04046

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

MARSING

ID 83639

Dear Claimant(s):

In the past, you submitted the above referenced claim(s) in the Snake River Basin Adjudication. Enclosed is a computer generated print-out of the claim(s) for your reference only; this print-out is NOT to be returned or re-filed. You have indicated when this claim was filed that the water right(s) was based on "Beneficial Use" of the water. Water rights of this type are established by the historical use of water for a beneficial purpose, dating back to the time the water was first used, this date being the "Priority Date" as shown on the enclosed print-out. Your claim(s) has not been confirmed by a previous filing with the Department of Water Resources since there is no license, decree or permit on file to verify the use of this water. For this reason, the Department is under a legal requirement to gather evidence from claimants supporting the date of first use, or "Priority Date", for claims based on historical beneficial use of water.

Enclosed is a pamphlet entitled "Evidence of Priority" which describes the types of evidence required and explains what kind of documents will fulfill this requirement. While we encourage you to read the entire pamphlet, we would like to direct your attention to the right-hand half of this pamphlet once you open it. There you will find information concerning the evidence requirements mentioned above. The other sections describe to you why this evidence is necessary.

If no evidence is submitted, or we do not hear from you within the time limit below, your priority date, as claimed, cannot be recommended to the Court for decree. This could jeopardize your water use under this right(s), if water availability problems arise in the future. It is our goal to decree the historical water rights within the Snake River Basin as accurately as possible. Field exams to verify other items of the above claim(s) have been or soon will be conducted by Department personnel.

Please submit the required evidence supporting the priority date(s) by December 1, 1990, referencing all documents with the corresponding claim number(s). If you have any questions not covered by this letter or the enclosed pamphlet, please contact a water resource agent in this office.

Sincerely,

Jan Shurte
Water Rights Supervisor
Adjudication Section

JS:lh
Enclosures

MICROFILMED
OCT 07 1992