

Idaho Department of Water Resources



1987 Napp Photo


Claim Number: 57-07117

Legal: T05S, R03E, S33

T06S, R03E, S04

Reviewed By:

-  Point of Diversion
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines
-  Township/Range Lines



0 0.25 0.5 0.75 1 Miles

OVERLAP

FX, FOUND
ACRES

ARTESIAN

A57-07117

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
	55	3E	33									20			36	20	24			100	
	65	3E	4					37	33	39	40									149	249

EX, FOUND
ACRES

20 MILE
A57-04088

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
	55	3E	33															34		34	
	65	3E	4					29	5											34	68

(CLAIMED)

ARTESIAN

A57-07117

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
	55	3E	33									33			22	13	36	22		126	
	65	3E	4					30	32	39	22									123	249

(CLAIMED)

20 Mi
A57-04088

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
	55	3E	33															32		32	
	65	3E	4					34	32	40	34									140	172

MICROFILMED

OCT 07 1992

TOTAL ACRES FOUND:


A57-07117 ... 249

A57-04088 ... 68

317

317 - (OVERLAP = 58) =

259 TOTAL



R3E

A57-07117

T5S
T6S

REDIVERSION
SWSWSE SECTION 33

REDIVERSION &
POINT OF INJECTION
SENEW NW
SECTION 4

MICROFILMED

OCT 07 1992

NWNW


GOV'T LOTS

NE

NW

MICROFILMED
OCT 07 1992

Township No 6 South, Range No 3 East of the



MICROFILMED
OCT 07 1992

PICTURE # 1

A57-07117. This is a picture of the point of diversion. The artesian is boosted by a 100 house powered pump.



8/24/90
Rch

PICTURE # 2

This is part of the POU in section 33.



8/24/90
Rch

MICROFILMED

OCT 07 1992

PICTURE # 3

A57-07117. This is a picture of the reservoir that was put in 1986.



8/24/90
Rdh

MICROFILMED
OCT 07 1992

COATED PIPE

U.S.
GOV'T.

82.9 CRP 1987-1996

CRP-1987-1996

4 D-CP 1987-1996 44.6



SWSW NW
SEC. 4
T6S R3E

37.8

799
T 805

LIC ARTESIAN 7107

~~COVERED BY STATE CLAIMS~~

Storage X26

APPL. NEEDED

4384

6

T5S
T6S

T. 5 S.
T. 6 S.


75.65

R 3E

SECTIONS 33 & 4

POD

SW SW NW



MICROFILMED 2728

OCT 07 1992 VABM^Δ 2732

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07117
Date Received: 12/06/1988
Receipt No: CM002058
Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: HAROLD A. SIMPER 208-834-2498
Address: P.O. BOX 367
GRAND VIEW, ID 83624

OR

Name: MERRILAN M. SIMPER 208-834-2498
Address: P.O. BOX 367
GRAND VIEW, ID 83624

2. Date of Priority: APR 12, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
06S	03E	4	SW	SW	NW		OWYHEE

5. Description of diverting works:
WELL, PUMPS & GRAVITY FLOW.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/01	11/01	4.880		
STOCKWATER	01/01	12/31	0.050		

7. Total Quantity Appropriated is:
4.880 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 871.5 Acre Feet Per Annum.

9. Non-irrigation uses:
S/200 RANGE.

A57-07117

Page 1

Date: 12/06/88

MICROFILMED
OCT 07 1992

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	03E	33	NE	SW		IRR	33.0
			SE	SW		IRR	22.0
			NE	SE		IRR	13.0
			NW	SE		IRR	36.0
			SW	SE		IRR	22.0
						Section Acres	126.0
06S	03E	4	NE	NW		IRR	30.0
			NW	NW		IRR	32.0
			SW	NW		IRR	39.0
			SE	NW		IRR	22.0
						Section Acres	123.0
						Total Acres	249.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A57-04088

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): P. Harold A. Langer Date: 26 Dec 88
Date: _____

State of Idaho)
County of Owyhee) SS.

Subscribed and sworn (or affirmed) before me this 6th day
of Dec 19 88 M. P. S. S. S.
Notary Public

Seal

Residing at BOISE, ID
My Commission Expires 7-2-1994

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 57-07117

Date: 3-13-03

	TNS	RNG	SEC	NE				NW				SW				SE				SUM
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	5S	3E	33									20			36		20	24		100
GIS												20			35.7		20	33.1		108.8
Claim	6S	3E	4					-3	-4											
GIS								37	33	39	40									149
								41	37.3	39.3	39.2									158.8
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 4

Total Claimed Acres: 249

Overlapping FOU Claim #'s:

57-04088

Total GIS Acres: 267.6

COMMENTS:

Per overlapping claim + claim map.

Idaho Department of Water Resources

1987 Napp Photo


Claim Number: 57-07117

Legal: T05S, R03E, S33

T06S, R03E, S04

Reviewed By:

-  Point of Diversion
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines
-  Township/Range Lines



0 0.25 0.5 0.75 1 Miles

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 57-07117

1997 DEC 15 AM 10:57
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: HAROLD A SIMPER
MERRILAN M SIMPER
PO BOX 367
GRAND VIEW ID 83624

SOURCE: GROUNDWATER

QUANTITY: 4.88 CFS
1165.5 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.
USE OF THIS RIGHT WITH RIGHT NO. 57-04088 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 5.18 CFS.

PRIORITY DATE: 04/12/1974

POINT OF DIVERSION: T06S R03E S04 SWSWNW Within OWYHEE County
LOT 4 (SENWNW) (INJECTION)
T05S R03E S33 SWSWSE (REDIVERSION)
T06S R03E S04 LOT 4 (SENWNW) (REDIVERSION)

POINT OF INJECTION INTO TWENTY MILE CREEK.
POINT OF REDIVERSION FROM TWENTY MILE CREEK.

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	IRRIGATION	Irrigation Season	4.88 CFS
	STOCKWATER	01-01 12-31	1165.5 AFY 0.05 CFS

PLACE OF USE:	IRRIGATION	Within OWYHEE County		
	T05S R03E S33	NESW 20	SESW 36	NWSE 20
	T06S R03E S04	Lot 3 (NENW)37	Lot 4 (NWNW)33	SWSE 24
	249 ACRES TOTAL			SENW 40

Place of use for STOCKWATER is same as IRRIGATION


USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 259 ACRES IN A SINGLE
IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.



DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HAROLD A SIMPER	04/12/1974	IRRIGATION	03-15 11-15	4.88 CFS	1165.50 AFA
C	MERRILAN M SIMPER		STOCKWATER	01-01 12-31	0.05 CFS	
	PO BOX 367					
	GRAND VIEW ID 83624					
	(208) 834-2498					
TOTAL DIVERSION:					4.88 CFS	1165.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R03E S04 SWSWNW
Point(s) of Injection: T06S R03E S04 Lot04(SENWNW)
Point(s) of Re-diversion: T05S R03E S33 SWSWSE
T06S R03E S04 Lot04(SENWNW)

OWYHEE County
OWYHEE County
OWYHEE County
OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
				NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	
05S	03E	33	:					:					:	20			36	:	20	24				:	100.0	
06S	03E	4	:					:	03-37	04-33	39	40	:					:						:	149.0	
																							TOTAL ACRES	249.0		

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

POU County: OWYHEE

Conditions of Approval:

- C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO SECTION 42-1425, IDAHO CODE.
- N05 - THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE SHALL NOT EXCEED 13,000 GALLONS PER DAY.
- N08 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL USE.

Remarks: QNT USE OF THIS RIGHT WITH RIGHT NO. 57-04088 IS LIMITED TO A TOTAL COMBINED DIVERSION RATE OF 5.18 CFS.

POD POINT OF INJECTION INTO TWENTY MILE CREEK.
POINT OF REDIVERSION FROM TWENTY MILE CREEK.

POU USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 259 ACRES IN A SINGLE IRRIGATION SEASON.

EXP STOCKWATER, 200 RANGE CATTLE
WATER TEMPERATURE MEASURED AT 118 DEGREES F.

AJ0749NP
No. R57-07117

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/10/97
PAGE: 2

Remarks: WATER IS LOW TEMPERATURE GEOTHERMAL WATER.
THE AMOUNT OF WATER DIVERTED FROM TWENTY MILE CREEK SHALL BE
REDUCED WHEN NECESSARY TO PREVENT INJURY TO APPROPRIATOR'S OF
WATER FROM TWENTY MILE CREEK BELOW EITHER POINTS OF REDIVERSION.

Dates: Exam Made Date: Verified Date: 11/10/1997 Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

Comments: Date: 11/26/1991 User-ID: HOWERTON Subject: CHANGE IN PLACE OF USE
MR. SIMPER SAID THAT THE CHANGES IN PLACE OF USE OCCURED IN 1980,
THIS IS WHEN HE CONVERTED FROM HAND LINES (SPRINKLERS) TO GRAVITY
FLOWS.
THE RESERVOIR WAS PUT IN IN 1986, NEW LANDS IN ADDITION WERE
IRRIGATED, HOWEVER, NO APPLICATION WAS FILED ON THESE NEW LANDS.
NOW AN APPLICATION HAS BEEN FILED FOR THE EXTRA LANDS PENDING
APPROVAL.

Audit: 11/10/97 RHOWERTO

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-10-1997

PAGE: A-1

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 57-07117

NAME AND ADDRESS: HAROLD A SIMPER
MERRILAN M SIMPER
PO BOX 367
GRAND VIEW ID 83624

SOURCE: GROUNDWATER

QUANTITY: 4.88 CFS
1165.5 AFY

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIALLY
USED FOR STOCKWATER, 200 HEAD CATTLE

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE
SHALL NOT EXCEED 13,000 GALLONS PER DAY.

USE OF THIS RIGHT WITH RIGHT NO. 57-04088 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 5.18 CFS.

PRIORITY DATE: 04/12/1974

POINT OF DIVERSION: T05S R03E S33 SWSWE (R) Within Owyhee County
T06S R03E S04 LOT 4 (SENWNW) (R)
LOT 4 (SENWNW) (I)
SWSWNW

POINT OF INJECTION INTO TWENTY MILE CREEK.

POINT OF REDIVERSION FROM TWENTY MILE CREEK.

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION	<u>Irrigation Season</u>	4.88 CFS
	<u>03/18 11/18</u>	1165.5 AFY
STOCKWATER	01-01 12-31	0.05 CFS

PLACE OF USE:

IRRIGATION	Within Owyhee County
T05S R03E S33	NESW 20 SESW 36 NWSE 20 SWSE 24
T06S R03E S04	Lot 3 (NENW)37 Lot 4 (NWNW)33 SWNW 39 SENW 40
249 ACRES TOTAL	

Place of use for STOCKWATER is same as IRRIGATION

USE OF THIS RIGHT WITH RIGHTS LISTED ABOVE IS LIMITED TO THE

57-07117 (CONT.)

IRRIGATION OF A COMBINED TOTAL OF 259 ACRES IN A SINGLE
IRRIGATION SEASON.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL
USE.

USE OF THIS RIGHT WITH RIGHT NO. 37104088 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 3.18 CFS; A TOTAL COMBINED
ANNUAL CONSUMPTIVE USE VOLUME OF 906,347 AND TO THE IRRIGATION OF
A COMBINED TOTAL OF 259 ACRES IN A SINGLE IRRIGATION SEASON;
POINT OF INJECTION INTO TWENTY MILE CREEK;
POINT OF REDIVERSION FROM TWENTY MILE CREEK;
WATER TEMPERATURE MEASURED AT 118 DEGREES F;
THE AMOUNT OF WATER DIVERTED FROM TWENTY MILE CREEK SHALL BE
REDUCED WHEN NECESSARY TO PREVENT INJURY TO APPROPRIATORS OF
WATER FROM TWENTY MILE CREEK BELOW EITHER POINTS OF REDIVERSION.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE

RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
SECTION 42-1425, IDAHO CODE.

STOCKWATER, 200 RANGE CATTLE

WATER TEMPERATURE MEASURED AT 118 DEGREES F.

WATER IS LOW TEMPERATURE GEOTHERMAL WATER.

THE AMOUNT OF WATER DIVERTED FROM TWENTY MILE CREEK SHALL BE
REDUCED WHEN NECESSARY TO PREVENT INJURY TO APPROPRIATOR'S OF
WATER FROM TWENTY MILE CREEK BELOW EITHER POINTS OF REDIVERSION.

OWYHEE County
OWYHEE County
OWYHEE County
OWYHEE County

EXP 005
→ 007

ADD CONDITIONS: NO 5
NO 8

AJ0749NP
No. R57-07117

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/10/97
PAGE: 2

Remarks: THE AMOUNT OF WATER DIVERTED FROM TWENTY MILE CREEK SHALL BE
REDUCED WHEN NECESSARY TO PREVENT INJURY TO APPROPRIATOR'S OF
WATER FROM TWENTY MILE CREEK BELOW EITHER POINTS OF REDIVERSION.

EXP

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

Comments: Date: 11/26/1991 User-ID: HOWERTON Subject: CHANGE IN PLACE OF USE
MR. SIMPER SAID THAT THE CHANGES IN PLACE OF USE OCCURED IN 1980,
THIS IS WHEN HE CONVERTED FROM HAND LINES (SPRINKLERS) TO GRAVITY
FLOWS.
THE RESERVOIR WAS PUT IN IN 1986, NEW LANDS IN ADDITION WERE
IRRIGATED, HOWEVER, NO APPLICATION WAS FILED ON THESE NEW LANDS.
NOW AN APPLICATION HAS BEEN FILED FOR THE EXTRA LANDS PENDING
APPROVAL.

Audit: 11/10/97 RHOWERTO

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HAROLD A SIMPER	04/12/1974	IRRIGATION	03-15 11-15	4.88 CFS	1165.5 AFA
C	MERRILAN M SIMPER		STOCKWATER	01-01 12-31	0.05 CFS	
	PO BOX 367					
	GRAND VIEW ID 83624					
	(208) 834-2498					
			TOTAL DIVERSION:		4.88 CFS	1165.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T06S R03E S04 SWSWNW
Point(s) of Injection: T06S R03E S04 Lot 4(SENWNW)
Point(s) of Re-diversion: T05S R03E S33 SWSWSE
T06S R03E S04 Lot 4(SENWNW)

OWYHEE County
OWYHEE County
OWYHEE County
OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
05S	03E	33	:																	:	100.0
06S	03E	4	:																	:	149.0
																				TOTAL ACRES	249.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

POU County: OWYHEE

Non-Irrigation Uses: STOCKWATER, 200 HEAD CATTLE

Other Rights: SEE REMARKS

Other Water Rights with Same Point(s) of Diversion and Source:
A57-07117

Other Water Rights Listing Overlapping Place(s) of use:
A57-04088 A57-07117 R57-04088

Conditions of Approval:

C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- IDAHO CODE 42-1416A.

Remarks: USE OF THIS RIGHT WITH RIGHT NO. 57-04088 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 5.18 CFS, A TOTAL COMBINED
ANNUAL CONSUMPTIVE USE VOLUME OF 906.5AF AND TO THE IRRIGATION OF
A COMBINED TOTAL OF 259 ACRES IN A SINGLE IRRIGATION SEASON.
POINT OF INJECTION INTO TWENTY MILE CREEK.
POINT OF REDIVERSION FROM TWENTY MILE CREEK.
WATER TEMPERATURE MEASURED AT 118 DEGREES F.
THE AMOUNT OF WATER DIVERTED FROM TWENTY MILE CREEK SHALL BE
REDUCED WHEN NECESSARY TO PREVENT INJURY TO APPROPRIATOR'S OF

MICROFILMED
OCT 07 1992

Remarks: WATER FROM TWENTY MILE CREEK BELOW EITHER POINTS OF REDIVERSION.

Dates: Exam Made Date: 08/24/1990 Verified Date: 07/14/1992

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

Comments: Date: 11/26/1991 User-ID: HOWERTON Subject: CHANGE IN PLACE OF USE
MR. SIMPER SAID THAT THE CHANGES IN PLACE OF USE OCCURED IN 1980,
THIS IS WHEN HE CONVERTED FROM HAND LINES (SPRINKLERS) TO GRAVITY
FLOWS.
THE RESERVOIR WAS PUT IN IN 1986, NEW LANDS IN ADDITION WERE
IRRIGATED, HOWEVER, NO APPLICATION WAS FILED ON THESE NEW LANDS.
NOW AN APPLICATION HAS BEEN FILED FOR THE EXTRA LANDS PENDING
APPROVAL.

Audit: 07/14/92 HOWERTON

MICROFILMED
OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 28, 1991

Harold and Merrilan Simper
PO Box 367
Grand View, Id. 83624

Re: Application for Permit

Dear Applicants:

Your 8/15/90 application for permit for the hot well and water from Twentymile Gulch (locally known as Twentymile Creek) has been held for one year due to complications related to the Snake River Basin Adjudication (SRBA) and to the Bruneau-Grand View Ground Water Management Area. Delays related to these items do not affect the date of priority of the application.

Now that the SRBA recommendations for your existing rights are close to being completed and delivered to the court, we can look at the application again. For a new right involving the well, the location falls within the Bruneau-Grand View Ground Water Management Area (GWMA). Idaho Code 42-233b provides for the establishment of a GWMA to protect declining water tables. For the department to approve a new water right application in a GWMA, the applicant must prove that ground water is available and that a new appropriation will not adversely affect existing water rights or contribute to an additional decline in the aquifer. Although anyone may submit the convincing evidence, you may need to hire a qualified expert to conduct a study and submit a report to this office to address the GWMA questions before your application can receive further consideration. This requirement applies to proposed uses and to existing uses not protected by a valid water right. As far as I can determine, no applicant has successfully furnished such evidence in a GWMA.

One alternative to a new appropriation involves the use of an existing right. You may be able to buy or lease an existing valid but unused ground water right. Considerable amounts of irrigated lands are currently enrolled in the ten year USDA Conservation Reserve Program (CRP), which means that irrigation will not occur for at least ten years. CRP acres are a potential source of water rights that one may buy or lease. The best way to locate such lands is to contact the local ASCS office to identify land owners enrolled in the CRP. This office can provide water right information when given legal land descriptions (Township, Range, Section, and 1/4-1/4). Purchasing water also involves filing a transfer application with the Department of Water Resources.

Also, the well in question is a hot well within the definition of Idaho Code 42-233 (copy attached). Any new right proposing the use of such water must include using the heat value first and other uses secondarily.

MICROFILMED

OCT 07 1992

Harold and Merrilan Simper Application
August 28, 1991
Page 2

You may request an exemption from this requirement based on the three items described in 42-233(1)(i-iii).


Because it is difficult to obtain a new ground water right in a GWMA, you may want to consider splitting the application into two applications. One would include the surface water, and such an application could be advertised and processed for approval. The other application would concern the well and would be held pending further information. In this way you could at least move forward with the Twentymile Gulch water development. The only question for the surface water is the amount of creek water for which you would apply. Once that is determined by you, the application fee could be settled.

To summarize this rather confusing situation, consider the following points.

1. The approval of a new right involving a hot well must include heating value unless an exemption is requested and granted as shown in the statute.
2. The approval of a new right for a well in a GWMA cannot occur unless the applicant can provide convincing information that allows approval.
3. Based on the difficulty of succeeding in no. 2 above, two applications could be prepared. These would include a creek water application to be advertised and processed and a second application for the well to be held pending additional information from the applicant.

A copy of the current application is enclosed. Please let me know how you would like to proceed within 30 days. Additional information is available by contacting me at 334-2190.

Sincerely,



Steve Lester
Sr. Water Resource Agent

Enclosure

MICROFILMED
OCT 07 1992

ADJUDICATION CLAIM CHECKLIST

NOTICE OF CLAIM NO. A57-07117

WR ELEMENT	FIELD EXAM Y/N-IF NO, DO OFFICE VERIFICATION	FIELD EXAM OR IN-OFFICE VERIFICATION WHOM/DATE	CLAIM VERIFIED BY CODE (SEE BELOW)	CHANGE CLAIM Y/N	CLAIMANT CONTACT NEEDED - Y/N**	REVIEW COMPLETED WHOM/DATE	"R" RECORD
PRIORITY*	N	Rdh 8-24-90	6	N	N		
PT. OF DIV.	Y		6	N			DATA ENTRY COMPLETED BY _____ DATE _____
SOURCE	N		6	N			
PL. OF USE	Y		1,2,4,5	Y			FINAL RECOMMENDATION BY _____ DATE _____
DIV. AMOUNT CFS/AF	N		6	N			
CONSUMPTIVE USE	N		5	Y			
NATURE OF USE	N		6	N			
PERIOD OF USE	Y		5	Y			
BASIS OF CLAIM	N		6	N			
REMARKS	N		6	N			

*IF REQUIRED HAS EVIDENCE OF PRIORITY BEEN
SUBMITTED - YES _____ NO _____.

**IF CLAIMANT CONTACT IS NEEDED, COMPLETE
CLAIMANT CONTACT CHECKLIST AND ATTACH.

VERIFICATION CODES

TOPO MAP/ORTHOPHOTO = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 NAPP PHOTOS = 4
 FIELD EXAM = 5
 OTHER(SEE COMMENTS) = 6

COMMENTS: SAME AS LICENSE

NOTE: MR SIMPER WAS AWARE OF THE CHANGES IN POW
ON THIS LICENSE. AN APPLICATION (ATTACHED) WAS FILED
FOR ADDITIONAL ACRES.

MICROFILMED
OCT 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

14:37:17
07/11/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A57-07117

LAST: SIMPER
ADDRESS: P.O. BOX 367
CITY: GRAND VIEW
PHONE NUMBER: 208-834-2498

FIRST: HAROLD A.

STATE: ID ZIP: 83624

OWNER CODE: C

LAST: SIMPER
ADDRESS: P.O. BOX 367
CITY: GRAND VIEW
PHONE NUMBER: 208-834-2498

FIRST: MERRILAN M.

STATE: ID ZIP: 83624

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

MICROFILMED
OCT 07 1992

CONTACT PERSON: HAROLD SIMPER

PHONE NUMBER: () -

DATE OF FIELD EXAM: 8/24/90

APPOINTMENT MADE: Y() N()

TIME: : A() P()

ACCOMPANIED BY: HAROLD SIMPER

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED

OCT 07 1992

A. AJ CLAIM: # A57-07117 PRIORITY DATE: 04-12-1974 STAGE: L
B. WR RECORD: # 57-07117 PRIORITY DATE: 04-12-1974 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE FIELD EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(☒)
IF YES EXPLAIN.

REMARKS: _____

=====

RECOMMENDED PRIORITY DATE:
04-12-1974

REVIEWED BY Rsh DATE 11-14-91
=====

MICROFILMED
OCT 07 1992

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A57-07117	06S	03E	4	SW	SW	NW		OWYHEE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
57-07117	06S	03E	4		SW	NW		OWYHEE

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX

NONE

A57-10129 NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
Rah

REMARKS:

RECOMMENDED TO 10 ACRE TRACT

MICROFILMED
OCT 07 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# A57-07117

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____ 1/4 ____ 1/4
or Lot____.

2. Owner: _____

Address _____, City_____, St____

3. Casing $\geq$ 12 inches above ground: Yes ____ No ____

4. Access Port: Yes ☒ No ____ Static Water Level: ARTESIAN
Pressure Gauge: Yes ____ No ____ Casing Diameter: ____
Flowing: Yes ☒ No ____ Temperature: HOT WELL
Properly Valved: Yes ☒ No ____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

100 HP Pump #251848 + BOOSTER 30HP,
7069572.

MICROFILMED

OCT 07 1992

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
6S	3E	4	SW	SW	NW		OWY

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

Rdh

DATE:

11-14-91

ADD TO SEC. 4; 6S; 3E;
SE NW NW (1) POINT OF INJECTION - LOT 4
SE NW NW (R) RE-DIVERSION - LOT 4
ADD SEC. 33; 5S, R3E;
SWSW SE (R) RE-DIVERSION

- 1) ARTESIAN IS POWERED BY A 100 HP PUMP, and A 30 HP BOOSTER. THE BOOSTER PUMP IS ONLY USED TO IRRIGATE THE SOUTHERN END OF SECTION 4 THROUGH GATED PIPE.
- 2) THE 100 HP PUMP IS AN OPEN DISCHARGE INTO A DITCH. THEN THE WATER GRAVITY FLOWS INTO 20 MILE CREEK (IN WHICH CONVEYS THE WATER TO 2-POINTS (2 DITCHES) } THE WATER IS ALSO PUT INTO GATED PIPE ON THE WEST SIDE OF IRRIGATED LAND.
- 3) THE CHANGES OF THE POW ACCURED IN 1980 ACCORDING TO MR. SIMPER, WHEN HE CONVERTED THE SPRINKLER IRRIGATION TO GRAVITY FLOWS.
- 4) IN 1986 MR. SIMPER HAD A RESERVOIR BUILT BUT DIDN'T APPLY FOR THE ADDITIONAL ACRES. HE HAS NOW APPLIED FOR THOSE ADDITIONAL ACRES.

OCT 07 1992

MICROFILMED

5) THIS RIGHT IS NOT AN EXPANSION.
6) ALL ACRES CHANGED IN 1980.
7) THE EXPANSION ACCURED IN 1986. (NOW APPLIED FOR)

A. ROOT WATER RIGHT NUMBERS: A57-07117

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
05S	03E	33	NE	SW		SIMPER, HAROLD A.	A57-07117 /33.0	57-07117 /33.0	42.0		
05S	03E	33	SE	SW		SIMPER, HAROLD A.	A57-07117 /22.0	57-07117 /22.0	44.0		
05S	03E	33	NE	SE		SIMPER, HAROLD A.	A57-07117 /13.0	57-07117 /13.0	40.0		
05S	03E	33	NW	SE		SIMPER, HAROLD A.	A57-07117 /36.0	57-07117 /36.0	41.0		
05S	03E	33	SW	SE		SIMPER, HAROLD A.	A57-07117 /22.0	57-07117 /22.0	41.0		
						SIMPER, HAROLD A.	A57-04088 /32.0	57-04088 /32.0			
06S	03E	4	NE	NW		SIMPER, HAROLD A.	A57-07117 /30.0	57-07117 /30.0			
						SIMPER, HAROLD A.	A57-04088 /34.0	57-04088 /34.0			
06S	03E	4	NW	NW		SIMPER, HAROLD A.	A57-07117 /32.0	57-07117 /32.0			
						SIMPER, HAROLD A.	A57-04088 /32.0	57-04088 /32.0			
06S	03E	4	SW	NW		SIMPER, HAROLD A.	A57-07117 /39.0	57-07117 /39.0	39.0		39.0
						SIMPER, HAROLD A.	A57-04088 /40.0	57-04088 /40.0			
						SIMPER, MERRILAN M.	A57-10129 /	- /			
06S	03E	4	SE	NW		SIMPER, HAROLD A.	A57-07117 /22.0	57-07117 /22.0	42.0		
						SIMPER, HAROLD A.	A57-04088 /34.0	57-04088 /34.0			
TOTAL ACRES							A57-07117	249.00	249.00	289.00	

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y(X) N()
IF YES SEE ATTACHED SHEET:

SEE ATTACHED OVERLAP
ANALYSIS SHIT FOR LEGAL
AND ACRES.

C. FIELD EXAM REQUIRED?


DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
Rch

MICROFILMED

OCT 07 1992



MICROFILMED

OCT 07 1992

OVERLAP

FX Found
ACRES
ARTESIAN

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
A57-07117		55	3E	33								20			36	20	24			100	
		65	3E	4							39	40								149	249

EX Found
ACRES
20 MILE
A57-04088

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
		55	3E	33														34		34	
		65	3E	4																34	68

(CLAIMED)
ARTESIAN

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
A57-07117		55	3E	33								33			22	13	36	22		126	
		65	3E	4				30	32	39	22									123	249

(CLAIMED)
20 Mi
A57-04088

NUMBER	TNS	RNG	SEC	NE				NW				SW				SE				TOTAL	SYSTEM TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
		55	3E	33														32		32	
		65	3E	4				34	32	40	34									140	172

MICROFILMED

OCT 07 1992

TOTAL ACRES FOUND:

A57-07117 ... 249

A57-04088 ... 68

317

317 - (OVERLAP = 58) =

259 TOTAL

CLAIMANT: SIMPER, HAROLDAGENT: RON HOWERTON DATE: 11-13-91

GIVEN:

ACRES OVERLAPPING: 58IRRIGATION METHOD: FLOOD X % SPRINKLER %

DELIVERY LOSS FACTOR USED:

 = % = %
(SOURCE) (SOURCE) = %
(SOURCE)

RANGE OF RECOMMENDABLE DIVERSION RATES & VOLUMES

SOURCE	ACRES	DIVERSION RATE		DIV VOL	C.U. VOL
		MIN	MAX		
<u>GW</u>	<u>249</u>				
<u>20 Mi. Cr.</u>	<u>68</u>				
<u>(COMBINED)</u>	<u>259</u>		<u>5.18</u>		<u>906.5</u>

ANALYSIS

SOURCE	NUMBER	ACRES	PRIORITY	CLAIMED CFS	CUM. CFS
<u>GW</u>	<u>7117</u>	<u>249</u>		<u>4.88</u>	
<u>20 Mi. Cr.</u>	<u>4088</u>	<u>68</u>		<u>1.36</u>	
					<u>5.18</u>

ANALYSIS FOR CLAIM NO.: A57-07117Standard Conditions: C05

Standard Remarks:

E01

COMBINED C.F.S. 5.18 CFS
 COMBINED C.U. VOL. . . . 906.5 AF
 COMBINED ACRES 259 ACRES

DIVERSION VOL. 1165.5 AF

OCT 07 1992

MICROFILMED

* SEE OVERLAP PAGE FOR ACRES

(58 ACRES WHEN COMBINED)

SECTION 4

Artesian Wells

OCT 07 1992

06S03E

NW

GOVT LOTS

06 LT04	06 LT03	06 LT02	06 LT01	05 LT04	05 LT03	05 LT02	05 LT01	04 LT04	04 LT03	04 LT02	04 LT01	03 LT04	03 LT03	03 LT02	03 LT01	02 LT04	02 LT03	02 LT02	02 LT01	01 LT04	01 LT03	01 LT02	01 LT01
06 LT05	06 SENW	06 SWE	06 SENE	05 SWNW	05 SENW	05 SWE	05 SENE	04 SWNW	04 SENW	04 SWE	04 SENE	03 SWNW	03 SENW	03 SWE	03 SENE	02 SWNW	02 SENW	02 SWE	02 SENE	01 SWNW	01 SENW	01 SWE	01 SENE
06 LT06	06 NESW	06 NWE	06 NESE	05 NWNW	05 NESW	05 NWE	05 NESE	04 NWNW	04 NESW	04 NWE	04 NESE	03 NWNW	03 NESW	03 NWE	03 NESE	02 NWNW	02 NESW	02 NWE	02 NESE	01 NWNW	01 NESW	01 NWE	01 NESE
06 LT07	06 SESW	06 SWE	06 SESE	05 SWNW	05 SESW	05 SWE	05 SESE	04 SWNW	04 SESW	04 SWE	04 SESE	03 SWNW	03 SESW	03 SWE	03 SESE	02 SWNW	02 SESW	02 SWE	02 SESE	01 SWNW	01 SESW	01 SWE	01 SESE
07 LT01	07 NEHW	07 NWE	07 NESE	06 NWNW	06 NEHW	06 NWE	06 NESE	05 NWNW	05 NEHW	05 NWE	05 NESE	04 NWNW	04 NEHW	04 NWE	04 NESE	03 NWNW	03 NEHW	03 NWE	03 NESE	02 NWNW	02 NEHW	02 NWE	02 NESE
07 LT02	07 SENW	07 SWE	07 SENE	06 SWNW	06 SENW	06 SWE	06 SENE	05 SWNW	05 SENW	05 SWE	05 SENE	04 SWNW	04 SENW	04 SWE	04 SENE	03 SWNW	03 SENW	03 SWE	03 SENE	02 SWNW	02 SENW	02 SWE	02 SENE
07 LT03	07 NESW	07 NWE	07 NESE	06 NWNW	06 NESW	06 NWE	06 NESE	05 NWNW	05 NESW	05 NWE	05 NESE	04 NWNW	04 NESW	04 NWE	04 NESE	03 NWNW	03 NESW	03 NWE	03 NESE	02 NWNW	02 NESW	02 NWE	02 NESE
07 LT04	07 SESW	07 SWE	07 SESE	06 SWNW	06 SESW	06 SWE	06 SESE	05 SWNW	05 SESW	05 SWE	05 SESE	04 SWNW	04 SESW	04 SWE	04 SESE	03 SWNW	03 SESW	03 SWE	03 SESE	02 SWNW	02 SESW	02 SWE	02 SESE
10 LT01	10 NEHW	10 NWE	10 NESE	09 NWNW	09 NEHW	09 NWE	09 NESE	08 NWNW	08 NEHW	08 NWE	08 NESE	07 NWNW	07 NEHW	07 NWE	07 NESE	06 NWNW	06 NEHW	06 NWE	06 NESE	05 NWNW	05 NEHW	05 NWE	05 NESE
10 LT02	10 SENW	10 SWE	10 SENE	09 SWNW	09 SENW	09 SWE	09 SENE	08 SWNW	08 SENW	08 SWE	08 SENE	07 SWNW	07 SENW	07 SWE	07 SENE	06 SWNW	06 SENW	06 SWE	06 SENE	05 SWNW	05 SENW	05 SWE	05 SENE
10 LT03	10 NESW	10 NWE	10 NESE	09 NWNW	09 NESW	09 NWE	09 NESE	08 NWNW	08 NESW	08 NWE	08 NESE	07 NWNW	07 NESW	07 NWE	07 NESE	06 NWNW	06 NESW	06 NWE	06 NESE	05 NWNW	05 NESW	05 NWE	05 NESE
10 LT04	10 SESW	10 SWE	10 SESE	09 SWNW	09 SESW	09 SWE	09 SESE	08 SWNW	08 SESW	08 SWE	08 SESE	07 SWNW	07 SESW	07 SWE	07 SESE	06 SWNW	06 SESW	06 SWE	06 SESE	05 SWNW	05 SESW	05 SWE	05 SESE
19 LT01	19 NEHW	19 NWE	19 NESE	18 NWNW	18 NEHW	18 NWE	18 NESE	17 NWNW	17 NEHW	17 NWE	17 NESE	16 NWNW	16 NEHW	16 NWE	16 NESE	15 NWNW	15 NEHW	15 NWE	15 NESE	14 NWNW	14 NEHW	14 NWE	14 NESE
19 LT02	19 SENW	19 SWE	19 SENE	18 SWNW	18 SENW	18 SWE	18 SENE	17 SWNW	17 SENW	17 SWE	17 SENE	16 SWNW	16 SENW	16 SWE	16 SENE	15 SWNW	15 SENW	15 SWE	15 SENE	14 SWNW	14 SENW	14 SWE	14 SENE
19 LT03	19 NESW	19 NWE	19 NESE	18 NWNW	18 NESW	18 NWE	18 NESE	17 NWNW	17 NESW	17 NWE	17 NESE	16 NWNW	16 NESW	16 NWE	16 NESE	15 NWNW	15 NESW	15 NWE	15 NESE	14 NWNW	14 NESW	14 NWE	14 NESE
19 LT04	19 SESW	19 SWE	19 SESE	18 SWNW	18 SESW	18 SWE	18 SESE	17 SWNW	17 SESW	17 SWE	17 SESE	16 SWNW	16 SESW	16 SWE	16 SESE	15 SWNW	15 SESW	15 SWE	15 SESE	14 SWNW	14 SESW	14 SWE	14 SESE
20 LT01	20 NEHW	20 NWE	20 NESE	19 NWNW	19 NEHW	19 NWE	19 NESE	18 NWNW	18 NEHW	18 NWE	18 NESE	17 NWNW	17 NEHW	17 NWE	17 NESE	16 NWNW	16 NEHW	16 NWE	16 NESE	15 NWNW	15 NEHW	15 NWE	15 NESE
20 LT02	20 SENW	20 SWE	20 SENE	19 SWNW	19 SENW	19 SWE	19 SENE	18 SWNW	18 SENW	18 SWE	18 SENE	17 SWNW	17 SENW	17 SWE	17 SENE	16 SWNW	16 SENW	16 SWE	16 SENE	15 SWNW	15 SENW	15 SWE	15 SENE
20 LT03	20 NESW	20 NWE	20 NESE	19 NWNW	19 NESW	19 NWE	19 NESE	18 NWNW	18 NESW	18 NWE	18 NESE	17 NWNW	17 NESW	17 NWE	17 NESE	16 NWNW	16 NESW	16 NWE	16 NESE	15 NWNW	15 NESW	15 NWE	15 NESE
20 LT04	20 SESW	20 SWE	20 SESE	19 SWNW	19 SESW	19 SWE	19 SESE	18 SWNW	18 SESW	18 SWE	18 SESE	17 SWNW	17 SESW	17 SWE	17 SESE	16 SWNW	16 SESW	16 SWE	16 SESE	15 SWNW	15 SESW	15 SWE	15 SESE
30 LT01	30 NEHW	30 NWE	30 NESE	29 NWNW	29 NEHW	29 NWE	29 NESE	28 NWNW	28 NEHW	28 NWE	28 NESE	27 NWNW	27 NEHW	27 NWE	27 NESE	26 NWNW	26 NEHW	26 NWE	26 NESE	25 NWNW	25 NEHW	25 NWE	25 NESE
30 LT02	30 SENW	30 SWE	30 SENE	29 SWNW	29 SENW	29 SWE	29 SENE	28 SWNW	28 SENW	28 SWE	28 SENE	27 SWNW	27 SENW	27 SWE	27 SENE	26 SWNW	26 SENW	26 SWE	26 SENE	25 SWNW	25 SENW	25 SWE	25 SENE
30 LT03	30 NESW	30 NWE	30 NESE	29 NWNW	29 NESW	29 NWE	29 NESE	28 NWNW	28 NESW	28 NWE	28 NESE	27 NWNW	27 NESW	27 NWE	27 NESE	26 NWNW	26 NESW	26 NWE	26 NESE	25 NWNW	25 NESW	25 NWE	25 NESE
30 LT04	30 SESW	30 SWE	30 SESE	29 SWNW	29 SESW	29 SWE	29 SESE	28 SWNW	28 SESW	28 SWE	28 SESE	27 SWNW	27 SESW	27 SWE	27 SESE	26 SWNW	26 SESW	26 SWE	26 SESE	25 SWNW	25 SESW	25 SWE	25 SESE
31 LT01	31 NEHW	31 NWE	31 NESE	30 NWNW	30 NEHW	30 NWE	30 NESE	29 NWNW	29 NEHW	29 NWE	29 NESE	28 NWNW	28 NEHW	28 NWE	28 NESE	27 NWNW	27 NEHW	27 NWE	27 NESE	26 NWNW	26 NEHW	26 NWE	26 NESE
31 LT02	31 SENW	31 SWE	31 SENE	30 SWNW	30 SENW	30 SWE	30 SENE	29 SWNW	29 SENW	29 SWE	29 SENE	28 SWNW	28 SENW	28 SWE	28 SENE	27 SWNW	27 SENW	27 SWE	27 SENE	26 SWNW	26 SENW	26 SWE	26 SENE
31 LT03	31 NESW	31 NWE	31 NESE	30 NWNW	30 NESW	30 NWE	30 NESE	29 NWNW	29 NESW	29 NWE	29 NESE	28 NWNW	28 NESW	28 NWE	28 NESE	27 NWNW	27 NESW	27 NWE	27 NESE	26 NWNW	26 NESW	26 NWE	26 NESE
31 LT04	31 SESW	31 SWE	31 SESE	30 SWNW	30 SESW	30 SWE	30 SESE	29 SWNW	29 SESW	29 SWE	29 SESE	28 SWNW	28 SESW	28 SWE	28 SESE	27 SWNW	27 SESW	27 SWE	27 SESE	26 SWNW	26 SESW	26 SWE	26 SESE

MICROFILMED

OCT 07 1992

Township No. 6 South, Range No. 3 East of the

(78:50)

PRESUMPTION FLAG: C

REMARKS:

- 1) ACRES IRRIGATED CHANGE IN 1980 WHEN MR. SIMPER CONVERTED SPRINKLERS TO ALL GRAVITY.
- 2) NEW ACRES HAVE BEEN APPLIED FOR AND THE RESERVOIR AS A PUMP IN WHICH GATED PIPE CARRIES THE WATER TO THE NEW ACRES.

RECOMMENDATIONS:

TOTAL ACRES: 249

REVIEWED BY: RCH

DATE: 11-14-91

- 3) ACRES WERE DETERMINED BY ASCS MAP.

MICROFILMED

OCT 07 1992

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A57-07117 IRRIGATION	FROM 03-01 TO 11-01	4.880 CFS
A57-07117 STOCKWATER	FROM 01-01 TO 12-31	.050 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		4.880 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
57-07117 IRRIGATION	FROM 03-01 TO 11-01	4.880 CFS 1245.00 AF/A
57-07117 STOCKWATER	FROM 01-01 TO 12-31	.050 CFS 2.70 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED		4.880 CFS 1247.70 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	_____
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	_____
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	_____

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y() N(☒)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N() Explain in remarks, below.

REMARKS:

STANDARD IS 3/15 - 11/15

MICROFILMED

OCT 07 1992

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 4.880 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 4.880 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER

N RJA

B.

FLOW MEASUREMENT

MEASUREMENT METHOD NONE REQUIRED, SEE ATTACHED CALCULATIONS.

HOWEVER, THE NEW APPLICATION WILL NEED A MEASUREMENT

C. ARE OTHER WATER RIGHTS USED? Y(☒) N(☐) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A57-04088

SEE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A57-07117	GROUNDWATER	SIMPER, HAROLD A.	4.880	0.019		
A57-04088	TWENTY MILE CREEK	SIMPER, HAROLD A.	3.440	0.020		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A57-07117	STOCKWATER	SIMPER, HAROLD A.	FROM 01-01 TO 12-31	.050 CFS	
A57-10129	DOMESTIC	SIMPER, MERRILAN M.	FROM 01-01 TO 12-31	.040 CFS	

MICROFILMED
OCT 07 1992

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE

ACRES 249 x 0.02 CFS/ACRE = 4.98 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 871.5 AF/A
ACRES 249 x CONSUMPTIVE VOL. AF/A FOR AREA 3.5 =
TOTAL CONSUMPTIVE USE 871.5 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A
ACRES 249 x DIVERSION VOL. AF/A FOR AREA 4.5 =
TOTAL DIVERSION VOLUME 1120.5 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED
OCT 07 1992

* COMBINED WITH A57-04088

DIVERSION VOL = 1165.5 AF (259 ACRES)(4.5)

C.U. VOL = 906.5 AF (259 ACRES)(3.5)

COMBINED ACRES = 259 AC

COMBINED DIV. = 5.18 CFS

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV		REC. DIV		REC. CONS. USE
	FROM	TO	RATE	CFS	VOL.	AF/A	
IRRIGATION	03-01	11-01	DATABASE	EXAMINER	DATABASE	EXAMINER	DATABASE EXAMINER
STOCKWATER	01-01	12-31	4.880		1165.5	AF	~~931~~
			0.050				
TOTAL FOR THIS RIGHT			4.880	4.88			(COMBINED with)
REVIEWED BY: <u>Rdh</u>			DATE: <u>11-14-91</u>		SEE PG 10		4088
					FOR COMBINED		
					C.U. VOL CALC.		

MICROFILMED
OCT 07 1992

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	(X)	()
FORFEIT/ABANDON _____	(X)	()
ADDITIONAL DIV. AMOUNT _____	()	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 57-07117

	DATABASE	EXAMINER	CFS
TOTAL DIVERSION RATE OF WR SPLITS	4.880	_____	

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A57-07117	4.880	-		57-07117	4.880
TOTAL CFS		4.880				4.880

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE	FIELD EXAMINER
Y	_____

REMARKS:

NO SPLITS

AUTHENTICATION:

SIGNATURE:

Ron Howerton

DATE:

11-14-91

NAME OF FIELD EXAMINER:

Ron Howerton


TITLE:

SR. WA. AGENT

MICROFILMED
OCT 07 1992

PICTURE # 1

A57-07117. This is a picture of the point of diversion. The artesian is boosted by a 100 house powered pump.



8/24/90
Rch

PICTURE # 2

This is part of the POU in section 33.



8/24/90
Rch

MICROFILMED

OCT 07 1992

PICTURE # 3

A57-07117. This is a picture of the reservoir that was put in 1986.



8/24/90
Roh

MICROFILMED
OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

Date: JUL 20 Filed

HAROLD A. SIMPER

P.O. Box 367

GRAND VIEW Id 83624

RE: Permit and/or Adjudication Claim No.s A57-04088 - 07117

- 10126

Dear Claimant(s):

The Department of Water Resources will be conducting beneficial use examinations and water right adjudication claim verification examinations for Owyhee County from July thru November 1990. Once the beneficial use examination or claim verification is made, your water rights will be recommended for licencing by the department or decree by Judge Hurlbutt in the Fifth District Court. The recommendations will be based on our findings in the field.

Information on your permit or claim that may need to be verified, includes source(s) of water, uses and amounts, legal descriptions of point(s) of diversion, place of use and in some cases documentation verifying the date of priority as claimed in the Snake River Basin Adjudication. Some of your claims may only need a small amount of verification if there are no changes in the manner in which they were previously documented and examined in accordance with the State's permitting, licencing and/or decree process.

Although it is not mandatory that you accompany the field examiner, should questions arise during the exam, it would be most helpful for yourself or a knowledgeable representative to be available for a short time during the field exam. This would help speed up our findings and help collect information for your rights to be recommended to the court.

A field examiner will be calling or writing you for the scheduling of this (these) field exam(s). We can either meet you at the place of use or a place of your convenience. This may be determined at the time we contact you.

If you have questions regarding this letter or prior to scheduling, please call 334-2190 and ask for either Steve Lester or Ron Howerton.

Sincerely,

Ron Howerton

Senior Water Resource Agent

cc:RH:file

MICROFILMED

OCT 07 1992

GATED PIPE

U.S.
GOV'T

20

NW SW
20
AC

NW SE
20
AC

82.9 CRP 1987
1996

CRP 1987
1996

39.6

32

33

NW NW

SW NW

40
AC

SENW

GATED PIPE

799
1782

SW SW NW
SEC. 4
T6SR3E

37.8

39.6

LIC. ARTESIAN OVERLAP

Stat. CLAIM

Twenty mile ch 40888

799
1805

LIC. ARTESIAN 7117

STORAGE USED

(APPL. NEEDED)

IRR WELL

T5S
T6S

T. 5 S.
T. 6 S.

T5:6S

R 3E

SECTIONS 33:4

POD

SW SW NW

450 000
FEET

MICROFILMED

OCT 07 1992 VABM 2732



Water Right Number - 57-07117 Adj. Flag Translation: Standard Water Right Number Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - Address - - - - - +

*** C - CURRENT OWNER ***
BUNT WILLIAM A. 1 - 760 E. 16TH N.
2 -
3 -
City- MOUNTAIN HOME State- ID Zip- 83647
Phone -

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
04/12/1974 14 L - LICENSE

+ - - - - Source - - - - - + + - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)

06S 03E 4 SW NW (73) OWYHEE

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume

01 - IRRIGATION 03/01 11/01 4.880 1245.00
04 - STOCKWATER 01/01 12/31 0.050 2.70

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
4.880 1247.70

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

05S 03E 33 NE SW 33.0 01 IRRIGATION (73) OWYHEE
05S 03E 33 SE SW 22.0 01 IRRIGATION (73) OWYHEE
05S 03E 33 NE SE 13.0 01 IRRIGATION (73) OWYHEE
05S 03E 33 NW SE 36.0 01 IRRIGATION (73) OWYHEE
05S 03E 33 SW SE 22.0 01 IRRIGATION (73) OWYHEE
06S 03E 4 NE NW 30.0 01 IRRIGATION (73) OWYHEE
06S 03E 4 NW NW 32.0 01 IRRIGATION (73) OWYHEE
06S 03E 4 SW NW 39.0 01 IRRIGATION (73) OWYHEE
06S 03E 4 SE NW 22.0 01 IRRIGATION (73) OWYHEE

Total Acres: 249.0

+ - Diversion Means - WELL, PUMPS & GRAVITY FLOW.
+ - Non-Irrigation Use - S/200 RANGE.
+ - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
No Remarks found.

MICROFILMED
OCT 07 1992

• (OD-26)

Water right number - 57-07117

Adj. flag translation: Standard Water Right Number

[illegible][illegible]

No Old Water Right Numbers found.

+ - - - - - Conditions of Approval - - - - - +

No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - +	+ - - - - Decree Defendant - - - +	+ - Decree Date - +
------------------------------------	------------------------------------	---------------------

00/00/0000

+ - - Audit Fields - 01/21/85 05/01/88 CONVERT

[illegible]

Proof Due Date	- 03/01/1980	Field Exam Made	- 00/00/0000	Field Exam Fee	-
Approved/Denied	- 03/24/1975	Protested Date	- 00/00/0000	Swan Falls	-
Proof Made Date	- 00/00/0000	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 01/21/1985	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 04/12/1982	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 00/00/0000	Microfilm Roll No	-	Presumption Flag	-

MICROFILMED
OCT 07 1992