




27 26
34 35

34 35
27 26

PERMIT NO. 57-07225

PHOTOS TAKEN BY
RON HOWERTON
ON 11-28-90



LOOKING DOWN
ON TOP OF WELL
CASING - CASING
BROKEN OFF AT
GROUND LEVEL.
ARTESIAN FLOW
(VERY SMALL) FROM
WELL DOWNHILL
TO BYBEE CANAL.




PICTURE TAKEN
FACING WEST
TOWARDS FEED-
LOT. CAN SEE
FEEDLOT IN
BACK GROUND.
WELL LOCATED
SOUTH FROM
FEEDLOT.

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07225
Date Received: 12/02/1988
Receipt No: W001790
Received By: 

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: REG MEAKER
Address: HC 85 BOX 328
GRANDVIEW, ID 83624
2. Date of Priority: SEP 25, 1978
3. Source: GROUNDWATER Trib. to:
4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	03E	35	SW	SW			OWYHEE
5. Description of diverting works:
WELL & PUMP.
6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/01	10/31	0.020		
7. Total Quantity Appropriated is:
0.020 C.F.S. (and/or) A.F.A.
8. Total consumptive use is Acre Feet Per Annum.
9. Non-irrigation uses:
NONE.
10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	03E	35	SW	SW		IRR	1.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	1.0
					Total Acres	1.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

A02-0071/7344/4027/A57-2304B/4000/4106/2327/7225/7226/7449.

14. Remarks:

CLAIMANT REMOVED DOMESTIC & HEATING USES BEFORE FILING CLAIM.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
_____ Date: _____

State of Idaho)
County of _____) SS.

Subscribed and sworn (or affirmed) before me this _____ day
of _____ 19 _____

Notary Public

Seal

Residing at _____

My Commission Expires _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR

Water Right 57-07225

1996 DEC -3 AM 10:40
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

SOURCE: GROUNDWATER

QUANTITY: 0.02 CFS
4.0 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
GALLONS PER DAY.

PRIORITY DATE: 09/25/1978

POINT OF DIVERSION: T05S R03E S35 SESWSW Within Owyhee County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE STOCKWATER	PERIOD OF USE Irrigation Season	QUANTITY 0.02 CFS 4.0 AFY
-------------------------------	------------------------------	------------------------------------	---------------------------------

PLACE OF USE: STOCKWATER Within Owyhee County
T05S R03E S35 SWNW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.

DATED: DEC 3 1996


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

RULE 54(b) CERTIFICATE


With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.


DATED: DEC 3 1996


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

PARTIAL DECREE PURSUANT TO I.R.C.P. 54(b)
Water Right 57-07225

I hereby certify that this is a
true and correct copy of the
original on file in the above entitled
action.

ROBERT S. FORT
CLERK OF THE DISTRICT COURT
By 
DEPUTY CLERK



IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-13-1996

PAGE: A-1

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 57-07225

NAME AND ADDRESS: REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

SOURCE: GROUNDWATER

QUANTITY: 0.02 CFS
4.0 AFYTHE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIALLY
USED FOR STOCKWATER, 300 HEAD CATTLE.THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
GALLONS PER DAY.

PRIORITY DATE: 09/25/1978

POINT OF DIVERSION: T05S R03E S35 SESWSW Within Owyhee County

PURPOSE AND

PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
	<u>STOCKWATER</u>	<u>Irrigation Season</u>	<u>0.02 CFS</u>
			<u>4.0 AFY</u>
	~~STOCKWATER~~	~~03/78 11/78~~	~~0.02 CFS~~
			~~4.0 AFY~~

PLACE OF USE: STOCKWATER Within Owyhee County
T05S R03E S35 SWNW~~STOCKWATER~~ Within ~~Owyhee County~~
~~T05S R03E S35~~ ~~SWNW~~

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.
WATER IS LOW TEMPERATURE GEOTHERMAL WATER.EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE
WATER IS LOW TEMPERATURE GEOTHERMAL WATER.
STOCKWATER, 300 RANGE CATTLE.

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: OCT-31-1996

PAGE: A-148

RIGHTS FROM: SOURCE: GROUNDWATER

RIGHT NUMBER: 57-07225

NAME AND ADDRESS: REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

SOURCE: GROUNDWATER ✓

QUANTITY: 0.02 CFS ✓
4.0 AFY ✓

THE QUANTITY FOR NON-IRRIGATION USE IS LIMITED TO THE AMOUNT BENEFICIALLY
USED FOR STOCKWATER, 300 HEAD CATTLE.

✓ THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
GALLONS PER DAY.

PRIORITY DATE: 09/25/1978

POINT OF DIVERSION: T05S R03E S35

SESWSW

Within Owyhee County

PURPOSE AND

PERIOD OF USE:

PURPOSE OF USE
STOCKWATER 70PERIOD OF USE 70
03-15 41-15QUANTITY
0.02 CFS
4.0 AFY

PLACE OF USE:

STOCKWATER 70
T05S R03E S35Within Owyhee County
SNNW

OK, as licensed

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

✓ THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.
WATER IS LOW TEMPERATURE GEOTHERMAL WATER.

EXPLANATORY MATERIAL:

BASIS OF CLAIM - LICENSE

WATER IS LOW TEMPERATURE GEOTHERMAL WATER. OK
STOCKWATER, 300 HEAD CATTLE.

Range

WR5809NP
No. 57-07225

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/08/96
PAGE: 5

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	REG MEAKER	09/25/1978	STOCKWATER	03/15 11/15	0.020 CFS	4.00 AFA
TOTAL DIVERSION:					0.020 CFS	4.00 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.020 CFS

Point(s) of Diversion: T05S R03E S35 SWSW

OWYHEE County

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	:
05S	03E	35	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:

Pou County: OWYHEE

Remarks: Stockwater use is for 300 range cattle.

Dates:	App. Received:	09/25/1978	Priority Date:	09/25/1978
	Proof Due Date:	12/01/1988	Proof Made Date:	11/08/1988
	Exam Made Date:	11/28/1990	Exam Sent to S.O.:	12/17/1991
	Licensed Date:	06/10/1992		

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 09/22/87 05/01/88 CONVERT 12/05/88 CURTIS 02/04/91 GARRETT
12/17/91 TAYLOR 03/18/92 SKAGGS 03/20/92 SKAGGS

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	REG MEAKER 7314 SUNNYBROOK DR. BOISE ID 83709 (208) 378-0210	09/25/1978	STOCKWATER	03-15 11-15	0.02 CFS	4.0 AFA
TOTAL DIVERSION:					0.02 CFS	4.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T05S R03E S35

SESWSW

OWYHEE County

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
05S	03E	35	:					:					:					:					:

POU County: OWYHEE

Non-Irrigation Uses: STOCKWATER, 300 HEAD CATTLE.

Other Rights: 57-04106.

Remarks: WATER IS LOW TEMPERATURE GEOTHERMAL WATER.

Dates: Exam Made Date: 11/28/1990 Verified Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Comments: Date: 07/28/1992 User-ID: SCHULTZ Subject: NOTICE OF ERROR FLAG
RECEIVED NOTICE OF ERROR (NOE) 7/28/92. ADDED NOE FLAG "A".

Audit: 08/01/91 WHITNEY 12/12/91 SHURTE 07/17/92 SHURTE 07/28/92 SCHULTZ

See maps, notes + photos in 57-4106



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 18, 1992

Reg Meaker
7314 Sunnybrook Dr
Boise, ID 83709

Dear Reg:

I have received the Notice of Error submitted on Water Right No. 57-07225 and have been unable to reach you by phone. This notice of error concerns the stockwater season of use and location.


This water right has now been licensed and in order for any changes to be made an application for transfer must be filed to add the places of use you indicated. However, the season of use cannot be changed unless a new application for permit is filed. After that bad news I can explain why the water right was licensed in this way. The well in question flows a very small amount, which by itself could not be delivered to the feedlot, unless it is comingled with water from the Bybee Canal. The only time the Bybee Canal is flowing is during the irrigation season, therefore, the water from this well can only be delivered to the feedlot during the irrigation season, which is 3/15 to 11/15 in this area. During the field exam you indicated that the well water flows into the canal which has a diversion ditch which eventually gets to the feedlot where the stock are watered. This is why I listed the feedlot as the place of use.

Stock watering from the ditches you use for irrigation is covered automatically under your irrigation rights. You should have received a 10-day notice letter prior to this license being issued letting you know how it will be issued and giving you 10 days to respond. If no response is received during that 10-day period, the license is issued, and once it is issued the season of use cannot be changed because it is considered an expansion of the right.

The good part about this is that if you do develop the well further and a greater flow allows the water to be diverted to the feedlot without comingling then no water right is required to divert the water year round. Domestic and stockwater uses from groundwater are exempt from filing a water right and year round use can be done without a filing. Actually, since you can divert year round without a water right, at any place of use, an application for transfer is not required to use this water at other locations, I just cannot add it to this existing right because of the expansion rules on water right filings.

If you have any questions concerning this letter, please contact me during the week of September 21st since the report to the court for Basin 57 will be entered on October 1, 1992.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jan', with a stylized flourish extending from the end.

JAN SHURTE
Water Rights Supervisor
Adjudication Section
Western Region

JS:j

JUL-20-1992

NOTICE OF ERROR FORM

RECEIVED
JUL 28 1992

Please type or print clearly, fill out completely, and return to:

**Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000**

Department of Water Resources

The notice of error must be received at IDWR by the **deadline date** printed below with your proposed recommendation.

YOUR DEADLINE FOR FILING A NOTICE OF ERROR IS: AUG-20-1992

1. Water right number: 57-07225

2. Name: REG and/or HOLLY MEAKER

Address: 7314 Sunnybrook Drive

Boise, Idaho 83709

Weekday Telephone Number: 208-378-0210

TEAR AT PERFORATIONS AND COMPLETE FORM ON OTHER SIDE

(Instead of filling in items 3 and 4 below you may include a copy of your proposed recommendation with the changes marked on the copy.)

3. Describe the portion of proposed recommendation with which you disagree:

Period of use and place of use

4. Describe the changes you wish to have made in the proposed recommendation:


period of use should be from 01-01 to 12-31 because being stock water we use this water the year around. It is particularly important from 11-01 to 04-01 when sometimes there is no other source of stock water. The place of use should have read

5. Describe why you disagree with the proposed recommendation:

the SW $\frac{1}{4}$ AND the NW $\frac{1}{4}$ of s35 t05s r03e instead of the SWNW because we use that water in all sub $\frac{1}{4}$ s of those two $\frac{1}{4}$ sections

6. Date: July 25, 1992

SIGNATURE

A handwritten signature in dark ink, appearing to read "Reg Weaver", is written over a horizontal line. The signature is fluid and cursive, with a large, stylized "W" and "E".

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: REG MEAKER Permit No. 57-07225
Current Address: 2914 JUNNYBROOK DR., BOISE, ID 83709 Phone No. 378-0210
2. Accompanied by: SAMUE AS ABOVE EXAM. DATE: 11-28-90
Address: " " Phone No. 378-0210
Relationship to Permit Holder: " "
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 57-04106 - SPRINGS - ALSO
SUPPLY WATER FOR STOCK - SEE OVERLAP REMARKS ☒ Copies Attached
2. Other water rights with same point of diversion: NONE - 57-07229 - LAPSED.
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

SEE MAP ATTACHED

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

(H07) Well flows a very small amount of water. Unable to measure since casing has broken off at the ground level & water flows out onto ground, forms small stream down a hill into the Byge Canal. Water is co-mingled with Byge Canal, re-diverted thru a gravity ditch to a catch box w/re-lift pump which can either put water in the ditch to the feedlot or

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ARTESIAN FLOW					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SW	35	55	3E	DWYHEE	

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55	36	35							5										

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE MADE.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/A}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{N/A}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{N/A}$

2. Volume Calculations for Other Uses:

~~0.0134~~ .0134 x 300 HD = 4.0 af/ann.

Irrig. of 1 acre x 5 = 5.0 af/ann, so no expansion will occur if use is changed to stock.

AF/AC
REQ FOR
150000

H. REMARKS AND OVERLAP REVIEW ANALYSIS

for irrigation, or to a sprinkler system. The only use of this well, however, is for stockwater and only during the irrigation season. Water from the well cannot get to the feedlot from this well unless it is co-mingled with other water. Stock are watered with spring water under 57-0446 in the winter months. Recommending to amend permit to stockwater only - no irrig from this well - the 1 acre was on the hilltop where well is located & domestic use both proposed there. Mr. Meeker was going to build a house there, but never has & the well (flows) year round - has been given to well section for well standard violation action.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCKWATER	3-15	11-15	.02	4.0
Totals:			.02	4.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☐ None

☒ Other CHANGE NATURE OF USE FROM IRRIG. TO STOCKWATER

J. AUTHENTICATION

Field Examiner's Name JAN THURTELL
 Signature Jan Thurtell
 Certification Date _____
 Field Report Preparation Date 12-11-91

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

27 26
34 35

1000
407


REUPTMAN

DATA


34 35
3 2

PERMIT No. 57-07225

PHOTOS TAKEN BY
ROY HOSKENTON
ON 11-28-90



LOOKING DOWN
ON TOP OF WALL
CASINO - CASINO
BOULEVARD AT
GROUND LEVEL.
ARTESIAN FLOW
(VERY SMALL) FROM
WELL ADJACENT
TO DYKE CANAL.



PICTURE TAKEN
FACING WEST
TOWARDS FEED-
LOT. CAN SEE
FEEDLOT IN

BACK GROUND.
IDEAL LOCATED
SOUTH FROM
FEEDLOT.

RECEIVED

NOV 8 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-7225

Name(s) of Permit Holder: Reg Meaker and/or Holly Meaker

Post Office Address: HC 85 Box 328, Grandview, Id 83624

Telephone No. XXXXXXXX

Source of Water: Artesian well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 418 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 25 Sept., 1978

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ none required
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Reg Meaker 301 933 8085
(Name) (Telephone Number)

10215 Kensington Parkway apt 102, Kensington, Md. 20895

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2 Nov, 1988
Date

Reg Meaker
Signature of Permit Holder (and title, if appropriate)

DEC 10 1988

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07225

Date Received: 11/11/1988 *pk/88*

Receipt No: W004790

Received By: [Signature]

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: REG MEAKER
Address: RT. B BOX 328
GRANDVIEW, ID

83624

2. Date of Priority: SEP 25, 1978

3. Source: GROUNDWATER

Trib. to:

Department of Water Resources
Western Regional Office

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05S	03E	35	SW	SW			OWYHEE

5. Description of diverting works:
WELL & PUMP.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/01	10/31	0.020		

7. Total Quantity Appropriated is:
0.100 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is

Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05S	03E	35	SW	SW		IRR	1.0
Section Acres							1.0

10. Place of Use: Continued

Total Acres 1.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, ~~we~~ We acknowledge that ~~we~~ We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) ~~We do~~ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):

Reg. Meaker

Date: 11-11-88

J. Haley Meaker

Date: 11-11-88

State of Idaho)

) SS.

County of _____)

Subscribed and sworn (or affirmed) before me this 11 day

of Nov 19 88

Lynn G. Sleight
Notary Public

Seal

Residing at LYNN G. SLEIGHT
NOTARY PUBLIC STATE OF MARYLAND
My Commission Expires July 1, 1990

My Commission Expires July 1, 1990

12/22/1988

SRBA CLAIMS RECEIVING CHECKLIST

CLAIMANT'S NAME

Meader, Reg

CLAIM IDENT. NO.

A57-07225

DATE RECEIVED

12/2/88

CK #

1764

AMOUNT \$

51.00

YES

NO

Required Info?

1. Is the name and address complete with zip code? ☒ YES ☐ NO *
2. Is a priority date entered? ☒ YES ☐ NO *
- Is the priority date acceptable in view of mandatory filing dates? ☒ YES ☐ NO *
3. (a) Is a source entered? ☒ YES ☐ NO *
- (b) Is a tributary to entered? (if required) ☒ YES ☐ NO N/A
4. Is the legal description of the p.d. sufficient? ☒ YES ☐ NO *
5. Is there a description of the diverting works? ☒ YES ☐ NO
6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. ☒ YES ☐ NO
- Is the period of use included? ☒ YES ☐ NO
- Is a quantity claimed for each use? NOTE - REDUCED FROM PERMIT ☒ YES ☐ NO incorrect
7. Is a total quantity claimed entered? See Comments below ☒ YES ☐ NO
8. If required is a consumptive use entered? ☒ YES ☐ NO N/A
- Is the consumptive use correct? ☒ YES ☐ NO N/A
9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. ☒ YES ☐ NO Reduced from permit *
10. Is (are) the place(s) of use and purpose(s) indicated? ☒ YES ☐ NO *
11. Is (are) the county(ies) entered? ☒ YES ☐ NO
12. Is the ownership of p.u. checked? ☒ YES ☐ NO
13. Are other water rights listed or "none" indicated? ☒ YES ☐ NO
14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) ☒ YES ☐ NO N/A
15. Is the basis of the claim indicated? ☒ YES ☐ NO
16. Has the claimant requested a monthly docket sheet? (If yes, describe payment status in "Comments" below.) ☒ YES ☐ NO
17. Is the claim signed by the claimant, and is the signature appropriate? ☒ YES ☐ NO *
18. Has the claim been signed, sealed, and dated by a notary? ☒ YES ☐ NO *
19. Was this claim filed on time, or was an extension granted? ☒ YES ☐ NO *
20. Is the fee enclosed correct? ☒ YES ☐ NO Exempt \$1700M4C4
21. If this claim is based on an existing water right, has the identification number been entered? ☒ YES ☐ NO N/A
22. Should this claim be receipted and data entered? ☒ YES ☐ NO

Claim checked by:

[Signature]

Date:

12/23/88

Claim must be returned to claimant:

(Yes)

(No)

Claimant must be sent a copy of amended claim for approval:

(Yes)

(No)

Receipt Prepared by:

[Signature]

Date:

12/23/88

Claim data entered by:

[Signature]

Date:

12/23/88

Checked by:

Date:

Comments:

Note - Total was not changed by mistake

when Htg. & dom. were removed from this claim by Mr. & Mrs. Meader. Can reflect in "P" file & let them know then.

Water Right Number - 57-07225

Adj. Flag Translation: Standard Water Right Number

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
MEAKER

REG

1 - HC 85 BOX 328

2 -

3 -

City- GRANDVIEW

State- ID Zip- 83624

Phone - 208-000-0000

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
09/25/1978 14 P - PERMIT

+ - - - - Source - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Stream Index (Blank if no Index Code)

05S 03E 35 SW SW (73) OWYHEE

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		03/01	10/31	0.020	
43 - DOMESTIC		01/01	12/31	0.040	
22 - HEATING		01/01	12/31	0.040	

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
0.100

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County

05S 03E 35 SW SW 1.0 01 IRRIGATION (73) OWYHEE

Total Acres: 1.0

+ - - Diversion Means - WELL & PUMP.

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use -

+ - - - - Remarks - - - - - +
No Remarks found.

+ - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - Conditions of Approval - - - - - +
No Conditions of Approval found.

Proof Due Date	- 12/01/1988	Field Exam Made	- 00/00/0000	Field Exam Fee	- N
Approved/Denied	- 12/05/1978	Protested Date	- 00/00/0000	Swan Falls	- Z
Proof Made Date	- 11/08/1988	Hearing Date	- 00/00/0000	Temporary Right	- P
Start Work Date	- 00/00/0000	Verified Date	- 01/21/1985	DLE/Carey Act	-
Order Show Cause	- 00/00/0000	Receipt Number	-	Water District	-
Licensed Date	- 00/00/0000	Appl Received	- 00/00/0000	Transfer/Amended	-
Decree Date	- 00/00/0000	Microfilm Roll No	-	Presumption Flag	-