




Idaho Department of Water Resources


1987 Napp Photo

Claim Number: 57-07242

Legal: T03N, R05W, S05

Reviewed By:

-  Point of Diversion
(Located outside of view)
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines
-  Township/Range Lines



0 0.25 Miles




P/D
MICROFILMED
OCT 07 1992

(4-675b)

3 NORTH, RANGE N° 5 WEST O


DEPENDENT RESURVEY AND SUB
RESURVEY



Sec. 9 MICROFILMED
OCT 07 1992


9/87 JKN

WALTON, BARBARA L. VANCE 81-1242



P.D


4x16' CMP sump 7.5HP motor at time of Exam.
Time of picture motor being repaired. Sucker crack.



P.U

Briar Hills subdivision - Homedale
Idaho.

MICROFILMED
OCT 17 1992



BRIAR HILLS SUBDIVISION

FOR SECTION 5, T3N, R5W, BM, OWYHEE COUNTY, IDAHO

NW COR
SW 1/4 SE 1/4
SEC 5
T3N R5W BM

- LEGEND**
- PROPERTY BOUNDARY
 - LOT LINE
 - CENTER LINE
 - EASEMENT FOR UTILITIES & DRAINAGE
 - SECTION LINE
 - BRASS MONUMENT
 - 1/2" RE BAR
 - TRUE POINT OF BEGINNING
 - TPB
 - ROW OF RATCH DITCH

I hereby certify that this instrument was filed for record of the request of Ronald M. Blakely of minutes past _____ o'clock _____ M this _____ day of _____ A.D. 1979.

Fee _____
Instrument _____
Recorder _____
Deputy _____
Protective covenants filed with this plat _____
Instrument No. _____

**STATE OF IDAHO
COUNTY OF OWYHEE S.S.**

I, RONALD M. BLAKELY, a Registered Professional Engineer and for said County and State do hereby certify that the survey of BRIAR HILLS SUBDIVISION in Owyhee County, was made by me under my direction and that this plat correctly shows the survey as made.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this 22nd day of December, A.D. 1979.



The subdividers agree with Owyhee County and subsequent lot owners agree by accepting deeds to lots in this plat that they will not interfere or complain concerning farm operations that are in practice on adjacent farms at the time of recording this plat.


Sanitary restriction in force under Title 50, Chapter 13, Idaho Code. No building or shelter requiring water supply or sewage disposal can be built on this tract of land until the sanitary restriction is removed by the Director of the Idaho Department of Health and Welfare, or his designee.

Subdividers
County Sanitation
Date 2-2-80

CURVE	Q	A	T	L	LC	BEARING
1	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
2	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
3	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
4	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
5	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
6	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
7	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
8	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
9	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
10	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
11	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
12	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
13	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
14	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
15	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
16	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
17	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
18	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
19	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
20	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
21	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
22	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
23	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
24	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
25	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
26	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
27	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
28	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
29	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
30	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
31	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
32	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
33	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
34	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
35	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
36	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
37	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
38	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
39	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
40	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
41	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
42	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
43	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
44	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
45	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
46	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
47	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
48	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
49	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
50	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
51	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
52	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
53	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
54	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
55	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
56	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
57	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
58	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
59	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
60	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
61	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
62	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
63	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
64	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
65	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
66	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
67	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
68	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
69	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
70	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
71	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
72	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
73	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
74	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
75	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
76	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
77	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
78	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
79	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
80	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
81	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
82	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
83	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
84	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
85	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
86	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
87	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
88	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
89	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
90	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
91	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
92	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
93	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
94	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
95	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
96	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
97	20.00	39.00	40.00	1.42	28.8	S89°42'00"E
98	20.00	39.00	40.00	1.42	28.8	N1°13'20"W
99	20.00	39.00	40.00	1.42	28.8	N2°10'30"W
100	20.00	39.00	40.00	1.42	28.8	S89°42'00"E

MICROFILMED
OCT 07 1992

P.D. Succor Creek
AWAYE Sec 8 T3N R5W
SENWSW, Sec. 7, T3N, R5W. kwj 11-2-91



MICROFILMED
OCT 17 1992

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A57-07242
Date Received: 1/17/1989
Receipt No: CO05142
Received By: RLT.

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: MARION L. VANCE 208-337-3563
Address: P.O. BOX 7
HOMEDALE, ID 83628

Name: BARBARA L. VANCE 208-337-3563
Address: P.O. BOX 7
HOMEDALE, ID 83628

2. Date of Priority: JUN 19, 1979

3. Source: SUCCOR CREEK Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
03N	05W	5	SE	SE			OWYHEE

5. Description of diverting works:
PUMPS & SPRINKLERS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.280		

7. Total Quantity Appropriated is:
0.280 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	05W	5	SW SE		IRR	14.0
Section Acres						14.0
Total Acres						14.0

11. Place of use in counties: OWYHEE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

P/U BRIAR HILLS SUBD.
REINSTATED 8-17-1984.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 0

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Maria Vane Date: 1-17-89
Date:

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 17th day
of January 19 89 Helen Harrington
Notary Public

Seal

Helen Harrington, Notary Public
Residing at Residing at Boise, Idaho
My Commission Expires December 1, 1994
My Commission Expires

NO FIEI



Date En

Verificat

A5707242

"R" File Created by: _____ Date _____

Expedite License
Add Driver Val.
Add Cons. Use.

State of Idaho
Department of Water Resources

AUG 14 1992

Department of Water Resources
Western Regional Office

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07242

Priority: June 19, 1979

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that MARION L VANCE
BARBARA L VANCE

P.O. BOX 7

HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1979; and has submitted Proof of Beneficial Use on August 1, 1984. An examination indicates that the works have a diversion capacity of .400 cfs of water from:

SUCCOR CREEK

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 7, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	5	SWSE	0.8		0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

MICROFILMED

OCT 07 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07242

CONDITIONS/REMARKS:

6. The issuance of this right in no way grants any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JULY, 1992.


Acting for R. Keith Higginson, Director

MICROFILMED

OCT 07 1992

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 57-07242 Date: 2-24-03

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	3N	5W	5															.8		.8
GIS																		.8		.8
Claim																				
GIS																				
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 1

Total Claimed Acres: .8

Overlapping EOU Claim #'s:

Total GIS Acres: .8

COMMENTS:

Per county data + image interpretation.

Idaho Department of Water Resources


1987 Napp Photo

Claim Number: 57-07242

Legal: T03N, R05W, S05

Reviewed By:

- Point of Diversion
(Located outside of view)
- Place of Use
- Section Lines
- Quarter Quarter Lines
- Township/Range Lines



0

0.25 Miles

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA)
)
Case No. 39576)
_____)

PARTIAL DECREE PURSUANT TO
I.R.C.P. 54(b) FOR
Water Right 57-07242

1997 DEC 15 AM 10: 58

DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO

FILED _____

NAME & ADDRESS: MARION L VANCE
BARBARA L VANCE
PO BOX 7
HOMEDALE ID 83628

SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.02 CFS
4.0 AFY

PRIORITY DATE: 06/19/1979


POINT OF DIVERSION: T03N R05W S07 LOT 3 (SENWSW) Within OWYHEE County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION		Irrigation Season	0.02 CFS 4.0 AFY

PLACE OF USE: IRRIGATION Within OWYHEE County
T03N R05W S05 SWSE 0.8
0.8 ACRES TOTAL

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.


DANIEL C. HURLBUTT, JR.
PRESIDING JUDGE
Snake River Basin Adjudication

DATE: 11/24/97
PAGE: 1

Audit: 11/24/97 KWALKER

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

DATE: NOV-24-1997

PAGE: A-1

RIGHTS FROM: SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

RIGHT NUMBER: 57-07242

NAME AND ADDRESS: MARION L VANCE
BARBARA L VANCE
PO BOX 7
HOMEDALE ID 83628

SOURCE: SUCCOR CREEK TRIBUTARY: SNAKE RIVER

QUANTITY: 0.02 CFS
4.0 AFY

PRIORITY DATE: 06/19/1979

POINT OF DIVERSION: T03N R05W S07 LOT 3 (SENWSW) Within Owyhee County

PURPOSE AND PERIOD OF USE:	PURPOSE OF USE	PERIOD OF USE	QUANTITY
IRRIGATION		<u>Irrigation Season</u>	0.02 CFS
		<u>03/19 11/19</u>	4.0 AFY

PLACE OF USE: IRRIGATION Within Owyhee County
T03N R05W S05 SWSE 0.8
0.8 ACRES TOTAL

CONSUMPTIVE USE: 2.8 AFY

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

PLACE OF USE IS ALSO KNOWN AS BRIAR HILLS SUBDIVISION/
RIGHT NO. 57-10854 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.

EXPLANATORY MATERIAL: BASIS OF CLAIM - LICENSE
PLACE OF USE IS ALSO KNOWN AS BRIAR HILLS SUBDIVISION.
RIGHT NO. 57-10854 IS ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE.

WESTERN REGION

CLAIM NUMBERS 57-07242

AGENT Kay DATE 10-24-97

TOTAL ACRES FROM RECOMMENDATION 0.8

GEOGRAPHIC INFO SYSTEM ACRES 0.81

READY FOR DECREE ____ (YES)

SENT FOR DECREE (YES)

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	3N	5W	5															0.8	
GIS	3N	5W	5															0.81	
RECOM																			
GIS																			

POLYGON CREATED ON 80 3

POLYGON # (28) () () () _____ UPDATED BY

ATTRIBUTES OF B57-POU.SHP (28) () () () ()

ATTRIBUTES OF B57-POD.SHP (18) () () () ()

B57-DBPOU.DBF 10/24 UPDATED BY kw

B57-DBPOD.DBF 10/24 UPDATED BY kw

P/D at Patch Canal.

RDH GPSTABLE

DRAFT



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 3, 1992

RE: Notice of Claim to a Water Right No. 57-07242

Marion L. &/or Barbara L. Vance
P.O. Box 7
Homedale, ID 83628

Dear Mr. and Mrs. Vance:

We are in receipt of the Notice of Error you submitted in regard to the above referenced claim.

We have based our recommendations on the field examinations conducted by Departmental representatives on June 30, 1985, and November 13, 1990. The license issued on July 14, 1992, is a reflection of beneficial use of water at the time of the examinations. Pursuant to Section 42-219, Idaho Code, we cannot issue a license in excess of the amount that has been beneficially applied. At the time of the exams, only three lots had been beneficially using water for irrigation purposes. When you sell more lots you can apply for another water right to cover the additional irrigation use. Enclosed, for your convenience, is an Application for Permit form that can be used to cover irrigation of those lots.

We have not changed our recommendations in regard to Claim 57-07242. If you have any questions in regard to this matter, please feel free to contact me.

Sincerely,

KAY WALKER
Sr. Water Resource Agent
Adjudication Bureau

MICROFILMED
OCT 07 1992

JUL-20-1992

NOTICE OF ERROR FORM

RECEIVED

Please type or print clearly, fill out completely, and return to:

AUG 20 1992

Idaho Department of Water Resources

Statehouse Mail

Department of Water Resources

Boise, Idaho 83720-9000

The notice of error must be received at IDWR by the **deadline date** printed below with your proposed recommendation.

YOUR DEADLINE FOR FILING A NOTICE OF ERROR IS: AUG-20-1992

1. Water right number: 57-07242
2. Name: MARION L VANCE
BARBARA L VANCE
Address: P.O. Box 7
HOMEDALE, ID. 83628

Weekday Telephone Number: 208-337-3191 ASK FOR
KELLY VANCE

TEAR AT PERFORATIONS AND COMPLETE FORM ON OTHER SIDE

MICROFILMED
OCT 07 1992

MIC.
OCT.

(Instead of filling in items 3 and 4 below you may include a copy of your proposed recommendation with the changes marked on the copy.)

3. Describe the portion of proposed recommendation with which you disagree:
WE NEED TO CHANGE THE CFS BACK TO ORIGINAL AMOUNT OF 0.28 CFS INSTEAD OF .02 CFS. ALSO NEED TO CHANGE TOTAL ACRES TO 14.0 AS ORIGINALLY ON RIGHT INSTEAD OF .8 ACRES NOW.
4. Describe the changes you wish to have made in the proposed recommendation:
#1 CHANGE CFS TO .28
#2 CHANGE ACRES TO 14.0
5. Describe why you disagree with the proposed recommendation: WE NEED ALL OF THE ORIGINAL WATER RIGHT FOR THE SUBDIVISION. THE SUBDIVISION IS TOTALLY IN, WITH IRRIGATION LINES TO EACH LOT. WITH OUT THE WATER RIGHT THE SUBDIVISION HAS NO VALUE, AND IS NOT SALEABLE.
6. Date: 8/5/92

SIGNATURE

Maria Vane

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 57-07242
1. Owner: Marion L. & for Barbara L. Vance Phone No. 337-3563
Current Address: P.O. Box 7, Homedale, ID 83628
2. Accompanied by: Roxanne McCarthy (IDWR) EXAM. DATE: 11-13-1990
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 57-10854 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Pump from canal to 4" x 6" PVC mainlines. See Engineering design map attached for locations of pipelines, etc.

Per phone conversation with Kelly Vance (permit holder's son) on 4-19-1991 only 3 lots use irrigation water at this time. Since surface water, can only recommend what is being used per Steve Lester 11/4/91.

MICROFILMED
OCT 07 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.),

Water is diverted at diversion dam on Succor Cr. then pumped out of Patch Canal. Gem Irrig. District is aware of this use but there is no written agreement in place at this time. This use has been in place for several years, per Clyde Hutton of Gem Irrig. District.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>see exam of</i>			<i>6-30-85.</i>		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<i>3</i>	<i>SE</i>	<i>NW</i>	<i>SW</i>	<i>7</i>	<i>3N</i>	<i>5W</i>	<i>Owyhee</i>	<i>Ortho-photo; exam; USGS quad</i>

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>3N</i>	<i>5W</i>	<i>5</i>															<i>.8</i>		<i>.8</i>

MICROFILMED
OCT 07 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*see exam of 6-30-85
by John Noyes.
.8 ac x 0.03 cfs = 0.024 cfs*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.8 \times 4.5 = 3.6$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \times 1.98 \times 246 = 9.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.6$

2. Volume Calculations for Other Uses:

*Consumptive use volume calculation
0.8 acres x 3.5 = 2.8 AF/year.*

MICROFILMED
SEP 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

3 lots using water for irrigation per
 Kelly Vance - claimant's son.
 P.U. also known as Briar Hills Subdivision.
 An exam fee was not required for this
 permit since an exam was conducted
 in June of 1985. Recommend priority date
 of 6-19-1979 per Order of Reinstatement
 of 8-17-1984.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrig.	3-15	11-15	0.02	3.6
Totals:			0.02	3.6

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Kay Walker
 Signature Kay Walker 11-4-1991
 Certification Date _____
 Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
 OCT 07 1992



P.D.


MICROFILMED
OCT 07 1992

(4-675b)

3 NORTH. RANGE N° 5 WEST O

DEPENDENT RESURVEY AND SUB

RESURVEY



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 57-7242

1. Owner: Marion L & Barbara L. Vance Phone No. 337-3563

Current Address: Box 487 Homedale, Idaho 83628

2. Accompanied by: Applicant EXAM. DATE: 6/30/85

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Succot Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

P.D. 4'x16' CMP sump - 7.5 HP motor. 6" PVC pipeline
to 5 HP relief pump. 4" & 6" PVC main lines
see engineering design map attached for
location of pipelines & etc. Turn out
taps have been installed to each lot, but
not all the lots have been sold.

Scale: 1" = 0

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Subdivision map.

MICROFILMED
OCT 07 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

measured the water in 5 gallon bucket
no means of measuring the water except
with an open discharge.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	7.5	5K184DL1050	Pacific pump co.	CSB60122
Relist pump	GE	5	5K182DL123C	-	-

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

MICROFILMED
OCT 07 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 Gallon Bucket						

2. Measurements:

5 gallons in 2 seconds
 1 second = 2.5 gal x 60 = 150 GPM x .002278 = .33
 10.4 acres x .02 = .21 cfs recommended cfs

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

.33 cfs

2. Alternate Method for Checking Purposes:

7.5 HP x .8 x .75 cfs = 4.5 = .43 cfs
 70' x 1' + 20' x 5' (46.19) = 116.19

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10.4 \times 4.5 = 46.8$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .21 \times 245 \times 1.9835 = 102.05$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 46.8$

2. Volume Calculations for Other Uses:

NOTE

MICROFILMED
OCT 07 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land being irrigated was a spare hillside before development. There is not any other land being irrigated other than the subdivision.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	3/15	11/15	.21	46.8
Totals:			.21	46.8

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name John K. Noyes
Signature John K. Noyes
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
OCT 07 1992


MICROFILMED
OCT 07 1992

Briar Hills subdivision - Homedale
Idaho.



P.U

4'x16' CAMP SUMP 7.5HP motor at time of Exam.
Time of picture motor being repaired. Sucker crack.



P.D

NXP
1A11

Marion Vance 57-7242

IRRIGATED AREA CALCULATIONS - BRIAR HILLS SUBD.

HOMEDALE, Owyhee Co., IDAHO

- ASSUMPTIONS:
1. THAT AT PRESENT AND FOR A CONSIDERABLE LENGTH OF TIME IN THE FUTURE IRRIGATION PRACTICES WILL BE TO IRRIGATE TO THE EDGE OF THE 37-FOOT WIDE STREET SURFACE, RATHER THAN JUST TO PROPERTY LINE. THE ASSUMED LIMIT OF NORMAL IRRIGATION IS INDICATED BY THE DOUBLE LINE ON THE EXHIBITS.
 2. THAT ON THE AVERAGE THERE ARE 1500 SQ. FT OF AREA PER RESIDENT.
 3. THAT ON THE AVERAGE DRIVEWAYS OCCUPY 600 SQ. FT. PER RESIDENCE.

- KNOWN:
1. THAT THERE ARE 13.55 TOTAL ACRES WITHIN THE SUBDIVISION A. ABOVE TAKEN FROM BLAKELY ENGINEERING DRAWINGS OF SUBDIVISION
 2. THAT THERE ARE 1.85 ACRES IN STREET & TURNING CIRCLES. (THIS IS A DIGITIZER MEASUREMENT. CROSS CHECK WITH MEASURING WHEEL GIVES APPROX. 1.9 ACRES.)
 3. THAT THERE ARE 26 SALABLE LOTS IN THE SUBDIVISION

CALCULATIONS:

$$\text{IRRIG ACRES} = \text{TOTAL ACRES IN SUBDIVISION LESS } 1.85 \text{ ACRES}$$

$$\text{AND } 26 \times 2100 \text{ }^{\text{sq ft}} = 1.25 \text{ ACRES} = 13.55 - 3.1 = 10.45 \text{ AC.}$$

↓
SQ FT. OF AVE. HOME + DRIVEWAY PER LOT

REMAINING TO BE IRRIGATED

3 lots being irrigated under this permit

$$10.45 \text{ ac} \div 26 \text{ lots} = 0.4 \text{ ac/lot} \times 3 = 1.2 \text{ acres}$$

per palimeter reading

lot 2 = 0.29 ac
lot 25 = 0.29 ac
lot 19 = 0.33 ac

39639.6^{sq ft}
- 6300.
33339.6^{sq ft}

3 homes @ 2100^{sq ft} = 6300^{sq ft}

0.76 ac

11/4/91

MICROFILMED
OCT 07 1992

BRIAR HILLS SUBDIVISION

FOR SECTIONS 5, T3N, R5W, BM, OWYHEE COUNTY, IDAHO

HWY COR
SW 1/4 SE 1/4
SEC. 5
T3N R5W BM

- LEGEND**
- PROPERTY BOUNDARY
 - LOT LINE
 - CENTER LINE
 - EASEMENT FOR UTILITIES & DRAINAGE
 - SECTION LINE
 - BRASS MONUMENT
 - 5/8" RE BAR
 - 1/2" RE BAR
 - TPB
 - TRUE POINT OF BEGINNING
 - B. ROW OF PATCH DITCH

I hereby certify that this instrument was filed for record of the request of Ronald M. Blakeley of _____ minutes past _____ o'clock _____ M. this _____ day of _____ A.D. 1979.


File _____
Instrument _____
Recorder _____
Deputy _____

Protective easements filed with this plat
Instrument No. _____

**STATE OF IDAHO
COUNTY OF OWYHEE S.S.**

I, RONALD M. BLAKELEY, a Registered Professional Engineer and for said County and State do hereby certify that the survey of BRIAR HILLS SUBDIVISION in Owyhee County, was made by me or under my direction and that this plat correctly shows the survey as made.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this 22nd day of March, A.D. 1979.



The subdividers agree with Owyhee County and subsequent lot owners agree by accepting deeds to lots in this plat that they will not interfere or complain concerning farm operations that are in practice on adjacent lands at the time of recording this plat.

Sanitary restriction in force under Title 50, Chapter 13, Idaho code. No building or other requiring water supply or sewage disposal can be built on this tract of land until the sanitary restriction is removed by the Director of the Idaho Department of Health and Welfare, or his designee.

County Sanitation _____ Date _____


P.D. Successor owner

AMHE Sec 8 T3N R5W

SENWSW, Sec. 7, T3N, R5W. K.W. 11-2-91

MICROFILMED
OCT 07 1992

CURVE	R	Δ	T	L	LC	SC	SE	ST
C-1	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-2	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-3	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-4	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-5	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-6	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-7	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-8	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-9	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-10	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-11	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-12	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-13	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-14	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-15	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-16	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-17	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-18	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-19	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-20	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-21	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-22	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-23	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-24	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-25	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-26	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-27	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-28	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-29	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-30	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-31	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-32	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-33	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-34	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-35	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-36	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-37	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-38	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-39	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-40	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-41	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-42	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-43	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-44	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-45	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-46	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-47	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-48	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-49	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-50	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-51	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-52	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-53	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-54	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-55	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-56	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-57	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-58	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-59	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28
C-60	20.00	97.0000	20.00	31.42	28.28	28.28	28.28	28.28



MICROFILMED
OCT 17 1992

HOME OFFICE:
BOX 870 - 621 SO. 4TH AVE. - TEL. 450-1516
CALDWELL, IDAHO 83605

ROUTE NO. 3, BOX 100 - TEL. 882-9253
ONTARIO, OREGON 97914

Notary Public
Residing at Homedale Idaho

BLAKLEY ENGINEERS, INC.
(Chartered)

HOME OFFICE:
BOX 579 - 621 SO. 4TH AVE. - TEL. 489-1518
CALDWELL, IDAHO 83605

826 CENTER AVENUE - TEL. 642-2932
PAYETTE, IDAHO 83661

316 WASHINGTON AVENUE - TEL. 365-5951
EMMETT, IDAHO 83617

ROUTE NO. 3, BOX 100 - TEL. 889-8283
ONTARIO, OREGON 97914

DESCRIPTION FOR

MARION VANCE

Job No. SC 033178

BOOK 36

May 9, 1978

This parcel is situated in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5, Township 3 North, Range 5 West of the Boise Meridian and is more particularly described as follows:

COMMENCING at the Northwest corner of said SW $\frac{1}{4}$ SE $\frac{1}{4}$;

Thence South along the West boundary of said SW $\frac{1}{4}$ SE $\frac{1}{4}$, a distance of 260.00 feet to the TRUE POINT OF BEGINNING;

Thence South 67° 42' 00" East, a distance of 1333.14 feet to a point on the Northwesternly right-of-way of Patch Ditch;

Thence traversing said Northwesternly right-of-way:

South 60° 26' 30" West, a distance of 73.71 feet;
South 40° 40' 05" West, a distance of 72.00 feet;
South 62° 36' 30" West, a distance of 240.64 feet;
South 39° 31' 11" West, a distance of 148.42 feet;
South 32° 40' 10" West, a distance of 182.94 feet to a point on the Northeasterly right-of-way of U.S. Highway 95, which point lies on a curve;

Thence Northwesternly, a distance of 510.54 feet along the arc of a curve to the right, having a radius of 922.40 feet, a central angle of 31° 42' 45" and a long chord which bears North 59° 32' 02" West, a distance of 504.05 feet;

Thence North 43° 40' 40" West along said right-of-way, a distance of 407.03 feet to a point on said West boundary;

Thence North, along said West boundary, a distance of 426.11 feet to the TRUE POINT OF BEGINNING.

This parcel is subject to all easements and right-of-ways existing or of record.

This parcel contains 13.55 acres.

MICROFILMED
OCT 07 1992

CLAIMANT'S NAME: Marion L. & for Barbara Vance DATE: 10-1-91
~~9-30-91~~EMPLOYEE: Kay Walker

-337-3760

RE: Phone conversation w/ Clyde Natton in
regard to letter of 5/3/91. (CALL BETWEEN 7:00-8:00 AM)

No written agreement - ^{Gem} allow them
to pump out of Patch - ^{Gem} will divert
more water through Patch to cover
their ^(VANCE) right -

Clyde Natton will pursue a written
agreement and send in a copy -

11-1-91

Per office visit with Clyde Natton; Gem
is aware of the use of Patch Canal
by Briar Hills Subdivision. There is
no written agreement in place at this
time. Mr. Natton said to go ahead
and put their point of diversion on
the license since they have been
doing this for several years. ^{NOTE} The
subdivision was using Succor Ct. water
in 1985 - verified by B/U field report
by John Noyes. In 1987 ^(see pictures) John went
back out to do further review for
licensing this permit but the ^{MICROFILMED}
was down. The exam was shelved
and never completed. When I reviewed
the exam in 1990 I found a discrepancy.

CLAIMANT'S NAME: Marion R. & Barbara L. Vance DATE: 11-1-91
EMPLOYEE: _____ continued

RE: _____

in the mapped point of diversion and the legal description on the exam. On November 13, 1990, Roxanne McCarthy and I went out to verify the p/d and found no electrical connection to the pumps ^{location} previously used. I spoke with Kelly Vance (the permit holder's son) on April 19, 1991 to find out the status of this permit. He said the water was being used continuously but they were diverting from the Patch Canal at present time. Following our discussion I pursued getting acknowledgment of this use from Kern Irrigation District.

MICROFILMED
OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 3, 1991

RE: Diversions from Patch Canal for Briar Hills Subdivision

Gem Irrigation District
Attn: Clyde Hutton
P.O. Box 67
Homedale, ID 83628

Dear Mr. Hutton:

We are in the process of reviewing a water right permit and corresponding adjudication claim filed for the irrigation of lawns in Briar Hills Subdivision. Both of these documents were submitted by Marion and Barbara Vance.

The water right permit was issued for the irrigation of 14 acres with Succor Creek water. While conducting our adjudication examinations last fall, we found that the point of diversion that was previously used for this permit was no longer connected to a power source. I contacted the owners of the permit and in reply, was told that they now divert their Succor Creek water out of the Patch Canal at different locations. Prior to any further action on the rights held by the Vance's we need some information from you.

1.) Is there an agreement between Gem Irrigation District and the Vance's for the subdivision's diversion of water from Patch Canal? If there is an agreement in place, could you please send us a copy?

2.) Do you divert additional water into the Patch Canal, from Succor Creek, for the satisfaction of this water right permit?

Your response to these questions would be very much appreciated. If you have any questions in regard to this matter, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker".

KAY WALKER
Sr. Water Resource Agent
Adjudication Bureau

MICROFILMED
OCT 07 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 22, 1991

RE: Water Rights from Succor Creek

Marion L. &/or Barbara L. Vance
P.O. Box 7
Homedale, ID 83628

Dear Mr. and Mrs. Vance:

We are in the process of finalizing review of claims filed in your area and find we have a question on your use of the water from Succor Creek. As you may recall, you have a permit to use the water from Succor Creek for the irrigation of lawns in Briar Hills Subdivision. This use was examined on June 30, 1985, and again in September of 1987, by a representative of this Department. At the time of the inspection in 1987, the Department's representative found that the 7.5 HP motor, used in this system, was in for repair.

On November 13, 1990, we were out in your area and stopped by to confirm the location of the point of diversion for this water right. During this visit we noticed that there was no connection between the power pole and the pump station, which brings up a couple of questions. (1) How long has it been since you have used Succor Creek water to irrigate the lawns in Briar Hills Subdivision? (2) Do you intend to use this water in the future? We also found that this land is covered under Gem Irrigation District water. (3) Do you use the "Gem" water for the irrigation of the lawns also?

If you do not intend to use this water in the future, you should relinquish your Water Right Permit No. 57-07242, and withdraw the claim you have filed in the Snake River Basin Adjudication. If, in the future, you decide that you need water from Succor Creek, you could re-apply for another water right.

Please respond to the above questions within 30 days of the date of this letter. If we do not hear from you within this time period we will make our recommendations on your water use based on the information contained in our files.

Sincerely,

Kay Walker

KAY WALKER
Water Resource Agent
Adjudication Bureau

KW:k

4-19-91
per Kelly Vance-
Been using all along -
diversion at different location
taking out of Patch Canal
present-only 3 houses using
irrig. water at this
MICROFILMED
OCT 07 1992
KW